

Well Name: STREETCAR 15 FED	Well Location: T25S / R33E / SEC 15 / SWSE / 32.1255253 / -103.556047	County or Parish/State: LEA / NM
Well Number: 406H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM26079	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254751400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	04/05/2021	Time Sundry Submitted:	1:28:09 PM
Date Operation Will Begin:	03/06/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	07/22/2020		
US Well Number	3002547514		
Field Contact Name:	D MOOSE	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP245
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	3-7-2021 20" Conductor @ 105'		
Disposition:	Accepted		
Accepted Date:	05/18/2021		

Well Name: STREETCAR 15 FED	Well Location: T25S / R33E / SEC 15 / SWSE / 32.1255253 / -103.556047	County or Parish/State: LEA / NM
Well Number: 406H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM26079	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254751400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 7, 2021	Time Sundry Submitted:	9:09:38 AM
Date Operation will begin:	Apr 4, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	D MOORE	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP245

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3355	1275	1275	2080

Procedure Description:	4-5-2021 17 1/2" HOLE 4-5-2021 Surface Hole @ 1,219' MD, 1,118' TVD Casing shoe @ 1,209' MD, 1,208' TVD Ran 13-3/8" 54.5# J-55 STC Cement w/ 785 sx Class C (1.79 yld, 13.5 ppg), followed by 190 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min -OK. Circ 408 sx cement to surface resume drilling 12 1/4" hole
Disposition:	Accepted
Accepted Date:	05/12/2021

Well Name: STREETCAR 15 FED	Well Location: T25S / R33E / SEC 15 / SWSE / 32.1255253 / -103.556047	County or Parish/State: LEA / NM
Well Number: 406H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM26079	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254751400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 14, 2021	Time Sundry Submitted:	8:55:27 AM
Date Operation will begin:	Apr 10, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	D MOOSE	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP245

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11181	10795	-7440	15831	10795	-7440
PRODUCTION	0	0		11181	11181	-7826

Procedure Description: 4-11-2021 8 1/2" HOLE
4-11-2021 Production Hole @ 15,463' MD, 10,520' TVD
Casing Shoe @ 15,444' MD, 10,520' TVD
Ran 5-1/2", 20#, EY HCP-110, RDT-BTX (MJ @ 2,057', 9,890' and 14,971')
Stage 1: Cemented w/ 415 sx Class L (3.74 yld, 10.5 ppg)
No casing test . Did not circ cement to surface, TOC @ 2,416' by Calc
Stage 2: Cemented w/ 1,435 sx Class H (1.23 yld, 14.5 ppg). Flushed valves w/ 5 bbl FW, TOC @ 8,466' by Calc RR 4-12-2021

Disposition:	Accepted
Accepted Date:	05/12/2021

Well Name: STREETCAR 15 FED	Well Location: T25S / R33E / SEC 15 / SWSE / 32.1255253 / -103.556047	County or Parish/State: LEA / NM
Well Number: 406H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM26079	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254751400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Apr 8, 2021	Time Sundry Submitted:	1:16:41 PM
Date Operation will begin:	Apr 6, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	D MOORE	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP245

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3355	4000	4000	-645
INTERMEDIATE	4000	4000	-645	4940	4940	-1585

Procedure Description: 4-7-2021 12 1/4" hole
4-7-2021 1st Intermediate Hole @ 5,018' MD, 4,945' TVD
Casing shoe @ 5,003' MD, 4,930' TVD
Ran 9-5/8", 40#, J55 LTC (0' - 3,902')
Ran 9-5/8", 40#, HCK-55 LTC (3,902' - 5,003')
Cement w/ 1085 sx Class C (2.18 yld, 12.7 ppg), TRAIL W/295 sx Class C (1.39 yld, 14.8 ppg)
Test casing to 1,800 psi for 30 min - OK. Circ 424 sx cement to surface Resume drilling

Disposition:	Accepted
Accepted Date:	05/12/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 38384

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 38384
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/27/2021