

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK, 74121-1468		² OGRID Number 12361	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 025-46983	⁵ Pool Name Ojo Chiso; Bone Spring, Southwest		⁶ Pool Code 98259
⁷ Property Code 316707	⁸ Property Name Bell Lake Unit North		⁹ Well Number 233H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
K	5	23S	34E		2062	South	2423	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	32	22S	34E		101	North	1975	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/24/21	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC 1515 Araphoe St., Suite 1600 Denver, CO 80202	G
	Plains Pipeline LP 333 Clay St., #1600 Houston, TX 77002	O

IV. Well Completion Data

²¹ Spud Date 3/21/20	²² Ready Date 3/24/21	²³ TD 18,407' MD	²⁴ PBDT 18,310' MD	²⁵ Perforations 10,767 - 18,155	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17 - 1/2"		13 - 3/8"	1,325		740 SX
12 - 1/4"		9 - 5/8"	5,263		920 SX
8 - 1/2"		5 - 1/2"	18,382		900 SX

V. Well Test Data

³¹ Date New Oil 4/1/21	³² Gas Delivery Date 4/1/21	³³ Test Date 4/25/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2360
³⁷ Choke Size 20/64	³⁸ Oil 755	³⁹ Water 1,407	⁴⁰ Gas 1,185		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature:			OIL CONSERVATION DIVISION Approved by: Title: Approval Date:		
Printed name: Erica Miles					
Title: Geosciences Technician					
E-mail Address: EricaM@kfoc.net					
Date: 5/27/21		Phone:918-491-4548			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46983	² Pool Code 98259	³ Pool Name Ojo Chiso; Bone Spring, Southwest
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT NORTH	⁶ Well Number 233H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3432.7

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	5	23 S	34 E		2062	SOUTH	2423	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	32	22 S	34 E		101	NORTH	1975	WEST	LEA

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14527A
---	-------------------------------	----------------------------------	--

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature _____ Date 5/27/21 Erica Miles Printed Name EricaM@kfoc.net E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MARCH 22, 2021 Date of Survey Signature and Seal of Professional Surveyor: Certificate Number: 12797

Intent ☐ As Drilled ☒

API # 30-025-46983		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT NORTH	Well Number 233H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
K	5	23S	34E		2154	SOUTH	1988	WEST	LEA
Latitude 32.3323053					Longitude 103.4942761				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
F	5	23S	34E		2457	NORTH	2005	WEST	LEA
Latitude 32.3341537					Longitude 103.4942221				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	32	22S	34E		234	NORTH	1973	WEST	LEA
Latitude 32.3547775					Longitude 103.4942980				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Kaiser-Francis Oil Company

Lea County, NM (NAD 83)

Sec 5-T24S-R34E

Bell Lake Unit North 233H

Wellbore #1

Survey: Survey #1

Survey Report - Geographic

06 April, 2020

KAISER-FRANCIS OIL COMPANY



Microsoft
Survey Report - Geographic

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit North 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3432.7+23 @ 3455.70usft
Site:	Sec 5-T24S-R34E	MD Reference:	3432.7+23 @ 3455.70usft
Well:	Bell Lake Unit North 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 5-T24S-R34E			
Site Position:		Northing:	453,577.65 usft	Latitude:	32.244965
From:	Map	Easting:	760,872.47 usft	Longitude:	-103.623242
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.38 °

Well		Bell Lake Unit North 233H				
Well Position	+N/-S	0.00 usft	Northing:	485,551.17 usft	Latitude:	32.332053
	+E/-W	0.00 usft	Easting:	800,931.95 usft	Longitude:	-103.492870
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,432.70 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	04/06/20	6.62	60.14	47,721.47892190

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	356.73	

Survey Program	Date	04/06/20			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
238.00	18,408.00	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	485,551.17	800,931.95	32.332053	-103.492870
238.00	0.10	84.90	238.00	0.02	0.21	485,551.19	800,932.16	32.332053	-103.492869
1st MWD Survey									
332.00	0.40	156.00	332.00	-0.27	0.42	485,550.89	800,932.37	32.332052	-103.492868
426.00	0.40	201.70	426.00	-0.88	0.43	485,550.29	800,932.39	32.332050	-103.492868
520.00	0.50	172.70	519.99	-1.59	0.36	485,549.58	800,932.32	32.332048	-103.492869
613.00	0.60	174.40	612.99	-2.48	0.46	485,548.69	800,932.42	32.332046	-103.492868
706.00	0.60	171.40	705.98	-3.44	0.58	485,547.73	800,932.54	32.332043	-103.492868
800.00	0.90	227.70	799.98	-4.43	0.11	485,546.74	800,932.06	32.332040	-103.492870
892.00	1.50	252.50	891.96	-5.28	-1.57	485,545.89	800,930.38	32.332038	-103.492875
986.00	1.70	265.50	985.92	-5.75	-4.13	485,545.41	800,927.82	32.332037	-103.492883
1,080.00	1.40	257.80	1,079.89	-6.11	-6.65	485,545.06	800,925.31	32.332036	-103.492891



Microsoft
Survey Report - Geographic

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit North 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3432.7+23 @ 3455.70usft
Site:	Sec 5-T24S-R34E	MD Reference:	3432.7+23 @ 3455.70usft
Well:	Bell Lake Unit North 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,173.00	0.70	247.30	1,172.87	-6.57	-8.28	485,544.60	800,923.67	32.332035	-103.492897
1,267.00	1.00	237.30	1,266.86	-7.23	-9.50	485,543.94	800,922.45	32.332033	-103.492901
1,360.00	0.70	261.90	1,359.85	-7.75	-10.75	485,543.42	800,921.21	32.332032	-103.492905
1,454.00	0.40	280.80	1,453.85	-7.77	-11.64	485,543.40	800,920.32	32.332032	-103.492908
1,547.00	0.20	301.70	1,546.84	-7.62	-12.09	485,543.55	800,919.86	32.332032	-103.492909
1,642.00	0.40	293.80	1,641.84	-7.40	-12.54	485,543.77	800,919.41	32.332033	-103.492911
1,737.00	0.40	290.70	1,736.84	-7.15	-13.15	485,544.02	800,918.80	32.332033	-103.492913
1,833.00	0.50	278.80	1,832.84	-6.97	-13.88	485,544.20	800,918.07	32.332034	-103.492915
1,928.00	0.70	270.30	1,927.83	-6.90	-14.87	485,544.27	800,917.08	32.332034	-103.492918
2,023.00	1.40	281.40	2,022.82	-6.67	-16.59	485,544.50	800,915.37	32.332035	-103.492924
2,119.00	2.60	292.80	2,118.76	-5.59	-19.74	485,545.58	800,912.21	32.332038	-103.492934
2,214.00	4.00	297.10	2,213.60	-3.25	-24.68	485,547.92	800,907.27	32.332044	-103.492950
2,309.00	4.70	294.50	2,308.32	-0.13	-31.17	485,551.04	800,900.78	32.332053	-103.492971
2,404.00	4.60	291.90	2,403.01	2.91	-38.25	485,554.08	800,893.70	32.332061	-103.492994
2,500.00	4.90	291.60	2,498.68	5.85	-45.63	485,557.02	800,886.32	32.332070	-103.493017
2,595.00	4.60	291.10	2,593.35	8.72	-52.96	485,559.89	800,878.99	32.332078	-103.493041
2,690.00	4.80	288.30	2,688.03	11.34	-60.29	485,562.51	800,871.67	32.332085	-103.493065
2,786.00	4.70	288.90	2,783.70	13.87	-67.82	485,565.04	800,864.13	32.332092	-103.493089
2,881.00	4.70	290.30	2,878.39	16.49	-75.15	485,567.65	800,856.80	32.332100	-103.493113
2,976.00	4.30	285.80	2,973.09	18.81	-82.23	485,569.97	800,849.72	32.332106	-103.493136
3,071.00	5.30	284.40	3,067.76	20.87	-89.91	485,572.03	800,842.05	32.332112	-103.493160
3,167.00	5.00	280.80	3,163.37	22.75	-98.31	485,573.92	800,833.64	32.332117	-103.493187
3,262.00	4.20	282.10	3,258.06	24.26	-105.78	485,575.43	800,826.17	32.332122	-103.493212
3,357.00	3.40	287.50	3,352.85	25.83	-111.87	485,577.00	800,820.08	32.332126	-103.493231
3,453.00	5.20	291.30	3,448.58	28.27	-118.64	485,579.44	800,813.32	32.332133	-103.493253
3,548.00	5.80	293.70	3,543.14	31.76	-127.04	485,582.93	800,804.91	32.332143	-103.493280
3,644.00	5.40	295.00	3,638.68	35.62	-135.58	485,586.79	800,796.37	32.332153	-103.493308
3,739.00	5.10	296.00	3,733.29	39.36	-143.43	485,590.53	800,788.53	32.332164	-103.493333
3,835.00	4.60	295.90	3,828.94	42.91	-150.72	485,594.08	800,781.23	32.332174	-103.493357
3,930.00	4.60	299.10	3,923.64	46.43	-157.48	485,597.60	800,774.47	32.332184	-103.493378
4,026.00	4.30	300.00	4,019.35	50.10	-163.96	485,601.27	800,767.99	32.332194	-103.493399
4,121.00	5.10	290.90	4,114.03	53.39	-170.99	485,604.56	800,760.96	32.332203	-103.493422
4,217.00	5.20	286.70	4,209.64	56.16	-179.14	485,607.33	800,752.81	32.332211	-103.493448
4,312.00	4.80	286.50	4,304.28	58.53	-187.08	485,609.70	800,744.88	32.332218	-103.493474
4,410.00	5.00	280.60	4,401.92	60.48	-195.21	485,611.65	800,736.75	32.332223	-103.493500
4,506.00	5.20	278.40	4,497.54	61.88	-203.62	485,613.05	800,728.33	32.332227	-103.493527
4,601.00	5.10	276.20	4,592.16	62.97	-212.08	485,614.14	800,719.88	32.332230	-103.493555
4,696.00	5.10	276.30	4,686.78	63.89	-220.47	485,615.06	800,711.48	32.332233	-103.493582
4,792.00	5.00	275.50	4,782.41	64.76	-228.88	485,615.93	800,703.07	32.332236	-103.493609
4,886.00	5.10	276.50	4,876.04	65.62	-237.11	485,616.79	800,694.85	32.332238	-103.493636
4,982.00	5.00	277.10	4,971.67	66.62	-245.50	485,617.79	800,686.46	32.332241	-103.493663
5,077.00	5.30	276.60	5,066.29	67.64	-253.96	485,618.81	800,677.99	32.332244	-103.493690
5,172.00	5.60	277.70	5,160.86	68.76	-262.92	485,619.93	800,669.04	32.332247	-103.493719
5,224.00	5.70	276.80	5,212.61	69.41	-267.99	485,620.58	800,663.96	32.332249	-103.493736
5,357.00	5.70	275.70	5,344.95	70.85	-281.13	485,622.02	800,650.83	32.332253	-103.493778
5,451.00	5.80	275.50	5,438.48	71.77	-290.50	485,622.94	800,641.46	32.332256	-103.493808
5,545.00	5.90	275.30	5,531.99	72.67	-300.04	485,623.84	800,631.92	32.332259	-103.493839
5,640.00	5.70	274.40	5,626.50	73.48	-309.60	485,624.65	800,622.35	32.332261	-103.493870
5,734.00	5.80	273.80	5,720.03	74.15	-319.00	485,625.32	800,612.96	32.332263	-103.493901
5,828.00	5.60	289.20	5,813.57	75.98	-328.07	485,627.15	800,603.89	32.332269	-103.493930
5,924.00	5.70	294.70	5,909.10	79.51	-336.82	485,630.68	800,595.13	32.332278	-103.493958
6,019.00	5.60	292.40	6,003.64	83.25	-345.39	485,634.42	800,586.56	32.332289	-103.493986
6,113.00	4.70	288.70	6,097.26	86.23	-353.28	485,637.40	800,578.67	32.332297	-103.494011
6,208.00	4.40	286.50	6,191.96	88.51	-360.46	485,639.68	800,571.49	32.332304	-103.494034
6,302.00	4.40	285.80	6,285.68	90.52	-367.39	485,641.69	800,564.56	32.332309	-103.494057



Microsoft
Survey Report - Geographic

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit North 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3432.7+23 @ 3455.70usft
Site:	Sec 5-T24S-R34E	MD Reference:	3432.7+23 @ 3455.70usft
Well:	Bell Lake Unit North 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,396.00	4.40	285.90	6,379.41	92.49	-374.33	485,643.66	800,557.63	32.332315	-103.494079
6,490.00	4.50	285.90	6,473.12	94.49	-381.34	485,645.66	800,550.61	32.332321	-103.494102
6,585.00	4.40	285.40	6,567.84	96.48	-388.44	485,647.64	800,543.52	32.332326	-103.494125
6,679.00	4.50	285.10	6,661.55	98.39	-395.47	485,649.56	800,536.48	32.332332	-103.494148
6,774.00	4.50	283.00	6,756.26	100.20	-402.70	485,651.37	800,529.25	32.332337	-103.494171
6,869.00	4.70	282.50	6,850.95	101.88	-410.13	485,653.05	800,521.82	32.332342	-103.494195
6,964.00	3.20	286.40	6,945.73	103.47	-416.48	485,654.64	800,515.47	32.332346	-103.494215
7,059.00	0.60	271.20	7,040.67	104.23	-419.52	485,655.40	800,512.43	32.332348	-103.494225
7,154.00	0.10	131.40	7,135.66	104.19	-419.96	485,655.36	800,512.00	32.332348	-103.494227
7,248.00	0.30	176.20	7,229.66	103.89	-419.88	485,655.06	800,512.08	32.332347	-103.494226
7,343.00	0.40	209.30	7,324.66	103.35	-420.02	485,654.52	800,511.93	32.332346	-103.494227
7,439.00	0.40	233.80	7,420.66	102.86	-420.46	485,654.03	800,511.50	32.332344	-103.494228
7,534.00	0.50	230.40	7,515.66	102.40	-421.04	485,653.57	800,510.91	32.332343	-103.494230
7,628.00	0.50	232.60	7,609.65	101.89	-421.69	485,653.06	800,510.27	32.332342	-103.494232
7,722.00	0.40	228.50	7,703.65	101.42	-422.26	485,652.59	800,509.69	32.332341	-103.494234
7,816.00	0.40	228.10	7,797.65	100.99	-422.75	485,652.16	800,509.20	32.332339	-103.494236
7,911.00	0.40	232.10	7,892.65	100.56	-423.26	485,651.73	800,508.70	32.332338	-103.494237
8,005.00	0.40	226.90	7,986.64	100.14	-423.75	485,651.31	800,508.20	32.332337	-103.494239
8,100.00	0.40	241.40	8,081.64	99.75	-424.29	485,650.92	800,507.66	32.332336	-103.494241
8,196.00	0.40	255.10	8,177.64	99.51	-424.91	485,650.67	800,507.05	32.332335	-103.494243
8,291.00	0.40	246.70	8,272.64	99.29	-425.53	485,650.46	800,506.42	32.332335	-103.494245
8,386.00	0.30	251.80	8,367.64	99.08	-426.07	485,650.25	800,505.88	32.332334	-103.494247
8,480.00	0.40	263.80	8,461.63	98.97	-426.63	485,650.14	800,505.32	32.332334	-103.494248
8,574.00	0.60	259.80	8,555.63	98.85	-427.44	485,650.01	800,504.51	32.332334	-103.494251
8,669.00	0.50	245.70	8,650.63	98.59	-428.31	485,649.76	800,503.64	32.332333	-103.494254
8,763.00	0.40	233.60	8,744.62	98.22	-428.95	485,649.39	800,503.00	32.332332	-103.494256
8,857.00	0.30	228.80	8,838.62	97.87	-429.40	485,649.04	800,502.56	32.332331	-103.494257
8,951.00	0.30	170.80	8,932.62	97.46	-429.54	485,648.63	800,502.41	32.332330	-103.494258
9,045.00	0.40	166.00	9,026.62	96.90	-429.42	485,648.07	800,502.53	32.332328	-103.494258
9,140.00	0.40	156.90	9,121.62	96.27	-429.21	485,647.44	800,502.74	32.332327	-103.494257
9,234.00	0.60	198.20	9,215.61	95.50	-429.24	485,646.67	800,502.71	32.332324	-103.494257
9,326.00	0.90	199.40	9,307.60	94.36	-429.63	485,645.53	800,502.32	32.332321	-103.494258
9,420.00	0.90	196.60	9,401.59	92.96	-430.09	485,644.13	800,501.87	32.332317	-103.494260
9,514.00	1.30	220.30	9,495.58	91.44	-430.99	485,642.61	800,500.97	32.332313	-103.494263
9,609.00	1.50	214.50	9,590.55	89.59	-432.39	485,640.76	800,499.57	32.332308	-103.494267
9,703.00	1.50	210.80	9,684.52	87.52	-433.71	485,638.69	800,498.24	32.332303	-103.494272
9,797.00	0.60	287.60	9,778.50	86.61	-434.81	485,637.78	800,497.14	32.332300	-103.494275
9,844.00	4.70	345.40	9,825.44	88.55	-435.53	485,639.72	800,496.42	32.332305	-103.494277
9,891.00	10.70	351.90	9,872.00	94.74	-436.63	485,645.91	800,495.32	32.332322	-103.494281
9,985.00	21.30	359.80	9,962.24	120.53	-437.93	485,671.70	800,494.03	32.332393	-103.494284
10,079.00	35.60	357.80	10,044.68	165.18	-439.04	485,716.34	800,492.91	32.332516	-103.494287
10,173.00	42.80	356.10	10,117.47	224.46	-442.27	485,775.62	800,489.68	32.332679	-103.494296
10,268.00	48.90	358.80	10,183.62	292.51	-445.22	485,843.68	800,486.73	32.332866	-103.494304
10,362.00	61.40	4.20	10,237.26	369.42	-442.93	485,920.59	800,489.03	32.333078	-103.494294
10,456.00	71.30	6.80	10,274.92	455.00	-434.61	486,006.17	800,497.34	32.333313	-103.494265
10,550.00	78.20	3.50	10,299.64	545.26	-426.52	486,096.43	800,505.43	32.333561	-103.494237
10,599.00	84.50	1.00	10,307.00	593.64	-424.63	486,144.81	800,507.32	32.333693	-103.494229
10,644.00	85.80	0.20	10,310.81	638.48	-424.16	486,189.64	800,507.79	32.333817	-103.494227
10,665.45	86.03	359.97	10,312.34	659.87	-424.13	486,211.04	800,507.83	32.333875	-103.494226
FTP 10665.45 MD/10312.34 TVD 659.87 N -424.13 W N: 486211.0 E: 800507.8									
10,672.00	86.10	359.90	10,312.79	666.41	-424.13	486,217.57	800,507.82	32.333893	-103.494226
10,767.00	87.00	0.30	10,318.50	761.23	-423.97	486,312.40	800,507.98	32.334154	-103.494223
10,861.00	87.30	0.90	10,323.18	855.11	-422.99	486,406.28	800,508.97	32.334412	-103.494217
10,955.00	86.50	0.60	10,328.26	948.96	-421.76	486,500.13	800,510.20	32.334670	-103.494211
11,049.00	86.30	0.30	10,334.16	1,042.77	-421.02	486,593.94	800,510.93	32.334928	-103.494206



Microsoft
Survey Report - Geographic

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit North 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3432.7+23 @ 3455.70usft
Site:	Sec 5-T24S-R34E	MD Reference:	3432.7+23 @ 3455.70usft
Well:	Bell Lake Unit North 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,143.00	86.20	0.70	10,340.31	1,136.57	-420.20	486,687.74	800,511.75	32.335186	-103.494201
11,237.00	87.10	1.80	10,345.80	1,230.38	-418.15	486,781.55	800,513.80	32.335443	-103.494192
11,331.00	87.90	0.20	10,349.90	1,324.28	-416.52	486,875.45	800,515.44	32.335701	-103.494185
11,425.00	89.50	358.80	10,352.04	1,418.24	-417.34	486,969.41	800,514.62	32.335960	-103.494185
11,520.00	90.50	358.20	10,352.04	1,513.21	-419.82	487,064.38	800,512.13	32.336221	-103.494190
11,615.00	91.00	358.20	10,350.79	1,608.15	-422.81	487,159.32	800,509.15	32.336482	-103.494198
11,710.00	90.80	358.20	10,349.30	1,703.10	-425.79	487,254.26	800,506.16	32.336743	-103.494205
11,806.00	90.90	358.00	10,347.88	1,799.03	-428.97	487,350.20	800,502.98	32.337007	-103.494213
11,900.00	92.00	358.80	10,345.50	1,892.96	-431.60	487,444.13	800,500.36	32.337265	-103.494219
11,994.00	90.50	358.40	10,343.45	1,986.91	-433.89	487,538.08	800,498.06	32.337523	-103.494224
12,089.00	90.20	358.80	10,342.87	2,081.88	-436.21	487,633.05	800,495.74	32.337784	-103.494229
12,183.00	90.40	359.30	10,342.38	2,175.86	-437.77	487,727.03	800,494.18	32.338043	-103.494232
12,277.00	89.90	359.30	10,342.13	2,269.86	-438.92	487,821.03	800,493.03	32.338301	-103.494233
12,372.00	90.20	359.70	10,342.05	2,364.85	-439.75	487,916.02	800,492.20	32.338562	-103.494233
12,466.00	91.00	359.80	10,341.06	2,458.85	-440.16	488,010.02	800,491.79	32.338820	-103.494232
12,560.00	92.00	0.00	10,338.60	2,552.81	-440.32	488,103.98	800,491.63	32.339079	-103.494231
12,655.00	90.50	359.80	10,336.53	2,647.79	-440.49	488,198.96	800,491.46	32.339340	-103.494229
12,749.00	90.70	359.40	10,335.55	2,741.78	-441.15	488,292.95	800,490.81	32.339598	-103.494228
12,843.00	91.80	359.80	10,333.49	2,835.75	-441.80	488,386.92	800,490.15	32.339856	-103.494228
12,937.00	89.70	0.30	10,332.26	2,929.74	-441.72	488,480.91	800,490.23	32.340115	-103.494225
13,032.00	91.60	0.60	10,331.19	3,024.73	-440.97	488,575.90	800,490.98	32.340376	-103.494221
13,126.00	90.10	0.90	10,329.79	3,118.71	-439.74	488,669.87	800,492.21	32.340634	-103.494214
13,220.00	89.60	359.90	10,330.04	3,212.70	-439.09	488,763.87	800,492.87	32.340892	-103.494210
13,224.50	89.58	359.90	10,330.07	3,217.20	-439.10	488,768.37	800,492.86	32.340905	-103.494210
Cross Sec Line 13224.5 MD/10330.07 TVD 3217.20 N -439.10 W N: 488768.3 E: 800492.8									
13,314.00	89.10	359.90	10,331.10	3,306.69	-439.25	488,857.86	800,492.70	32.341151	-103.494208
13,409.00	90.10	0.30	10,331.77	3,401.69	-439.09	488,952.86	800,492.87	32.341412	-103.494205
13,503.00	89.50	359.70	10,332.10	3,495.69	-439.09	489,046.86	800,492.87	32.341670	-103.494203
13,597.00	90.20	359.30	10,332.34	3,589.68	-439.91	489,140.85	800,492.05	32.341929	-103.494203
13,692.00	89.70	359.60	10,332.43	3,684.68	-440.82	489,235.85	800,491.13	32.342190	-103.494203
13,786.00	91.30	0.10	10,331.60	3,778.67	-441.06	489,329.84	800,490.89	32.342448	-103.494202
13,880.00	90.90	2.20	10,329.80	3,872.63	-439.18	489,423.80	800,492.78	32.342706	-103.494193
13,974.00	89.00	2.00	10,329.88	3,966.56	-435.73	489,517.73	800,496.22	32.342964	-103.494180
14,068.00	87.50	0.40	10,332.75	4,060.49	-433.77	489,611.66	800,498.19	32.343223	-103.494171
14,163.00	88.30	0.40	10,336.23	4,155.43	-433.10	489,706.59	800,498.85	32.343483	-103.494166
14,257.00	88.90	0.60	10,338.53	4,249.39	-432.28	489,800.56	800,499.67	32.343742	-103.494161
14,351.00	89.90	0.90	10,339.51	4,343.38	-431.05	489,894.55	800,500.90	32.344000	-103.494155
14,445.00	90.50	2.40	10,339.19	4,437.34	-428.35	489,988.51	800,503.61	32.344258	-103.494144
14,540.00	90.90	1.30	10,338.03	4,532.28	-425.28	490,083.45	800,506.67	32.344519	-103.494132
14,635.00	90.40	359.00	10,336.95	4,627.27	-425.03	490,178.43	800,506.92	32.344780	-103.494128
14,731.00	90.90	359.20	10,335.86	4,723.25	-426.54	490,274.42	800,505.41	32.345044	-103.494131
14,825.00	91.60	359.60	10,333.81	4,817.22	-427.52	490,368.39	800,504.43	32.345302	-103.494132
14,919.00	92.10	359.10	10,330.77	4,911.16	-428.59	490,462.33	800,503.36	32.345561	-103.494133
15,013.00	90.90	359.10	10,328.31	5,005.12	-430.06	490,556.29	800,501.89	32.345819	-103.494135
15,107.00	91.40	359.10	10,326.43	5,099.09	-431.54	490,650.26	800,500.41	32.346077	-103.494137
15,202.00	91.80	359.10	10,323.77	5,194.04	-433.03	490,745.21	800,498.92	32.346338	-103.494140
15,296.00	91.50	358.40	10,321.07	5,287.98	-435.08	490,839.14	800,496.87	32.346596	-103.494144
15,390.00	92.10	358.90	10,318.11	5,381.90	-437.30	490,933.07	800,494.66	32.346855	-103.494149
15,484.00	90.30	358.40	10,316.15	5,475.85	-439.51	491,027.02	800,492.44	32.347113	-103.494154
15,579.00	90.40	358.60	10,315.57	5,570.82	-442.00	491,121.99	800,489.96	32.347374	-103.494159
15,674.00	90.90	359.00	10,314.49	5,665.79	-443.99	491,216.96	800,487.97	32.347635	-103.494163
15,768.00	91.60	359.10	10,312.44	5,759.75	-445.54	491,310.92	800,486.41	32.347893	-103.494166
15,862.00	90.20	358.40	10,310.96	5,853.72	-447.59	491,404.89	800,484.36	32.348152	-103.494170
15,956.00	87.90	357.50	10,312.52	5,947.64	-450.96	491,498.81	800,481.00	32.348410	-103.494179
16,050.00	88.30	357.60	10,315.64	6,041.50	-454.97	491,592.67	800,476.98	32.348668	-103.494189



Microsoft
Survey Report - Geographic

KAISER-FRANCIS OIL COMPANY

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well Bell Lake Unit North 233H
Project:	Lea County, NM (NAD 83)	TVD Reference:	3432.7+23 @ 3455.70usft
Site:	Sec 5-T24S-R34E	MD Reference:	3432.7+23 @ 3455.70usft
Well:	Bell Lake Unit North 233H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,143.00	89.10	357.80	10,317.75	6,134.40	-458.70	491,685.57	800,473.25	32.348923	-103.494199
16,237.00	89.90	357.90	10,318.57	6,228.33	-462.23	491,779.50	800,469.72	32.349182	-103.494208
16,332.00	90.80	358.20	10,317.99	6,323.27	-465.46	491,874.44	800,466.49	32.349443	-103.494216
16,426.00	89.20	358.30	10,317.99	6,417.22	-468.33	491,968.39	800,463.62	32.349701	-103.494223
16,521.00	89.70	358.40	10,318.90	6,512.18	-471.07	492,063.35	800,460.89	32.349962	-103.494230
16,615.00	90.10	358.40	10,319.06	6,606.14	-473.69	492,157.31	800,458.26	32.350220	-103.494236
16,709.00	91.40	358.80	10,317.83	6,700.10	-475.99	492,251.27	800,455.96	32.350479	-103.494241
16,803.00	92.40	358.60	10,314.72	6,794.03	-478.12	492,345.20	800,453.83	32.350737	-103.494245
16,897.00	91.90	358.70	10,311.19	6,887.94	-480.33	492,439.10	800,451.62	32.350995	-103.494250
16,991.00	89.50	358.50	10,310.04	6,981.89	-482.63	492,533.06	800,449.32	32.351253	-103.494255
17,085.00	89.30	359.00	10,311.02	7,075.87	-484.68	492,627.03	800,447.27	32.351512	-103.494259
17,180.00	89.70	359.00	10,311.85	7,170.85	-486.34	492,722.02	800,445.62	32.351773	-103.494262
17,274.00	90.00	358.60	10,312.10	7,264.83	-488.31	492,815.99	800,443.65	32.352031	-103.494266
17,368.00	90.90	358.10	10,311.36	7,358.78	-491.01	492,909.95	800,440.94	32.352289	-103.494273
17,462.00	89.50	357.80	10,311.03	7,452.72	-494.38	493,003.89	800,437.58	32.352548	-103.494281
17,557.00	90.20	357.40	10,311.28	7,547.64	-498.35	493,098.80	800,433.60	32.352809	-103.494292
17,651.00	89.30	357.90	10,311.69	7,641.55	-502.21	493,192.72	800,429.75	32.353067	-103.494302
17,745.00	88.30	359.60	10,313.66	7,735.51	-504.26	493,286.68	800,427.69	32.353325	-103.494306
17,839.00	89.00	0.00	10,315.88	7,829.48	-504.59	493,380.65	800,427.37	32.353583	-103.494305
17,933.00	89.90	359.60	10,316.78	7,923.47	-504.91	493,474.64	800,427.04	32.353842	-103.494303
18,027.00	90.80	359.60	10,316.20	8,017.47	-505.57	493,568.64	800,426.38	32.354100	-103.494303
18,120.00	92.00	359.90	10,313.93	8,110.44	-505.98	493,661.61	800,425.98	32.354356	-103.494302
18,215.00	89.80	359.50	10,312.44	8,205.42	-506.47	493,756.59	800,425.48	32.354617	-103.494301
18,309.00	91.40	0.70	10,311.46	8,299.41	-506.31	493,850.58	800,425.64	32.354875	-103.494298
18,347.00	91.90	0.90	10,310.36	8,337.39	-505.78	493,888.56	800,426.17	32.354979	-103.494296
Last MWD Survey 18347 MD/10310.36 TVD 8337.39 N -505.78 W N: 493888.5 E: 800426.1									
18,408.00	91.90	0.90	10,308.34	8,398.35	-504.82	493,949.52	800,427.13	32.355147	-103.494291
PTB 100' FNL 18408 MD/10308.34 TVD 8398.35 N -504.82 W N: 493949.5 E: 800427.1									

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
238.00	238.00	0.02	0.21	1st MWD Survey
10,665.45	10,312.34	659.87	-424.13	FTP 10665.45 MD/10312.34 TVD 659.87 N -424.13 W N: 486211.0 E: 800507.8
13,224.50	10,330.07	3,217.20	-439.10	Cross Sec Line 13224.5 MD/10330.07 TVD 3217.20 N -439.10 W N: 488768.3 E: 800507.8
18,347.00	10,310.36	8,337.39	-505.78	Last MWD Survey 18347 MD/10310.36 TVD 8337.39 N -505.78 W N: 493888.5 E: 800426.1
18,408.00	10,308.34	8,398.35	-504.82	PTB 100' FNL 18408 MD/10308.34 TVD 8398.35 N -504.82 W N: 493949.5 E: 800427.1

Checked By: _____ Approved By: _____ Date: _____

Well Name: BELL LAKE UNIT NORTH	Well Location: T23S / R34E / SEC 5 / NESW / 32.3320525 / -103.4931114	County or Parish/State: LEA / NM
Well Number: 233H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0000587, NMNM01244A	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM068292X, NMNM68292X
US Well Number: 3002546983	Well Status: Drilling Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 05/11/2021	Time Sundry Submitted: 02:13
Date Operation Actually Began: 01/31/2021	

Actual Procedure: 1/21: Pressure test csg to 9,800#. Test annulus to 500#. TCP Stage 1: 18,155'-18,277' O/A w/5, 3 1/8" guns. BD perfs @ 7,500#. Establish injection into perfs: 3 BPM @ 6,800#. SD and isolate well. 5 min 4,050#. 1/21: Stage-Frac lateral 10,767'-18,155' O/A in 43 stages w/69,070 gal 15% HCl, 397,650 bbls SW and 3,337 bbls HVFR carrying 330,196# 100M and 17,987,360# 30/50 white. 3/21: Drilled out all plugs w/ 4.625" roller cone bit. TLTR: 409,512 bbls. SICP: 2,300#

SR Attachments

Actual Procedure

BLUN_233H_WBD__20210511141331.pdf

Well Name: BELL LAKE UNIT NORTH	Well Location: T23S / R34E / SEC 5 / NESW / 32.3320525 / -103.4931114	County or Parish/State: LEA / NM
Well Number: 233H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0000587, NMNM01244A	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM068292X, NMNM68292X
US Well Number: 3002546983	Well Status: Drilling Well	Operator: KAISER FRANCIS OIL COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: ERIC HANSEN	Signed on: MAY 11, 2021 02:13 PM
Name: KAISER FRANCIS OIL COMPANY	
Title: Drilling Engineer	
Street Address: 6733 S. Yale Ave.	
City: Tulsa	State: OK
Phone: (918) 491-4339	
Email address: EricH@kfoc.net	

Field Representative

Representative Name: Jeremy Parent		
Street Address: 88 Shell Road		
City: Jal	State: NM	Zip: 88252
Phone: (580)504-2593		
Email address: JeremyP@kfoc.net		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/14/2021
Signature: Jonathon Shepard	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print Report

05/24/2021

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

Section 1 - General

Well Completion Report Id: 72969
BLM Office: Carlsbad Field Office
Federal/Indian: FEDERAL
Agreement in place?: YES
Agreement Number: NMNM68292X
Keep this Well Completion Report confidential?: YES
APD Operator: KAISER FRANCIS OIL COMPANY

Submission Date: N/A until DB Work
User: Eric Hansen
Lease Number: NMNM0587
Federal or Indian Agreement: FEDERAL
Agreement Name: BELL LAKE
Title: Drilling Engineer
Lease Acres:

Section 2 - Well Information

Field/Pool or Exploratory: Field/Pool
Pool Name: Bone Springs 98259
Field Name: OJO CHISO

Well Type: OIL WELL
Spud Date: 03-21-2020
Date Total Measured Depth Reached: 04-02-2020
Drill & Abandon or Ready To Produce: READY TO PRODUCE
Well Class: HORIZONTAL

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
---	LIMESTONE, SANDSTONE		3432	0	0	NONE	
UPPER AVALON SHALE	LIMESTONE, SHALE		-4984	8416	8435	NATURAL GAS, OIL	

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
AVALON SAND	LIMESTONE, SANDSTONE		-5278	8710	8729	NATURAL GAS, OIL	
BONE SPRING 2ND	LIMESTONE, SANDSTONE		-6574	10006	10035	NATURAL GAS, OIL	

Completion and Completed Intervals

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	X1	1	NMNM68292X	NMNM01244A	NEW		POW	01-31-2021	04-01-2021	BONE SPRING	10767	18155	Y	.42	1935	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	X1	1	Y	FRAC	402631	9999999	1/21: Stage-Frac lateral 10,767'-18,155' O/A in 43 stages w/69,070 gal 15% HCl, 397,650

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
							bbls SW and 3,337 bbls HVFR carrying 330,196# 100M and 17,987,360 # 30/50 white.

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	X1	1	42	.75	FLows FROM WELL		SOLD	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	X1	1	04/25/20 21	24	755	1185	1407	1569	20/64			2360

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

Well Location

Survey Type: RECTANGULAR

Survey Number: 6969

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum:

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.3320526	-103.4928687	3432	FEDERAL	NMNM0587				2062	FSL	2423	FWL	23S	34E	5	NESW Lot K
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.3323053	-103.4942761	-6222	FEDERAL	NMNM0587				2154	FSL	1988	FWL	23S	34E	5	NESW
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.3341537	-103.4942221	-6795	FEDERAL	NMNM01244A				2457	FNL	2005	FWL	23S	34E	5	SENW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.3547775	-103.494298	-6795	FEE	STATE				234	FNL	1973	FWL	22S	34E	32	NENW Lot c
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.3551427	-103.4942896	-6795	FEE	STATE				101	FNL	1975	FWL	22S	34E	32	NENW Lot c

Casing, Liner and Tubing

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	1325	13.375	54.5	J-55		BUTT		
00	INTERMEDIATE	12.25	0	5263	9.625	40	HCP-110		LT&C		
00	PRODUCTION	8.34	0	18382	5.5	20	HCP-110		OTHER	GBCD	

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbls)
00	SURFACE		Halccm	740	1.75	0	Halccm	335	1.35		311.2
00	INTERMEDIATE		Econocem	920	2.5	0	Halccm	380	1.33		499.6
00	PRODUCTION		Neocem	900	3.35	0	Versacem	2330	1.22		1043.2

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report Completed?	Wellbore Diagram
---------------	------------	-----------------	--------------	---------------------	----------------------------	------------------

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report Completed?	Wellbore Diagram
00	YES	NO	NO	YES	NO	YES

Operator Certification

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: KAISER FRANCIS OIL COMPANY**Signed By:** Eric Hansen**Title:** Drilling Engineer**Signed on:** 05/20/2021**Street Address:** 6733 S. Yale Ave.**City:** Tulsa**State:** OK**Zip:** 74121**Phone:** (918)491-4339**Email address:** EricH@kfoc.net**Field Representative****Representative Name:** Jeremy Parent**Street Address:** 88 Shell Road**City:** Jal**State:** NM**Zip:** 88252**Phone:** (580)504-2593**Extension:****Email address:** JeremyP@kfoc.net**Attachments**

Operator Name KAISER FRANCIS OIL COMPANY	Well Name BELL LAKE UNIT NORTH	Well Number 233H	US Well Number 3002546983
SHL NESW Lot K Sec 5 23S 34E	County LEA	State NM	Lease Number(s) NMNM0587, NMNM01244A, NMNM01244A
Well Type OIL WELL	Well Status Drilling Well	Agreement Name BELL LAKE	Agreement Number(s) NMNM68292X, NMNM68292X
Allottee/Tribe Name	Well Pad Name NORTH BELL LAKE UNIT	Well Pad Number 15	ID 10400043743

2_in_MD_Bell_Lake_Unit_North_233H_20210520132725.pdf

5_in_MD_Bell_Lake_Unit_North_233H_20210520132725.pdf

Bell_Lake_Unit_North_233H_Final_Points__NAD_83__20210520132747.pdf

Bell_Lake_Unit_North_233H_Final_PVA__NAD_83__20210520132747.pdf

Bell_Lake_Unit_North_233H_Final_Survey__NAD_83__20210520132747.pdf

BELL_LAKE_UNIT_NORTH_233H_AS_DRILLED_20210520132800.pdf

BLUN_233H_WBD__20210520132811.pdf

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 30692

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 30692
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 30692

CONDITIONS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 30692
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	Please do not use auto fill function to sign pdf form as it prevents OCD from signing and dating form.	8/4/2021