

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-04702
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator APACHE CORPORATION		6. State Oil & Gas Lease No. B-1511
3. Address of Operator 303 VETERANS AIRPARK LANE, STE 3000, MIDLAND, TX 79705		7. Lease Name or Unit Agreement Name STATE F DE
4. Well Location Unit Letter <u>E</u> : <u>2310</u> feet from the <u>NORTH</u> line and <u>330</u> feet from the <u>WEST</u> line Section <u>19</u> Township <u>21S</u> Range <u>36E</u> NMPM LEA County		8. Well Number #001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3635' DF		9. OGRID Number 873
		10. Pool name or Wildcat EUMONT YATES 7 RVRS (GAS)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐ PNR

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/22/21-NOTIFIED NMOCD MTBL

6/23/21-TAGGED EXISTING CIBP@3218'. SPOTTED 25SX OF CLASS "C" CEMENT FROM 3218'-3050'.

6/24/21-TAGGED@3000'. PERFD@2720'. COULD NOT EIR@1500# SPOTTED 30SX OF CLASS "C" CEMENT FROM 2770'-2520'. WOC&TAGGED@2475'. PERFD@1720'. SQUEEZED 60SX OF CLASS "C" CEMENT FROM 1720'-1540'.

6/25/21-TAGGED@1480'. PERFD@300'. SQUEEZED 90SX OF CLASS "C" CEMENT FROM 300'-SURFACE. CEMENT VERIFIED AT SURFACE.

CUTOFF WELLHEAD, ANCHORS 3' BELOW SURFACE AND INSTALL DRYHOLE MARKER. TURN OVER FOR RECLAMATION.

CLOSED LOOP CONTAINMENT SYSTEM WILL BE USED FOR FLUIDS.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Jake Roark

TITLE

Project Manager

DATE

9-13-21

Type or print name

Jake Roark

E-mail address:

jake@jnr.com

PHONE:

432.618-1050

For State Use Only

APPROVED BY:

Kerry Fortner

TITLE Compliance Officer A

DATE 8/5/21

Conditions of Approval (if any):

Authorized by Michael R. Leg. Tech. for Quinn Brooks Sr. Reclamation Foreman - Apache Corp.



WELL BORE INFO.

LEASE NAME	State F DE
WELL #	#001
API #	30.025.04702
COUNTY	LEA, NM

DEPTH SX/CMT FINAL P&A WB DIAGRAM

0
164
327
491
655
818
982
1145
1309
1473
1636
1800
1964
2127
2291
2454
2618
2782
2945
3109
3273
3436
3600
3763
3927

11" Hole
8 5/8" 28# @ 1590'
w/ 650 sx CIRC to surf

TOC @ 3080' by CBL

6 3/4" Hole
5 1/2" 17# @ 3745'
w/ 75 sx, TOC @ 3080' by CBL

SURF
90 SX
300'

4. PUH & PERF'D @ 300' & SQZD 90 SX CLASS "C" CMT FROM 300' TO SURF. VERIFIED CMT @ SURF. RDMO, CUT OFF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A COMPLETED 6-25-21.

WATER BOARD & SURF PLUG

1480'
60 SX
1720'

3. PUH & PERF'D @ 1720' & SQZD 60 SX CLASS "C" CMT FROM 1720'- 1540', TAGGED CMT @ 1480'.

TOP OF SALT & SURF SHOE

2475'
60 SX
2720'

2. PUH & PERF'D @ 2720', COULD NOT EPIR, KERRY FORTNER APPROVED TO SPOT 30 SX CLASS "C" CMT, @ 2770'- 2520', TAGGED CMT @ 2475'.

BASE OF SALT

3000'
25 SX
3218'

1. MIRU P&A RIG. RIH W/TBG & VERIFY CIBP @ 3218', CIRC W/MLF, & SPOTTED 25 SX CLASS "C" CMT., TAGGED CMT @ 3000'.

EUMONT

Perfs @ 3262'-3622'

CIRC @ 3650' sqzd w/ 200 sx

Sqzd perfs @ 3872'-3876'

Open Hole perfs sqzd with liner @ 3902'-3906'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 36375

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 36375
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	8/5/2021