

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09185
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator APACHE CORPORATION		6. State Oil & Gas Lease No.
3. Address of Operator 303 VETERANS AIRPARK LANE, STE 3000, MIDLAND, TX 79705		7. Lease Name or Unit Agreement Name MCDONALD WN STATE
4. Well Location Unit Letter <u>B</u> : <u>990</u> feet from the <u>N</u> line and <u>2310</u> feet from the <u>E</u> line Section <u>36</u> Township <u>22S</u> Range <u>36E</u> NMPM LEA County		8. Well Number <u>#006</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number <u>873</u>
10. Pool name or Wildcat JALMAT gas (TANSILL/YATES/RVRS)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐ PNR

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/13/21-NOTIFIED NMOCD. SET CIBP@2830'.

7/14/21-SPOTTED 25SX OF CLASS "C" CEMENT FROM 2830'-2630'. SPOTTED 25SX OF CLASS "C" CEMENT FROM 1482'-1282'. WOC&TAGGED@1222'. PERFD@300'. CIRCULATED 110SX OF CLASS "C" CEMENT FROM 300'-SURFACE. CEMENT VERIFIED AT SURFACE.

CUTOFF WELLHEAD, ANCHORS 3' BELOW SURFACE AND INSTALL DRYHOLE MARKER. TURN OVER FOR RECLAMATION.

CLOSED LOOP CONTAINMENT SYSTEM WILL BE USED FOR FLUIDS.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jake Roark TITLE PROJECT MANGER DATE 7/2/21

Type or print name JAKE ROARK E-mail address: JAKE@JMRSERVICES.COM PHONE: (432) 618-1050

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/5/21

Conditions of Approval (if any)

Authorized by Nicole Primavera Reg. Tech for Guerin Ducks Sr Reclamation Foreman - Apache Corp



## WELL BORE INFO.

LEASE NAME	McDonald WN State
WELL #	#006
API #	30.025.09185
COUNTY	LEA, NM


## DEPTH SX/CMT FINAL P&amp;A WB DIAGRAM

0  
146  
292  
438  
584  
730  
876  
1022  
1168  
1314  
1460  
1606  
1752  
1897  
2043  
2189  
2335  
2481  
2627  
2773  
2919  
3065  
3211  
3357  
3503

11" Hole  
8 5/8" 24.7# @ 1432'  
w/ 450 sx CIRC to surf

7 3/8" Hole  
5 1/2" 17# @ 2930'  
w/ 400 sx Cal to surf

4 1/2" Liner @ 2837'-3446' w/ unkn cmt  
Open Hole 2930'-3503'



DEPTH SX/CMT

SURF

110 SX

300'

3. PUH & PERF'D @ 300', CIRC'D 110 SX CLASS "C" CMT TO SURF INSIDE AND OUTSIDE 5 1/2" CSG. RDMO, CUT OFF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A COMPLETE 7-14-2021.

WATER BOARD &amp; SURF PLUG

1222'

25 SX

1482'

2. PUH & SPOTTED 25 SX CLASS "C" CMT @ 1482', TAGGED TOC @ 1222' INSIDE 5 1/2" CSG.

TOP OF SALT &amp; SURF SHOE

2630'

25 SX

2830'

1. MIRU P&A RIG. RIH & SET CIBP @ 2830', CIRC W/MLF & SPOTTED 25 SX CLASS "C" CMT FROM 2830' TO 2630' INSIDE 5 1/2" CSG.

PROD SHOE, BASE OF SALT, &amp; YATES

Producing from Open Hole

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 37884

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 37884
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	8/5/2021