

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address CHISHOLM ENERGY OPERATING, LLC 801 CHERRY ST., SUITE 1200-UNIT 20 FORT WORTH, TX 76102		² OGRID Number 372137
		³ Reason for Filing Code/ Effective Date NW-03/31/2021
⁴ API Number 30 - 025-48037	⁵ Pool Name LUSK; BONE SPRING, EAST	⁶ Pool Code 41442
⁷ Property Code 322152	⁸ Property Name DIAMONDBACK 24-25 FED COM 2BS	⁹ Well Number 4H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	24	19S	32E		250	NORTH	735	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	25	19S	32E		83	SOUTH	2173	EAST	LEA
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 03/31/2021	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372603	3BEAR DELAWARE OPERATING-NM, LLC	O/G/W

IV. Well Completion Data

²¹ Spud Date 01/06/2021	²² Ready Date 01/26/2021	²³ TD 14379'MD/9025'TVD	²⁴ PBTB 14340'MD/9021' TVD	²⁵ Perforations 14332'-9129'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17.5"		13.375", 54.5#, J-55	1282'		1070
12.25"		9.625", 40#, J-55	5578'		1490
8.75"		5.5", 20#, P-110	14355'		1985

V. Well Test Data

³¹ Date New Oil 03/31/2021	³² Gas Delivery Date 03/31/2021	³³ Test Date 05/07/2021	³⁴ Test Length 24	³⁵ Tbg. Pressure 3350	³⁶ Csg. Pressure 40
³⁷ Choke Size 64/64	³⁸ Oil 509	³⁹ Water 2453	⁴⁰ Gas 538		⁴¹ Test Method PUMPING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION
Printed name: JENNIFER ELROD	Approved by: KURT SIMMONS
Title: SR. REGULATORY ANALYST	Title: NMOCD, SANTA FE
E-mail Address: JELROD@CHISHOLMENERGY.COM	Approval Date: 08/23/2021
Date: 05/01/2021	Phone: 817-953-3728

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48037	² Pool Code 41442	³ Pool Name LUSK; BONE SPRING, EAST
⁴ Property Code 322152	⁵ Property Name DIAMONDBACK 24-25 FED 1BS COM	⁶ Well Number 4H
⁷ OGRID No. 372137	⁸ Operator Name CHISHOLM ENERGY OPERATING, LLC	⁹ Elevation 3621.1

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	24	19 S	32 E		250	NORTH	735	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	25	19 S	32 E		85	SOUTH	2173	EAST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Jennifer Elrod</i> 04/07/2021 Signature Date JENNIFER ELROD Printed Name JELROD@CHISHOLMENERGY.COM E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JANUARY 12, 2021 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor: Certificate Number: 12797 Surveyor No. 7553E
--	---

Intent ☐ As Drilled ☒ X

API # 30-025-48037		
Operator Name: CHISHOLM ENERGY OPERATING, LLC	Property Name: DIAMONDBACK 24-25 FED COM 1BS	Well Number 4H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
B	24	19S	32E		41	NORTH	1741	EAST	LEA
Latitude 32.65292					Longitude -103.71683				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
B	24	19S	32E		527	NORTH	2075	EAST	LEA
Latitude 32.65159					Longitude -103.71797				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
O	25	19S	32E		130	SOUTH	2171	EAST	LEA
Latitude 32.62438					Longitude -103.71822				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ NO

Is this well an infill well?

☐ YES

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-45006		
Operator Name: CHISHOLM ENERGY OPERATING, LLC	Property Name: DIAMONDBACK 24-25 FED 2BS COM	Well Number 1H

KZ 06/29/2018



Chisholm Diamondback 24-25 Fed 1BS Com 4H ST01 8934' to 14379'MD

Survey Geodetic Report

(Def Survey)

Report Date: February 23, 2021 - 05:11 PM
Client: Chisholm
Field: NM Lea County (NAD 83)
Structure / Slot: Chisholm Diamondback 24-25 Fed 1BS Com 4H / New Slot
Well: Diamondback 24-25 Fed 1BS Com 4H
Borehole: ST01
UWI / API#: Unknown / Unknown
Survey Name: Chisholm Diamondback 24-25 Fed 1BS Com 4H ST01 8934' to 14379'MD
Survey Date: February 03, 2021
Tort / AHD / DDI / ERD Ratio: 288.937' / 6804.190 ft / 6.496 / 0.754
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 39' 8.52890", W 103° 42' 49.12384"
Location Grid N/E Y/X: N 601619.350 ftUS, E 732062.340 ftUS
CRS Grid Convergence Angle: 0.3344 °
Grid Scale Factor: 0.99995075
Version / Patch: 2.10.825.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 187.090 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3647.100 ft above MSL
Seabed / Ground Elevation: 3621.100 ft above MSL
Magnetic Declination: 6.657 °
Total Gravity Field Strength: 998.5066mgN (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 48043.390 nT
Magnetic Dip Angle: 60.525 °
Declination Date: February 03, 2021
Magnetic Declination Model: HDGM 2020
North Reference: Grid North
Grid Convergence Used: 0.3344 °
Total Corr Mag North->Grid North: 6.3228 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	601619.35	732062.34	N 32 39 8.53 W 103 42 49.12	
	185.00	0.70	191.92	185.00	1.13	-1.11	-0.23	0.38	1.13	191.92	601618.24	732062.11	N 32 39 8.52 W 103 42 49.13	
	280.00	0.84	185.69	279.99	2.40	-2.37	-0.42	0.17	2.40	190.12	601616.98	732061.92	N 32 39 8.51 W 103 42 49.13	
	374.00	0.79	169.91	373.98	3.71	-3.69	-0.38	0.24	3.71	185.83	601615.66	732061.96	N 32 39 8.49 W 103 42 49.13	
	467.00	0.75	219.60	466.97	4.83	-4.79	-0.65	0.70	4.83	187.76	601614.56	732061.69	N 32 39 8.48 W 103 42 49.13	
	548.00	0.55	216.13	547.96	5.62	-5.51	-1.22	0.25	5.65	192.48	601613.84	732061.12	N 32 39 8.47 W 103 42 49.14	
	643.00	0.64	252.90	642.96	6.24	-6.04	-2.00	0.41	6.36	198.29	601613.31	732060.34	N 32 39 8.47 W 103 42 49.15	
	737.00	0.79	233.92	736.95	6.90	-6.57	-3.02	0.30	7.23	204.69	601612.78	732059.32	N 32 39 8.46 W 103 42 49.16	
	831.00	0.76	245.31	830.94	7.67	-7.22	-4.11	0.17	8.30	209.68	601612.14	732058.23	N 32 39 8.46 W 103 42 49.17	
	926.00	0.71	254.31	925.94	8.23	-7.64	-5.25	0.13	9.27	214.51	601611.71	732057.09	N 32 39 8.45 W 103 42 49.19	
	1020.00	0.84	228.34	1019.93	8.97	-8.25	-6.33	0.39	10.40	217.47	601611.10	732056.01	N 32 39 8.45 W 103 42 49.20	
	1114.00	0.52	252.42	1113.92	9.67	-8.84	-7.25	0.45	11.43	219.35	601610.51	732055.09	N 32 39 8.44 W 103 42 49.21	
	1208.00	0.92	228.69	1207.91	10.41	-9.47	-8.22	0.52	12.54	220.97	601609.88	732054.12	N 32 39 8.44 W 103 42 49.22	
	1245.00	0.59	220.43	1244.91	10.79	-9.81	-8.57	0.94	13.02	221.14	601609.54	732053.77	N 32 39 8.43 W 103 42 49.22	
13-3/8" Casing	1281.00	0.68	218.25	1280.91	11.13	-10.12	-8.82	0.25	13.42	221.08	601609.23	732053.52	N 32 39 8.43 W 103 42 49.23	
	1387.00	0.93	214.17	1386.90	12.43	-11.32	-9.69	0.25	14.90	220.57	601608.03	732052.65	N 32 39 8.42 W 103 42 49.24	
	1481.00	0.78	218.51	1480.89	13.65	-12.45	-10.52	0.17	16.30	220.19	601606.90	732051.82	N 32 39 8.41 W 103 42 49.25	
	1576.00	1.54	237.99	1575.87	15.01	-13.63	-12.00	0.89	18.16	221.36	601605.72	732050.34	N 32 39 8.39 W 103 42 49.27	
	1670.00	2.24	246.36	1669.82	16.74	-15.04	-14.75	0.80	21.07	224.45	601604.31	732047.59	N 32 39 8.38 W 103 42 49.30	
	1765.00	3.71	261.46	1764.69	18.52	-16.24	-19.50	1.74	25.37	230.21	601603.11	732042.85	N 32 39 8.37 W 103 42 49.35	
	1859.00	4.88	269.57	1858.42	19.86	-16.72	-26.50	1.40	31.34	237.75	601602.63	732035.84	N 32 39 8.36 W 103 42 49.43	
	1953.00	6.12	276.42	1951.99	20.45	-16.19	-35.48	1.49	39.00	245.47	601603.16	732026.86	N 32 39 8.37 W 103 42 49.54	
	2047.00	6.66	279.27	2045.40	20.30	-14.75	-45.84	0.67	48.15	252.16	601604.60	732016.50	N 32 39 8.39 W 103 42 49.66	
	2141.00	6.52	280.37	2138.78	19.78	-12.91	-56.47	0.20	57.93	257.12	601606.44	732005.87	N 32 39 8.40 W 103 42 49.79	
	2235.00	7.73	287.06	2232.06	18.38	-10.10	-67.76	1.56	68.51	261.52	601609.25	731994.58	N 32 39 8.43 W 103 42 49.92	
	2330.00	7.97	292.52	2326.17	15.53	-5.70	-79.95	0.82	80.16	265.92	601613.65	731982.39	N 32 39 8.48 W 103 42 50.06	
	2424.00	7.47	294.80	2419.32	11.93	-0.64	-91.52	0.62	91.52	269.60	601618.71	731970.82	N 32 39 8.53 W 103 42 50.19	
	2519.00	7.11	295.64	2513.55	8.18	4.49	-102.43	0.40	102.53	272.51	601623.84	731959.92	N 32 39 8.58 W 103 42 50.32	
	2614.00	6.57	295.32	2607.86	4.58	9.41	-112.74	0.43	113.13	274.77	601628.76	731949.61	N 32 39 8.63 W 103 42 50.44	
	2709.00	8.57	292.27	2702.01	0.99	14.46	-124.30	2.01	125.14	276.64	601633.81	731938.05	N 32 39 8.68 W 103 42 50.58	
	2803.00	10.01	288.78	2794.78	-2.50	19.74	-138.51	1.64	139.91	278.11	601638.09	731923.83	N 32 39 8.73 W 103 42 50.74	
	2898.00	9.66	287.33	2888.38	-5.59	24.78	-153.94	0.45	155.92	279.14	601644.12	731908.41	N 32 39 8.78 W 103 42 50.92	
	2993.00	8.79	285.12	2982.15	-8.02	29.04	-168.56	0.99	171.04	279.78	601648.39	731893.79	N 32 39 8.83 W 103 42 51.09	
	3087.00	8.33	282.72	3075.11	-9.69	32.42	-182.13	0.62	184.99	280.09	601651.76	731880.22	N 32 39 8.86 W 103 42 51.25	
	3181.00	8.26	280.46	3168.12	-10.75	35.14	-195.41	0.35	195.55	280.19	601654.49	731866.94	N 32 39 8.89 W 103 42 51.41	
	3276.00	8.28	281.07	3262.14	-11.63	37.69	-208.84	0.09	212.21	280.23	601657.04	731853.51	N 32 39 8.91 W 103 42 51.56	
	3370.00	7.92	279.37	3355.20	-12.36	40.05	-221.87	0.46	225.46	280.23	601659.40	731840.48	N 32 39 8.94 W 103 42 51.72	
	3464.00	7.87	279.80	3448.31	-12.92	42.20	-234.60	0.08	238.37	280.20	601661.55	731827.75	N 32 39 8.96 W 103 42 51.86	
	3559.00	7.92	281.61	3542.41	-13.74	44.62	-247.42	0.27	251.41	280.22	601663.97	731814.93	N 32 39 8.98 W 103 42 52.01	
	3653.00	7.85	281.42	3635.52	-14.74	47.20	-260.06	0.08	264.31	280.29	601666.54	731802.30	N 32 39 9.01 W 103 42 52.16	
	3747.00	7.61	279.41	3728.66	-15.47	49.49	-272.49	0.38	276.95	280.29	601668.83	731789.86	N 32 39 9.03 W 103 42 52.31	
	3842.00	9.04	287.49	3822.66	-17.08	52.76	-285.82	1.94	290.64	280.46	601672.10	731776.54	N 32 39 9.07 W 103 42 52.46	
	3936.00	9.74	290.40	3915.40	-20.24	57.75	-300.31	0.90	305.81	280.88	601677.09	731762.04	N 32 39 9.12 W 103 42 52.63	
	4030.00	10.18	290.75	4007.99	-24.03	63.46	-315.53	0.47	321.85	281.37	601682.81	731746.82	N 32 39 9.18 W 103 42 52.81	
	4125.00	10.79	291.23	4101.40	-28.19	69.66	-331.67	0.65	338.91	281.86	601689.00	731730.68	N 32 39 9.24 W 103 42 53.00	
	4220.00	11.09	292.35	4194.67	-32.76	76.35	-348.41	0.39	356.68	282.36	601695.70	731713.95	N 32 39 9.30 W 103 42 53.19	
	4314.00	11.61	292.66	4286.83	-37.68	83.43	-365.50	0.56	374.90	282.86	601702.78	731696.86	N 32 39 9.38 W 103 42 53.39	
	4409.00	10.77	290.80	4380.03	-42.35	90.27	-382.62	0.96	393.13	283.27	601709.61	731679.74	N 32 39 9.44 W 103 42 53.59	
	4503.00	8.94	287.08	4472.64	-45.70	95.53	-397.81	2.06	409.13	283.50	601714.88	731664.55	N 32 39 9.50 W 103 42 53.77	
	4598.00	8.14	283.78	4566.58	-47.76	99.30	-411.40	0.99	423.22	283.57	601718.65	731650.96	N 32 39 9.54 W 103 42 53.93	
	4692.00	8.59	283.27	4659.58	-49.30	102.50	-424.70	0.49	436.89	283.57	601721.84	731637.66	N 32 39 9.57 W 103 42 54.08	
	4786.00	9.32	283.32	4752.44	-50.88	105.86	-438.94	0.78	451.52	283.56	601725.21	731623.42	N 32 39 9.60 W 103 42 54.25	
	4880.00	9.79	283.68	4845.13	-52.62	109.51	-454.11	0.50	467.13	283.56	601728.85	731608.25	N 32 39 9.64 W 103 42 54.43	
	4974.00	9.99	284.43	4937.74	-53.78	113.43	-469.77	0.25	483.27	283.57	601732.77	731592.59	N 32 39 9.68 W 103 42 54.61	
	5069.00	8.62	287.15	5031.48	-56.88	117.58	-484.56	1.51	498.62	283.64	601736.93	731577.81	N 32 39 9.72 W 103 42 54.78	
	5164.00	7.78	287.85	5125.51	-59.25	121.65	-497.49	0.89	512.14	283.74	601741.00	731564.99	N 32 39 9.76 W 103 42 54.93	
	5258.00	7.68	287.94	5218.66	-61.69	125.54	-509.51	0.11	524.75	283.84	601744.88	731552.85	N 32 39 9.80 W 103 42 55.07	
	5352.00	7.52	289.57	5311.83	-64.20	129.53	-521.28	0.29	537.14	283.95	601748.88	731541.08	N 32 39 9.84 W 103 42 55.21	
	5447.00	7.33	289.63	5406.04	-66.86	133.65	-532.85	0.20	549.35	284.08	601752.99	731529.52	N 32 39 9.88 W 103 42 55.35	
	5537.00	7.02	289.54	5495.33	-69.29	137.42	-543.44	0.34	560.54	284.19	601756.76	731518.93	N 32 39 9.92 W 103 42 55.47	
9-5/8" Casing	5564.00	6.95	289.98	5522.13	-70.01	138.53	-546.53	0.33	563.81	284.22	601757.87	731515.84	N 32 39 9.93 W 103 42 55.51	
	5611.00	6.83	290.78	5568.79	-71.31	140.49	-551.81	0.33	569.42	284.28	601759.84	731510.55	N 32 39 9.95 W 103 42 55.57	
	5708.00	7.53	286.54	5663.05	-73.67	144.27	-563.06	0.92	581.25	284.37	601763.61	731499.31	N 32 39 9.99 W 103 42 55.70	
	5800.00	8.80	280.22	5756.09	-75.07	147.30	-576.04	1.65	594.58	284.34	601766.64	731486.33	N 32 39 10.02 W 103 42 55.85	
	5894.00	9.18	283.26	5848.94	-76.27	150.29								

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Tie-In to OH	8509.00	38.18	243.88	8398.09	-40.71	176.68	-1090.62	12.40	1104.83	279.20	601796.02	730971.78	N 32 39 10.34 W 103 43 1.87	
	8556.00	39.43	235.44	8434.74	-22.82	161.80	-1115.97	11.56	1127.64	278.25	601781.15	730946.43	N 32 39 10.19 W 103 43 2.16	
	8603.00	40.33	229.37	8470.82	-1.64	143.43	-1139.81	8.50	1148.80	277.17	601762.77	730922.59	N 32 39 10.01 W 103 43 2.44	
	8650.00	43.72	223.67	8505.74	22.67	121.76	-1162.59	10.85	1168.94	275.98	601741.10	730899.81	N 32 39 9.80 W 103 43 2.71	
	8698.00	46.78	219.62	8539.54	50.74	96.28	-1185.20	8.75	1189.11	274.64	601715.62	730877.20	N 32 39 9.55 W 103 43 2.98	
	8745.00	48.48	214.51	8571.22	80.81	68.58	-1206.10	8.81	1208.05	273.25	601687.92	730856.30	N 32 39 9.28 W 103 43 3.23	
	8793.00	51.10	209.91	8602.22	114.00	37.56	-1225.60	9.13	1226.18	271.76	601656.91	730836.80	N 32 39 8.97 W 103 43 3.46	
	8840.00	51.10	207.97	8631.73	147.94	5.56	-1243.30	3.21	1243.31	270.26	601624.91	730819.10	N 32 39 8.66 W 103 43 3.66	
	8887.00	51.98	206.15	8660.97	182.53	-27.22	-1260.04	3.56	1260.33	268.76	601592.14	730802.37	N 32 39 8.33 W 103 43 3.86	
	8934.00	53.56	204.00	8689.40	218.12	-61.11	-1275.89	4.96	1277.35	267.26	601558.24	730786.52	N 32 39 8.00 W 103 43 4.05	
	8987.00	46.08	201.47	8723.58	257.07	-98.41	-1291.57	14.57	1295.32	265.64	601520.95	730770.83	N 32 39 7.63 W 103 43 4.24	
	9035.00	45.63	195.36	8757.03	290.81	-131.05	-1302.45	9.18	1309.03	264.25	601488.30	730759.96	N 32 39 7.31 W 103 43 4.37	
	9082.00	48.28	190.52	8789.11	324.96	-164.51	-1310.10	9.40	1320.39	262.84	601454.84	730752.30	N 32 39 6.98 W 103 43 4.46	
	9129.00	51.65	187.26	8819.35	360.91	-200.06	-1315.64	8.92	1330.76	261.35	601419.30	730746.77	N 32 39 6.63 W 103 43 4.52	
	9177.00	56.07	185.78	8847.65	399.66	-238.56	-1320.03	9.54	1341.41	259.76	601380.80	730742.38	N 32 39 6.24 W 103 43 4.58	
	9224.00	60.81	184.60	8872.24	439.68	-278.43	-1323.64	10.31	1352.60	258.12	601340.93	730738.77	N 32 39 5.85 W 103 43 4.62	
	9271.00	66.40	182.64	8893.13	481.68	-320.43	-1326.28	12.47	1364.44	256.42	601298.94	730736.13	N 32 39 5.43 W 103 43 4.66	
	9318.00	70.28	182.02	8910.48	525.20	-364.07	-1328.05	8.35	1377.05	254.67	601255.30	730734.36	N 32 39 5.00 W 103 43 4.68	
	9365.00	76.41	180.26	8923.94	569.96	-409.06	-1328.93	13.53	1390.47	252.89	601210.31	730733.48	N 32 39 4.56 W 103 43 4.69	
	9412.00	81.51	180.65	8932.94	615.77	-455.18	-1329.30	10.88	1405.07	251.10	601164.20	730733.11	N 32 39 4.10 W 103 43 4.70	
	9506.00	90.48	181.17	8939.50	708.90	-548.84	-1330.79	9.56	1439.52	247.59	601070.54	730731.62	N 32 39 3.18 W 103 43 4.73	
	9535.00	90.90	180.92	8939.15	737.74	-577.83	-1331.32	1.69	1451.31	246.54	601041.55	730731.09	N 32 39 2.89 W 103 43 4.73	
	9629.00	92.49	180.04	8936.37	831.07	-671.78	-1332.11	1.93	1491.91	243.24	600947.60	730730.30	N 32 39 1.96 W 103 43 4.75	
	9723.00	91.26	179.19	8933.29	924.22	-765.73	-1331.47	1.59	1535.96	240.10	600853.66	730730.93	N 32 39 1.03 W 103 43 4.75	
	9818.00	90.94	178.16	8931.47	1018.17	-860.68	-1329.28	1.14	1583.59	237.08	600758.71	730733.13	N 32 39 0.09 W 103 43 4.73	
	9912.00	91.18	177.90	8929.73	1110.99	-954.61	-1326.05	0.38	1633.92	234.25	600664.79	730736.36	N 32 38 59.16 W 103 43 4.70	
	10007.00	88.40	175.50	8930.06	1204.41	-1049.44	-1324.98	3.87	1686.79	231.53	600569.97	730741.83	N 32 38 58.22 W 103 43 4.64	
	10102.00	88.87	178.35	8932.34	1297.88	-1144.26	-1315.49	3.04	1743.52	228.98	600475.14	730746.92	N 32 38 57.28 W 103 43 4.59	
	10197.00	90.24	178.41	8933.08	1391.78	-1239.22	-1312.80	1.44	1805.30	226.65	600380.19	730749.61	N 32 38 56.34 W 103 43 4.56	
	10291.00	90.03	176.55	8932.86	1484.46	-1333.13	-1308.67	1.99	1868.11	224.47	600286.29	730753.74	N 32 38 55.41 W 103 43 4.52	
	10385.00	90.34	175.72	8932.55	1576.74	-1426.91	-1302.33	0.94	1931.88	222.39	600192.51	730760.07	N 32 38 54.49 W 103 43 4.45	
	10480.00	90.56	174.26	8931.81	1669.63	-1521.54	-1294.04	1.55	1997.40	220.38	600097.89	730768.37	N 32 38 53.55 W 103 43 4.36	
	10574.00	91.13	176.47	8930.42	1761.65	-1615.22	-1286.44	2.43	2064.91	218.54	600004.21	730775.96	N 32 38 52.62 W 103 43 4.28	
	10669.00	89.46	178.47	8929.93	1855.31	-1710.12	-1282.25	2.74	2137.44	216.86	599909.32	730780.16	N 32 38 51.68 W 103 43 4.24	
	10763.00	89.49	180.04	8930.78	1948.42	-1804.10	-1281.03	1.67	2212.65	215.38	599816.34	730781.38	N 32 38 50.75 W 103 43 4.23	
	10858.00	89.35	178.31	8931.75	2042.51	-1899.08	-1279.66	1.83	2289.99	213.97	599720.36	730782.75	N 32 38 49.81 W 103 43 4.22	
	10953.00	89.21	179.09	8932.95	2136.48	-1994.05	-1277.50	0.83	2368.18	212.65	599625.40	730784.90	N 32 38 48.87 W 103 43 4.20	
	11047.00	89.65	179.64	8933.88	2229.63	-2088.04	-1276.46	0.75	2447.30	211.44	599531.42	730785.94	N 32 38 47.94 W 103 43 4.19	
	11142.00	90.39	181.27	8933.85	2323.99	-2183.03	-1277.22	1.88	2529.21	210.33	599436.43	730785.19	N 32 38 47.00 W 103 43 4.21	
	11237.00	91.60	182.81	8932.20	2418.60	-2277.95	-1280.60	2.06	2613.24	209.34	599341.51	730781.81	N 32 38 46.06 W 103 43 4.26	
	11331.00	90.20	181.71	8930.72	2512.25	-2371.87	-1284.30	1.89	2697.25	208.43	599247.61	730778.10	N 32 38 45.13 W 103 43 4.31	
	11426.00	89.92	179.98	8930.62	2606.68	-2466.85	-1285.70	1.84	2781.80	207.53	599152.62	730776.70	N 32 38 44.20 W 103 43 4.33	
	11520.00	90.39	177.42	8930.37	2699.67	-2560.82	-1283.57	2.77	2864.50	206.62	599058.66	730778.83	N 32 38 43.27 W 103 43 4.31	
	11615.00	89.75	179.19	8930.25	2793.55	-2655.77	-1280.76	1.98	2948.47	205.75	598963.71	730781.64	N 32 38 42.33 W 103 43 4.28	
	11709.00	88.47	180.04	8931.71	2886.73	-2749.76	-1280.13	1.63	3033.13	204.96	598869.73	730782.28	N 32 38 41.40 W 103 43 4.28	
11803.00	88.03	180.71	8934.58	2980.05	-2843.71	-1280.74	0.85	3118.81	204.25	598775.79	730781.66	N 32 38 40.47 W 103 43 4.30		
11898.00	87.61	179.66	8938.20	3074.29	-2938.64	-1281.05	1.19	3205.73	203.55	598680.86	730781.35	N 32 38 39.53 W 103 43 4.31		
11993.00	86.92	177.50	8942.73	3168.13	-3033.50	-1278.70	2.38	3291.99	202.86	598586.01	730783.70	N 32 38 38.59 W 103 43 4.28		
12087.00	86.90	179.32	8947.80	3260.91	-3127.32	-1276.10	1.93	3377.65	202.20	598492.19	730786.31	N 32 38 37.66 W 103 43 4.26		
12181.00	87.82	183.22	8952.13	3354.31	-3221.18	-1278.18	4.26	3465.50	201.64	598398.34	730784.23	N 32 38 36.73 W 103 43 4.29		
12275.00	88.81	186.08	8954.90	3448.17	-3314.82	-1285.80	3.22	3555.46	201.20	598304.70	730776.61	N 32 38 35.81 W 103 43 4.39		
12369.00	89.75	184.53	8956.08	3542.12	-3408.40	-1294.48	1.93	3645.94	200.80	598211.12	730767.92	N 32 38 34.88 W 103 43 4.49		
12464.00	90.34	183.44	8956.00	3636.97	-3503.17	-1301.09	1.30	3736.98	200.38	598116.36	730761.32	N 32 38 33.94 W 103 43 4.58		
12559.00	89.12	181.82	8956.45	3731.68	-3598.06	-1305.45	2.13	3827.57	199.94	598021.47	730756.96	N 32 38 33.00 W 103 43 4.64		
12653.00	89.59	180.55	8957.51	3825.17	-3692.04	-1307.39	1.44	3916.68	199.50	597927.50	730755.02	N 32 38 32.07 W 103 43 4.66		
12748.00	90.18	179.46	8957.70	3919.45	-3787.03	-1307.40	1.30	4006.36	199.05	597832.51	730755.01	N 32 38 31.13 W 103 43 4.67		
12842.00	87.97	179.41	8959.22	4012.59	-3881.01	-1306.47	2.35	4095.01	198.60	597738.54	730755.94	N 32 38 30.20 W 103 43 4.67		
12937.00	88.78	179.62	8961.91	4106.72	-3975.97	-1305.67	0.88	4184.87	198.18	597643.58	730756.74	N 32 38 29.26 W 103 43 4.66		
13031.00	85.31	177.38	8966.76	4199.53	-4069.79	-1303.21	4.39	4273.36	197.76	597549.77	730759.19	N 32 38 28.34 W 103 43 4.64		
13126.00	85.70	177.09	8974.20	4292.84	-4164.39	-1298.64	0.51	4362.18	197.32	597455.17	730763.76	N 32 38 27.40 W 103 43 4.59		
13220.00	86.27	176.59	8980.78	4385.11	-4258.01	-1293.48	0.81	4450.14	196.90	597361.55	730768.93	N 32 38 26.47 W 103 43 4.54		
13314.00	87.94	174.27	8985.53	4477.04	-4351.59	-1285.99	3.04	4537.63	196.46	597267.99	730776.41	N 32 38 25.55 W 103 43 4		

Well Name: DIAMONDBACK 24-25 FED COM 2BS	Well Location: T19S / R32E / SEC 24 / NENE / 32.6523691 / -103.7136455	County or Parish/State: LEA / NM
Well Number: 4H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254803700X1	Well Status: Drilling Well	Operator: CHISHOLM ENERGY OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 03/31/2021	Time Sundry Submitted: 08:48
Date Operation Actually Began: 02/21/2021	

Actual Procedure: 02/21/2021-RUN CBL W/EST TOC @ 5750' 02/22/2021-SET CBP@ 14340' MD; PRESSURE TEST 5.5" PROD CSG 10,000 PSI, 30 MIN, GOOD TEST 02/23/2021-PERFORATE STAGE 1-14332'-14169'MD 02/25-03/08/2021-PERFORATE STAGES 2-29 @ 14152'-9129'MD -FRACTURE ALL STAGES W/720 BBLS HCI + 271813 BBLS SW W/4741106# 100 MESH + 4065594# 40/70 SAND 03/09-03/12/2021-DRILL OUT 03/12/2021-RIH W/248 JTS OF 2.875" L-80 TBG, SET @ 8075'MD 03/30/2021-TURNED TO FLOWBACK Request for OCD extension of time to file BLM- approved Form 3160-4

Received by OCD: 7/1/2021 2:28:38 PM

Well Name: DIAMONDBACK 24-25
FED COM 2BS

Well Location: T19S / R32E / SEC 24 /
NENE / 32.6523691 / -103.7136455

County or Parish/State: LEA /
NM

Well Number: 4H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number:

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254803700X1

Well Status: Drilling Well

Operator: CHISHOLM ENERGY
OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: ELROD

Signed on: MAR 31, 2021 08:48 AM

Name: CHISHOLM ENERGY OPERATING LLC

Title: Senior Regulatory Technician

Street Address: 801 CHERRY STREET, SUITE 1200-UNIT 20

City: Fort WorthState: TX

Phone: (817) 953-3728

Email address: jelrod@chisholmenergy.com

Field Representative

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 04/06/2021

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								Temp Comp until BLM Approved Equivalent is available		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name DIAMONDBACK 24-25 FED 2BS COM		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____								6. Well Number: 5H		
8. Name of Operator CHISHOLM ENERGY OPERATING, LLC								9. OGRID 372137		
10. Address of Operator 801 CHERRY STREET, SUITE 1200-UNIT 20 FORT WORTH, TX 76102								11. Pool name or Wildcat LUSK; BONE SPRING, EAST (41442)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	24	19S	32E		250	NORTH	735	EAST	LEA
BH:	O	25	19S	33E		85	SOUTH	2173	EAST	LEA
13. Date Spudded 01/06/2021	14. Date T.D. Reached 01/26/2021		15. Date Rig Released 02/17/2021		16. Date Completed (Ready to Produce) 03/30/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3621' GR		
18. Total Measured Depth of Well 14379' MD/9025' TVD			19. Plug Back Measured Depth 14340' MD/9021' TVD		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA; MWD; CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 19957'-9894' BUFFALO; BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5# J-55		1282'		17.5"		1070 sxs, Class C		0
9.625"		40# J-55		5578'		12.25"		1490 sxs, Class C		0
5.5"		20# P-110		14355'		8.75"		1985 sxs, Class H		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 14332'-9129' MD; 0.42", 1160 holes					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					14332'-9129'		720 bbls HCl + 271813 bbls SW w/7471106# 100 Mesh			
							+ 4065994# 40/70 Sand			
28. PRODUCTION										
Date First Production 01/19/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING-ESP				Well Status (Prod. or Shut-in) Prod				
Date of Test 03/31/2021	Hours Tested 24	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 509	Gas - MCF 538	Water - Bbl. 2453	Gas - Oil Ratio 1057			
Flow Tubing Press. 3350	Casing Pressure 40	Calculated 24-Hour Rate	Oil - Bbl. 509	Gas - MCF 538	Water - Bbl. 2453	Oil Gravity - API - (Corr.) 37				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) sold							30. Test Witnessed By MURPHY WELL CONTROL			
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____				Longitude _____				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Jennifer Elrod</i>			Printed Name Jennifer Elrod		Title Sr. Reg Analyst			Date 05/01/2021		
E-mail Address jelrod@chisholmenergy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy Rustler-1214' TVD	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt Salado 1525' TVD	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 3161' TVD	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 5527' TVD	T. Morrison	
T. Drinkard	T. Bone Springs 7686' TVD	T. Todilto	
T. Abo	T. 1st Bone Spring 8823' TVD	T. Entrada	
T. Wolfcamp	T. *	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T. Capitan 3352' TVD	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

TVD		Geological		Wellbore Sketch		Hole Size	Casing	Drilling Fluids	Cement	OH Logs/Evaluation		
ft-RKB	Tops											
1,000'	1,214 Rustler 1,525 Salado					17-1/2"	Surface: 13-3/8" 54.5# J55 BTC	FW Spud Mud 8.5 - 9.2 ppg 32 - 38 FV 4-6 PV 2-5 YP	Top of Lead: Surface 12.8 ppg 1.94 cuft/sk 790 sks - 100% XS Top of Tail: 388' 14.8 ppg 1.34 cuft/sk 454 sks - 100% XS	No Mud Loggers		
2,000'						12-1/4"	Intermediate: 9-5/8" 40# J55 LTC	Saturated Brine 10.0 - 10.3 ppg 28 - 32 FV	Stage 1 Top of Lead: 3,000' 11.5 ppg 2.79 cuft/sk 470 sks - 100% XS Top of Tail: 4,650' 14.8 ppg 1.25 cuft/sk 265 sks - 100% XS Stage 2 Top of Lead: Surface 11.5 ppg 2.79 cuft/sk 755 sks - 200% XS Pumped 70 bbls Top Out Cmmt	No Mud Loggers No OH Logging		
3,000'	3,161 Yates 3,352 Capitan				DV Tool & ECP @ 3,000'							
4,000'						8-3/4" Thru Curve 8-1/2" Lateral	Production: 5-1/2" 20# P110 BTC SET @ 14355' MD	OBM 9.0 - 9.5 ppg 15 - 20 PV 8 - 12 YP	Top of Lead: Surface 11.3 ppg 2.8 cuft/sk 795 sks - 15% XS Top of Tail: 8,200' 13.2 ppg 1.46 cuft/sk 1,190 sks - 15% XS	No Mud Loggers OH Logging: Quad Combo in 8.75" Hole		
5,000'	5,527 Delaware											
6,000'						8-3/4" Thru Curve 8-1/2" Lateral	Production: 5-1/2" 20# P110 BTC SET @ 14355' MD	OBM 9.0 - 9.5 ppg 15 - 20 PV 8 - 12 YP	Top of Lead: Surface 11.3 ppg 2.8 cuft/sk 795 sks - 15% XS Top of Tail: 8,200' 13.2 ppg 1.46 cuft/sk 1,190 sks - 15% XS	No Mud Loggers OH Logging: Quad Combo in 8.75" Hole		
7,000'	7,686 Bone Spring											
8,000'					KOP @ 8,532' MD 8,429' TVD	8-3/4" Thru Curve 8-1/2" Lateral	Production: 5-1/2" 20# P110 BTC SET @ 14355' MD	OBM 9.0 - 9.5 ppg 15 - 20 PV 8 - 12 YP	Top of Lead: Surface 11.3 ppg 2.8 cuft/sk 795 sks - 15% XS Top of Tail: 8,200' 13.2 ppg 1.46 cuft/sk 1,190 sks - 15% XS	No Mud Loggers OH Logging: Quad Combo in 8.75" Hole		
9,000'	8,823 1st Bone Sprg SS											
	9,458 2nd Bone Sprg SS				PERFORATIONS @ 9,129'-14,332' MD (8,819'-9,021'TBD)					PBTD @ 14,340' MD 9,023'TVD		
10,000'										14,379' TD 9,025' TVD		

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 34667

ACKNOWLEDGMENTS

Operator: CHISHOLM ENERGY OPERATING, LLC 801 Cherry Street Fort Worth, TX 76102	OGRID: 372137
	Action Number: 34667
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 34667

CONDITIONS

Operator: CHISHOLM ENERGY OPERATING, LLC 801 Cherry Street Fort Worth, TX 76102	OGRID: 372137
	Action Number: 34667
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/23/2021