

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-104  
Revised August 1, 2011  
  
Submit one copy to appropriate District Office  
  
☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                                   |                                                                |                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br><br>Devon Energy Production Company, L.P.<br>333 West Sheridan, Oklahoma City, OK 73102 |                                                                | <sup>2</sup> OGRID Number<br><br>6137                               |
|                                                                                                                                   |                                                                | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW / 11/2/20 |
| <sup>4</sup> API Number<br>30-025-46466                                                                                           | <sup>5</sup> Pool Name<br>WC-025 G-09 S243310P; UPPER WOLFCAMP | <sup>6</sup> Pool Code<br>98135                                     |
| <sup>7</sup> Property Code<br>316705                                                                                              | <sup>8</sup> Property Name<br>Blue Krait 23-14 Fed             | <sup>9</sup> Well Number<br>37H                                     |

II. <sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| P             | 23      | 24S      | 33E   |         | 200           | South            | 1174          | East           | Lea    |

<sup>11</sup> Bottom Hole Location

| UL or lot no.               | Section                                  | Township                                     | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County |
|-----------------------------|------------------------------------------|----------------------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|--------|
| B                           | 14                                       | 24S                                          | 33E                               |                                    | 30                                  | North            | 1820          | East           | Lea    |
| <sup>12</sup> Lse Code<br>F | <sup>13</sup> Producing Method Code<br>F | <sup>14</sup> Gas Connection Date<br>11/2/20 | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |        |


III. Oil and Gas Transporters

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address                                  | <sup>20</sup> O/G/W |
|---------------------------------|-----------------------------------------------------------------------------|---------------------|
| 174238                          | Enterprise<br>201 Park Avenue, Ste 1600 Oklahoma City, OK 73102             | Oil                 |
| 371960                          | Lucid Energy Delaware, LLC<br>3100 McKinnon St., Ste. 800, Dallas, TX 75201 | Gas                 |
|                                 |                                                                             |                     |
|                                 |                                                                             |                     |
|                                 |                                                                             |                     |
|                                 |                                                                             |                     |

IV. Well Completion Data

|                                   |                                     |                           |                                |                                             |                       |
|-----------------------------------|-------------------------------------|---------------------------|--------------------------------|---------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br>3/2/20 | <sup>22</sup> Ready Date<br>11/2/20 | <sup>23</sup> TD<br>22720 | <sup>24</sup> PBDT<br>22655    | <sup>25</sup> Perforations<br>12500 - 22605 | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size           | <sup>28</sup> Casing & Tubing Size  | <sup>29</sup> Depth Set   | <sup>30</sup> Sacks Cement     |                                             |                       |
| 17.5                              | 13.375                              | 1311                      | 1205 sx CIC; Circ 622 sx       |                                             |                       |
| 9.875                             | 8.625                               | 11914                     | 965 sx CIH; Circ 0 sx          |                                             |                       |
| 7.875                             | 5.5                                 | 22704                     | 2525 sx CIPOZ MIX; Circ 308 sx |                                             |                       |
|                                   | Tubing: 2.875                       | 12157                     |                                |                                             |                       |

V. Well Test Data

|                                                                                                                                                                                                                                                                                                            |                                             |                                     |                                     |                                         |                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------------|-----------------------------------------|
| <sup>31</sup> Date New Oil<br>11/28/20                                                                                                                                                                                                                                                                     | <sup>32</sup> Gas Delivery Date<br>11/28/20 | <sup>33</sup> Test Date<br>11/28/20 | <sup>34</sup> Test Length<br>24 hrs | <sup>35</sup> Tbg. Pressure<br>1613 psi | <sup>36</sup> Csg. Pressure<br>2662 psi |
| <sup>37</sup> Choke Size                                                                                                                                                                                                                                                                                   | <sup>38</sup> Oil<br>2962 bbl               | <sup>39</sup> Water<br>3599 bbl     | <sup>40</sup> Gas<br>5352 mcf       |                                         | <sup>41</sup> Test Method               |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:  |                                             |                                     | OIL CONSERVATION DIVISION           |                                         |                                         |
| Printed name: Rebecca Deal                                                                                                                                                                                                                                                                                 |                                             |                                     | Approved by: KURT SIMMONS           |                                         |                                         |
| Title: Regulatory Analyst                                                                                                                                                                                                                                                                                  |                                             |                                     | Title: NMOC, SANTA FE               |                                         |                                         |
| E-mail Address: Rebecca.Deal@dmn.com                                                                                                                                                                                                                                                                       |                                             |                                     | Approval Date: 08/25/2021           |                                         |                                         |
| Date: 11/30/2020                                                                                                                                                                                                                                                                                           |                                             | Phone: 405-228-8429                 |                                     |                                         |                                         |

**DISTRICT I**  
1625 N. FRENCH DR., HOBBS, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

**DISTRICT II**  
811 S. FIRST ST., ARTESIA, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

**DISTRICT III**  
1000 RIO BRAZOS RD., AZTEC, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170

**DISTRICT IV**  
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
**OIL CONSERVATION DIVISION**  
1220 SOUTH ST. FRANCIS DR.  
Santa Fe, New Mexico 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☒ AMENDED REPORT

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

|                                   |                                                               |                                                          |
|-----------------------------------|---------------------------------------------------------------|----------------------------------------------------------|
| API Number<br><b>30-025-46466</b> | Pool Code<br><b>98135</b>                                     | Pool Name<br><b>WC-025 G-09 S243310P; UPPER WOLFCAMP</b> |
| Property Code<br><b>316705</b>    | Property Name<br><b>BLUE KRAIT 23-14 FED</b>                  | Well Number<br><b>37H</b>                                |
| OGRID No.<br><b>6137</b>          | Operator Name<br><b>DEVON ENERGY PRODUCTION COMPANY, L.P.</b> | Elevation<br><b>3556.8'</b>                              |

**Surface Location**


| UL or lot No. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| P             | 23      | 24-S     | 33-E  |         | 200           | SOUTH            | 1174          | EAST           | LEA    |

**Bottom Hole Location If Different From Surface**

| UL or lot No. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| B             | 14      | 24-S     | 33-E  |         | 30            | NORTH            | 1820          | EAST           | LEA    |

| Dedicated Acres | Joint or Infill | Consolidation Code | Order No. |
|-----------------|-----------------|--------------------|-----------|
| <b>320</b>      |                 |                    |           |

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**



Intent ☐ As Drilled ☐

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

## Kick Off Point (KOP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## First Take Point (FTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## Last Take Point (LTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018

STATE OF NEW MEXICO  
COUNTY OF LEA

I, **Seth Crawley**, certify that; I am employed by **Skyline Directional Drilling, LLC**; that I did on the day(s) of **3/2/2020 to 4/22/2020** conduct or supervise the taking of MWD surveys from a depth of **215 feet to a depth of 22,720 feet**; that the data is true, correct, complete and within the limitations of the tool as set forth by **Skyline Directional Drilling, LLC**; that I am authorized and qualified to make this report; that this survey was conducted at the request of **Devon Energy Production Co.** for the **Blue Krait 23-14 Fed 37H**, with the **API # 30-025-46466** in the **Upper Wolfcamp** field of **Lea County, New Mexico**; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by **Skyline Directional Drilling, LLC**.

*Seth Crawley*

Seth Crawley  
Senior Well Planner



## **Devon Energy Production Company, L.P.**

**Lea Co, New Mexico (NAD-83)**

**Blue Krait 23-14 Fed 37H**

**Blue Krait 23-14 Fed 37H**

**Lateral #1**

**Design: Lateral #1**

## **Standard Survey Report**

**06 May, 2020**





# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

|                    |                             |                      |                |
|--------------------|-----------------------------|----------------------|----------------|
| <b>Project</b>     | Lea Co, New Mexico (NAD-83) |                      |                |
| <b>Map System:</b> | US State Plane 1983         | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983   |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone     |                      |                |

|                              |                          |                     |                   |
|------------------------------|--------------------------|---------------------|-------------------|
| <b>Site</b>                  | Blue Krait 23-14 Fed 37H |                     |                   |
| <b>Site Position:</b>        |                          | <b>Northing:</b>    | 436,093.12 usft   |
| <b>From:</b>                 | Map                      | <b>Easting:</b>     | 787,239.71 usft   |
| <b>Position Uncertainty:</b> | 0.0 usft                 | <b>Slot Radius:</b> | 13-3/16 "         |
|                              |                          | <b>Latitude:</b>    | 32° 11' 47.035 N  |
|                              |                          | <b>Longitude:</b>   | 103° 32' 18.174 W |

|                             |                          |                            |                   |
|-----------------------------|--------------------------|----------------------------|-------------------|
| <b>Well</b>                 | Blue Krait 23-14 Fed 37H |                            |                   |
| <b>Well Position</b>        | <b>+N/-S</b>             | 0.0 usft                   | <b>Northing:</b>  |
|                             | <b>+E/-W</b>             | 0.0 usft                   | <b>Easting:</b>   |
| <b>Position Uncertainty</b> | 0.0 usft                 | <b>Wellhead Elevation:</b> | usft              |
| <b>Grid Convergence:</b>    | 0.42 °                   | <b>Latitude:</b>           | 32° 11' 47.035 N  |
|                             |                          | <b>Longitude:</b>          | 103° 32' 18.174 W |
|                             |                          | <b>Ground Level:</b>       | 3,556.8 usft      |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | Lateral #1        |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2015          | 1/24/2020          | 6.65                   | 60.01                | 47,656.41336986            |

|                          |                                |                     |                     |                      |     |
|--------------------------|--------------------------------|---------------------|---------------------|----------------------|-----|
| <b>Design</b>            | Lateral #1                     |                     |                     |                      |     |
| <b>Audit Notes:</b>      |                                |                     |                     |                      |     |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL              | <b>Tie On Depth:</b> | 0.0 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Direction (°)</b> |     |
|                          | 0.0                            | 0.0                 | 0.0                 | 0.01                 |     |

|                       |                  |                          |                  |                    |  |
|-----------------------|------------------|--------------------------|------------------|--------------------|--|
| <b>Survey Program</b> | <b>Date</b>      | 5/6/2020                 |                  |                    |  |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |  |
| 215.0                 | 22,720.0         | Survey #1 (Lateral #1)   | MWD              | MWD - Skyline      |  |

|                              |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|--|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |  |
| 0.0                          | 0.00                   | 0.00               | 0.0                          | 0.0                 | 0.0                 | 0.0                            | 0.00                           | 0.00                          | 0.00                         |  |
| 215.0                        | 1.30                   | 343.10             | 215.0                        | 2.3                 | -0.7                | 2.3                            | 0.60                           | 0.60                          | 0.00                         |  |
| <b>First Survey</b>          |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
| 305.0                        | 1.20                   | 359.00             | 305.0                        | 4.3                 | -1.0                | 4.3                            | 0.40                           | -0.11                         | 17.67                        |  |
| 396.0                        | 1.30                   | 352.60             | 395.9                        | 6.2                 | -1.2                | 6.2                            | 0.19                           | 0.11                          | -7.03                        |  |
| 488.0                        | 1.20                   | 339.90             | 487.9                        | 8.2                 | -1.6                | 8.2                            | 0.32                           | -0.11                         | -13.80                       |  |
| 580.0                        | 0.90                   | 336.60             | 579.9                        | 9.7                 | -2.3                | 9.7                            | 0.33                           | -0.33                         | -3.59                        |  |
| 672.0                        | 0.90                   | 332.20             | 671.9                        | 11.0                | -2.9                | 11.0                           | 0.08                           | 0.00                          | -4.78                        |  |
| 764.0                        | 0.80                   | 331.30             | 763.9                        | 12.2                | -3.5                | 12.2                           | 0.11                           | -0.11                         | -0.98                        |  |
| 855.0                        | 1.10                   | 339.80             | 854.9                        | 13.6                | -4.1                | 13.6                           | 0.36                           | 0.33                          | 9.34                         |  |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 949.0                 | 1.10            | 324.80      | 948.9                 | 15.2         | -5.0         | 15.2                    | 0.31                    | 0.00                   | -15.96                |  |
| 1,041.0               | 1.00            | 327.00      | 1,040.8               | 16.6         | -5.9         | 16.6                    | 0.12                    | -0.11                  | 2.39                  |  |
| 1,133.0               | 0.90            | 318.40      | 1,132.8               | 17.8         | -6.8         | 17.8                    | 0.19                    | -0.11                  | -9.35                 |  |
| 1,224.0               | 0.70            | 317.90      | 1,223.8               | 18.8         | -7.7         | 18.8                    | 0.22                    | -0.22                  | -0.55                 |  |
| 1,256.0               | 1.00            | 319.20      | 1,255.8               | 19.1         | -8.0         | 19.1                    | 0.94                    | 0.94                   | 4.06                  |  |
| 1,423.0               | 0.80            | 345.40      | 1,422.8               | 21.3         | -9.2         | 21.3                    | 0.27                    | -0.12                  | 15.69                 |  |
| 1,517.0               | 0.80            | 346.20      | 1,516.8               | 22.6         | -9.6         | 22.6                    | 0.01                    | 0.00                   | 0.85                  |  |
| 1,611.0               | 2.20            | 270.50      | 1,610.8               | 23.3         | -11.5        | 23.3                    | 2.28                    | 1.49                   | -80.53                |  |
| 1,705.0               | 4.30            | 253.90      | 1,704.6               | 22.3         | -16.7        | 22.3                    | 2.43                    | 2.23                   | -17.66                |  |
| 1,799.0               | 4.00            | 250.00      | 1,798.4               | 20.2         | -23.2        | 20.2                    | 0.44                    | -0.32                  | -4.15                 |  |
| 1,894.0               | 5.60            | 254.30      | 1,893.0               | 17.8         | -30.7        | 17.8                    | 1.73                    | 1.68                   | 4.53                  |  |
| 1,989.0               | 7.10            | 248.70      | 1,987.4               | 14.4         | -40.7        | 14.4                    | 1.71                    | 1.58                   | -5.89                 |  |
| 2,083.0               | 7.70            | 250.60      | 2,080.6               | 10.2         | -52.0        | 10.2                    | 0.69                    | 0.64                   | 2.02                  |  |
| 2,178.0               | 7.60            | 250.80      | 2,174.8               | 6.1          | -64.0        | 6.0                     | 0.11                    | -0.11                  | 0.21                  |  |
| 2,272.0               | 7.30            | 251.50      | 2,268.0               | 2.1          | -75.5        | 2.1                     | 0.33                    | -0.32                  | 0.74                  |  |
| 2,366.0               | 7.10            | 251.90      | 2,361.3               | -1.6         | -86.7        | -1.6                    | 0.22                    | -0.21                  | 0.43                  |  |
| 2,460.0               | 6.80            | 252.40      | 2,454.6               | -5.1         | -97.5        | -5.1                    | 0.33                    | -0.32                  | 0.53                  |  |
| 2,554.0               | 6.70            | 256.50      | 2,547.9               | -8.0         | -108.2       | -8.0                    | 0.52                    | -0.11                  | 4.36                  |  |
| 2,649.0               | 6.30            | 256.90      | 2,642.3               | -10.5        | -118.6       | -10.5                   | 0.42                    | -0.42                  | 0.42                  |  |
| 2,743.0               | 5.80            | 258.10      | 2,735.8               | -12.7        | -128.3       | -12.7                   | 0.55                    | -0.53                  | 1.28                  |  |
| 2,837.0               | 5.70            | 264.70      | 2,829.3               | -14.1        | -137.6       | -14.1                   | 0.71                    | -0.11                  | 7.02                  |  |
| 2,931.0               | 7.10            | 256.50      | 2,922.7               | -15.9        | -147.9       | -15.9                   | 1.78                    | 1.49                   | -8.72                 |  |
| 3,024.0               | 7.10            | 258.40      | 3,015.0               | -18.4        | -159.1       | -18.4                   | 0.25                    | 0.00                   | 2.04                  |  |
| 3,119.0               | 6.90            | 258.30      | 3,109.3               | -20.7        | -170.4       | -20.7                   | 0.21                    | -0.21                  | -0.11                 |  |
| 3,213.0               | 6.20            | 258.70      | 3,202.7               | -22.8        | -180.9       | -22.8                   | 0.75                    | -0.74                  | 0.43                  |  |
| 3,307.0               | 5.90            | 260.00      | 3,296.2               | -24.7        | -190.7       | -24.7                   | 0.35                    | -0.32                  | 1.38                  |  |
| 3,401.0               | 6.80            | 255.00      | 3,389.6               | -26.9        | -200.8       | -27.0                   | 1.12                    | 0.96                   | -5.32                 |  |
| 3,495.0               | 7.10            | 253.20      | 3,482.9               | -30.1        | -211.8       | -30.1                   | 0.39                    | 0.32                   | -1.91                 |  |
| 3,589.0               | 6.90            | 252.90      | 3,576.2               | -33.4        | -222.7       | -33.4                   | 0.22                    | -0.21                  | -0.32                 |  |
| 3,683.0               | 6.30            | 252.90      | 3,669.6               | -36.6        | -233.0       | -36.6                   | 0.64                    | -0.64                  | 0.00                  |  |
| 3,776.0               | 6.10            | 249.60      | 3,762.0               | -39.8        | -242.5       | -39.8                   | 0.44                    | -0.22                  | -3.55                 |  |
| 3,871.0               | 6.00            | 249.80      | 3,856.5               | -43.3        | -251.9       | -43.3                   | 0.11                    | -0.11                  | 0.21                  |  |
| 3,965.0               | 6.00            | 254.10      | 3,950.0               | -46.3        | -261.3       | -46.3                   | 0.48                    | 0.00                   | 4.57                  |  |
| 4,057.0               | 6.30            | 252.90      | 4,041.5               | -49.1        | -270.7       | -49.1                   | 0.35                    | 0.33                   | -1.30                 |  |
| 4,152.0               | 7.90            | 249.30      | 4,135.7               | -53.0        | -281.8       | -53.0                   | 1.75                    | 1.68                   | -3.79                 |  |
| 4,246.0               | 7.90            | 250.70      | 4,228.8               | -57.4        | -294.0       | -57.4                   | 0.20                    | 0.00                   | 1.49                  |  |
| 4,340.0               | 7.70            | 251.60      | 4,322.0               | -61.5        | -306.0       | -61.5                   | 0.25                    | -0.21                  | 0.96                  |  |
| 4,434.0               | 7.40            | 252.60      | 4,415.2               | -65.3        | -317.8       | -65.3                   | 0.35                    | -0.32                  | 1.06                  |  |
| 4,528.0               | 6.20            | 242.20      | 4,508.5               | -69.5        | -328.0       | -69.5                   | 1.82                    | -1.28                  | -11.06                |  |
| 4,622.0               | 5.50            | 222.30      | 4,602.0               | -75.2        | -335.6       | -75.2                   | 2.27                    | -0.74                  | -21.17                |  |
| 4,715.0               | 5.20            | 217.80      | 4,694.6               | -81.8        | -341.1       | -81.8                   | 0.55                    | -0.32                  | -4.84                 |  |
| 4,810.0               | 6.30            | 219.00      | 4,789.1               | -89.3        | -347.1       | -89.3                   | 1.16                    | 1.16                   | 1.26                  |  |
| 4,905.0               | 7.40            | 215.40      | 4,883.5               | -98.3        | -353.9       | -98.3                   | 1.24                    | 1.16                   | -3.79                 |  |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,999.0               | 8.10            | 223.40      | 4,976.6               | -108.0       | -361.9       | -108.1                  | 1.37                    | 0.74                   | 8.51                  |
| 5,094.0               | 7.10            | 219.00      | 5,070.8               | -117.5       | -370.2       | -117.5                  | 1.22                    | -1.05                  | -4.63                 |
| 5,189.0               | 6.00            | 218.80      | 5,165.1               | -125.9       | -377.0       | -125.9                  | 1.16                    | -1.16                  | -0.21                 |
| 5,283.0               | 5.90            | 217.60      | 5,258.6               | -133.6       | -383.1       | -133.6                  | 0.17                    | -0.11                  | -1.28                 |
| 5,378.0               | 7.00            | 232.70      | 5,353.0               | -140.9       | -390.7       | -141.0                  | 2.12                    | 1.16                   | 15.89                 |
| 5,472.0               | 10.10           | 251.90      | 5,446.0               | -147.0       | -403.1       | -147.0                  | 4.44                    | 3.30                   | 20.43                 |
| 5,566.0               | 10.30           | 251.90      | 5,538.5               | -152.1       | -418.9       | -152.2                  | 0.21                    | 0.21                   | 0.00                  |
| 5,661.0               | 9.80            | 263.80      | 5,632.1               | -155.7       | -435.0       | -155.7                  | 2.24                    | -0.53                  | 12.53                 |
| 5,756.0               | 9.60            | 269.50      | 5,725.7               | -156.6       | -450.9       | -156.6                  | 1.03                    | -0.21                  | 6.00                  |
| 5,851.0               | 9.10            | 267.80      | 5,819.4               | -157.0       | -466.4       | -157.0                  | 0.60                    | -0.53                  | -1.79                 |
| 5,946.0               | 9.20            | 268.10      | 5,913.2               | -157.5       | -481.5       | -157.5                  | 0.12                    | 0.11                   | 0.32                  |
| 6,040.0               | 9.00            | 267.90      | 6,006.1               | -158.0       | -496.3       | -158.1                  | 0.22                    | -0.21                  | -0.21                 |
| 6,135.0               | 8.30            | 269.60      | 6,100.0               | -158.3       | -510.6       | -158.4                  | 0.78                    | -0.74                  | 1.79                  |
| 6,230.0               | 8.10            | 267.60      | 6,194.0               | -158.7       | -524.2       | -158.7                  | 0.37                    | -0.21                  | -2.11                 |
| 6,324.0               | 7.50            | 266.40      | 6,287.1               | -159.3       | -536.9       | -159.4                  | 0.66                    | -0.64                  | -1.28                 |
| 6,418.0               | 6.90            | 265.70      | 6,380.4               | -160.1       | -548.7       | -160.2                  | 0.65                    | -0.64                  | -0.74                 |
| 6,511.0               | 6.80            | 267.60      | 6,472.7               | -160.8       | -559.7       | -160.8                  | 0.27                    | -0.11                  | 2.04                  |
| 6,605.0               | 6.70            | 266.30      | 6,566.1               | -161.4       | -570.8       | -161.4                  | 0.19                    | -0.11                  | -1.38                 |
| 6,700.0               | 7.10            | 264.90      | 6,660.4               | -162.2       | -582.1       | -162.3                  | 0.46                    | 0.42                   | -1.47                 |
| 6,794.0               | 7.30            | 264.90      | 6,753.6               | -163.3       | -593.9       | -163.3                  | 0.21                    | 0.21                   | 0.00                  |
| 6,888.0               | 6.90            | 262.00      | 6,846.9               | -164.6       | -605.4       | -164.7                  | 0.57                    | -0.43                  | -3.09                 |
| 6,982.0               | 7.10            | 271.50      | 6,940.2               | -165.2       | -616.8       | -165.3                  | 1.25                    | 0.21                   | 10.11                 |
| 7,076.0               | 7.20            | 274.10      | 7,033.5               | -164.7       | -628.5       | -164.7                  | 0.36                    | 0.11                   | 2.77                  |
| 7,170.0               | 6.60            | 271.40      | 7,126.8               | -164.1       | -639.8       | -164.2                  | 0.73                    | -0.64                  | -2.87                 |
| 7,264.0               | 6.50            | 269.60      | 7,220.2               | -164.0       | -650.5       | -164.1                  | 0.24                    | -0.11                  | -1.91                 |
| 7,358.0               | 6.10            | 269.70      | 7,313.6               | -164.1       | -660.8       | -164.1                  | 0.43                    | -0.43                  | 0.11                  |
| 7,452.0               | 6.10            | 265.00      | 7,407.1               | -164.5       | -670.8       | -164.6                  | 0.53                    | 0.00                   | -5.00                 |
| 7,546.0               | 5.40            | 269.90      | 7,500.6               | -165.0       | -680.2       | -165.0                  | 0.91                    | -0.74                  | 5.21                  |
| 7,641.0               | 4.70            | 268.90      | 7,595.3               | -165.1       | -688.5       | -165.1                  | 0.74                    | -0.74                  | -1.05                 |
| 7,734.0               | 3.40            | 284.80      | 7,688.0               | -164.4       | -695.0       | -164.5                  | 1.83                    | -1.40                  | 17.10                 |
| 7,829.0               | 1.50            | 340.80      | 7,783.0               | -162.5       | -698.1       | -162.6                  | 3.00                    | -2.00                  | 58.95                 |
| 7,923.0               | 1.30            | 343.90      | 7,876.9               | -160.4       | -698.8       | -160.4                  | 0.23                    | -0.21                  | 3.30                  |
| 8,018.0               | 1.10            | 351.70      | 7,971.9               | -158.4       | -699.3       | -158.5                  | 0.27                    | -0.21                  | 8.21                  |
| 8,112.0               | 0.70            | 350.90      | 8,065.9               | -157.0       | -699.5       | -157.0                  | 0.43                    | -0.43                  | -0.85                 |
| 8,206.0               | 1.00            | 330.60      | 8,159.9               | -155.7       | -700.0       | -155.7                  | 0.45                    | 0.32                   | -21.60                |
| 8,300.0               | 0.80            | 337.30      | 8,253.9               | -154.4       | -700.6       | -154.4                  | 0.24                    | -0.21                  | 7.13                  |
| 8,394.0               | 0.60            | 313.50      | 8,347.9               | -153.4       | -701.3       | -153.5                  | 0.37                    | -0.21                  | -25.32                |
| 8,488.0               | 0.60            | 332.50      | 8,441.9               | -152.6       | -701.8       | -152.7                  | 0.21                    | 0.00                   | 20.21                 |
| 8,582.0               | 0.50            | 332.00      | 8,535.9               | -151.8       | -702.3       | -151.9                  | 0.11                    | -0.11                  | -0.53                 |
| 8,677.0               | 0.40            | 313.80      | 8,630.9               | -151.2       | -702.7       | -151.3                  | 0.18                    | -0.11                  | -19.16                |
| 8,770.0               | 0.50            | 297.10      | 8,723.8               | -150.8       | -703.3       | -150.9                  | 0.18                    | 0.11                   | -17.96                |
| 8,864.0               | 0.40            | 249.40      | 8,817.8               | -150.8       | -704.0       | -150.8                  | 0.40                    | -0.11                  | -50.74                |
| 8,957.0               | 0.40            | 243.70      | 8,910.8               | -151.0       | -704.6       | -151.1                  | 0.04                    | 0.00                   | -6.13                 |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                                       |                 |             |                       |              |              |                         |                         |                        |                       |
|----------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                        | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 9,051.0                                      | 0.30            | 279.70      | 9,004.8               | -151.1       | -705.1       | -151.2                  | 0.25                    | -0.11                  | 38.30                 |
| 9,145.0                                      | 0.30            | 304.20      | 9,098.8               | -150.9       | -705.5       | -151.0                  | 0.14                    | 0.00                   | 26.06                 |
| 9,239.0                                      | 0.50            | 331.10      | 9,192.8               | -150.5       | -705.9       | -150.5                  | 0.29                    | 0.21                   | 28.62                 |
| 9,334.0                                      | 0.70            | 334.50      | 9,287.8               | -149.6       | -706.4       | -149.6                  | 0.21                    | 0.21                   | 3.58                  |
| 9,427.0                                      | 0.90            | 349.30      | 9,380.8               | -148.3       | -706.8       | -148.4                  | 0.31                    | 0.22                   | 15.91                 |
| 9,520.0                                      | 1.00            | 13.30       | 9,473.8               | -146.8       | -706.7       | -146.9                  | 0.44                    | 0.11                   | 25.81                 |
| 9,614.0                                      | 0.70            | 48.20       | 9,567.8               | -145.6       | -706.1       | -145.7                  | 0.62                    | -0.32                  | 37.13                 |
| 9,708.0                                      | 0.30            | 38.70       | 9,661.8               | -145.1       | -705.5       | -145.1                  | 0.43                    | -0.43                  | -10.11                |
| 9,802.0                                      | 0.20            | 345.00      | 9,755.8               | -144.7       | -705.4       | -144.8                  | 0.26                    | -0.11                  | -57.13                |
| 9,896.0                                      | 0.60            | 275.60      | 9,849.8               | -144.5       | -705.9       | -144.6                  | 0.60                    | 0.43                   | -73.83                |
| 9,990.0                                      | 1.10            | 250.70      | 9,943.8               | -144.8       | -707.3       | -144.8                  | 0.65                    | 0.53                   | -26.49                |
| 10,083.0                                     | 1.30            | 255.50      | 10,036.8              | -145.3       | -709.1       | -145.4                  | 0.24                    | 0.22                   | 5.16                  |
| 10,177.0                                     | 1.50            | 265.10      | 10,130.7              | -145.7       | -711.4       | -145.8                  | 0.33                    | 0.21                   | 10.21                 |
| 10,271.0                                     | 1.10            | 256.40      | 10,224.7              | -146.0       | -713.5       | -146.1                  | 0.47                    | -0.43                  | -9.26                 |
| 10,365.0                                     | 1.10            | 250.60      | 10,318.7              | -146.5       | -715.2       | -146.6                  | 0.12                    | 0.00                   | -6.17                 |
| 10,459.0                                     | 1.20            | 244.90      | 10,412.7              | -147.2       | -717.0       | -147.3                  | 0.16                    | 0.11                   | -6.06                 |
| 10,553.0                                     | 1.20            | 244.20      | 10,506.7              | -148.1       | -718.8       | -148.2                  | 0.02                    | 0.00                   | -0.74                 |
| 10,646.0                                     | 1.20            | 240.20      | 10,599.6              | -149.0       | -720.5       | -149.1                  | 0.09                    | 0.00                   | -4.30                 |
| 10,738.0                                     | 0.90            | 235.90      | 10,691.6              | -149.9       | -721.9       | -149.9                  | 0.34                    | -0.33                  | -4.67                 |
| 10,833.0                                     | 0.70            | 193.30      | 10,786.6              | -150.9       | -722.7       | -150.9                  | 0.64                    | -0.21                  | -44.84                |
| 10,927.0                                     | 1.40            | 162.70      | 10,880.6              | -152.5       | -722.5       | -152.6                  | 0.93                    | 0.74                   | -32.55                |
| 11,021.0                                     | 1.60            | 167.00      | 10,974.6              | -154.9       | -721.8       | -155.0                  | 0.24                    | 0.21                   | 4.57                  |
| 11,115.0                                     | 1.30            | 164.60      | 11,068.5              | -157.2       | -721.2       | -157.3                  | 0.33                    | -0.32                  | -2.55                 |
| 11,209.0                                     | 1.40            | 113.30      | 11,162.5              | -158.7       | -719.9       | -158.7                  | 1.25                    | 0.11                   | -54.57                |
| 11,304.0                                     | 1.70            | 111.40      | 11,257.5              | -159.7       | -717.5       | -159.7                  | 0.32                    | 0.32                   | -2.00                 |
| 11,398.0                                     | 1.60            | 108.20      | 11,351.4              | -160.6       | -715.0       | -160.6                  | 0.14                    | -0.11                  | -3.40                 |
| 11,492.0                                     | 1.10            | 86.60       | 11,445.4              | -160.9       | -712.8       | -161.0                  | 0.75                    | -0.53                  | -22.98                |
| 11,586.0                                     | 1.40            | 35.80       | 11,539.4              | -159.9       | -711.3       | -160.0                  | 1.18                    | 0.32                   | -54.04                |
| 11,680.0                                     | 1.20            | 60.70       | 11,633.4              | -158.5       | -709.7       | -158.6                  | 0.63                    | -0.21                  | 26.49                 |
| 11,774.0                                     | 1.10            | 95.90       | 11,727.3              | -158.1       | -708.0       | -158.2                  | 0.75                    | -0.11                  | 37.45                 |
| 11,869.0                                     | 1.30            | 104.80      | 11,822.3              | -158.5       | -706.0       | -158.6                  | 0.29                    | 0.21                   | 9.37                  |
| 11,878.0                                     | 1.40            | 105.90      | 11,831.3              | -158.6       | -705.8       | -158.6                  | 1.15                    | 1.11                   | 12.22                 |
| 11,993.0                                     | 1.40            | 91.00       | 11,946.3              | -159.0       | -703.1       | -159.0                  | 0.32                    | 0.00                   | -12.96                |
| 12,088.0                                     | 9.80            | 2.60        | 12,040.8              | -150.9       | -701.5       | -151.0                  | 10.38                   | 8.84                   | -93.05                |
| 12,182.0                                     | 25.90           | 358.90      | 12,130.0              | -122.2       | -701.6       | -122.3                  | 17.16                   | 17.13                  | -3.94                 |
| 12,217.9                                     | 31.68           | 358.85      | 12,161.4              | -104.9       | -701.9       | -105.0                  | 16.11                   | 16.11                  | -0.13                 |
| Cross 100' FSL Perf; 12161.4' TVD, 1876' FEL |                 |             |                       |              |              |                         |                         |                        |                       |
| 12,277.0                                     | 41.20           | 358.80      | 12,208.9              | -69.9        | -702.6       | -69.9                   | 16.11                   | 16.11                  | -0.09                 |
| 12,372.0                                     | 53.50           | 0.40        | 12,273.2              | -0.1         | -703.0       | -0.2                    | 13.01                   | 12.95                  | 1.68                  |
| 12,466.0                                     | 67.90           | 359.40      | 12,319.1              | 81.6         | -703.2       | 81.6                    | 15.35                   | 15.32                  | -1.06                 |
| 12,561.0                                     | 73.50           | 355.60      | 12,350.5              | 171.2        | -707.2       | 171.1                   | 7.00                    | 5.89                   | -4.00                 |
| 12,655.0                                     | 80.20           | 358.10      | 12,371.8              | 262.5        | -712.2       | 262.4                   | 7.58                    | 7.13                   | 2.66                  |
| 12,750.0                                     | 85.80           | 358.70      | 12,383.4              | 356.7        | -714.8       | 356.6                   | 5.93                    | 5.89                   | 0.63                  |
| 12,845.0                                     | 85.80           | 357.20      | 12,390.4              | 451.4        | -718.2       | 451.3                   | 1.57                    | 0.00                   | -1.58                 |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 12,939.0              | 89.00           | 357.30      | 12,394.6              | 545.2        | -722.7       | 545.1                   | 3.41                    | 3.40                   | 0.11                  |
| 13,034.0              | 88.70           | 355.90      | 12,396.5              | 640.0        | -728.3       | 639.9                   | 1.51                    | -0.32                  | -1.47                 |
| 13,129.0              | 91.40           | 357.10      | 12,396.5              | 734.8        | -734.1       | 734.7                   | 3.11                    | 2.84                   | 1.26                  |
| 13,222.0              | 91.90           | 356.40      | 12,393.8              | 827.6        | -739.4       | 827.5                   | 0.92                    | 0.54                   | -0.75                 |
| 13,315.0              | 91.40           | 358.00      | 12,391.1              | 920.5        | -743.9       | 920.4                   | 1.80                    | -0.54                  | 1.72                  |
| 13,410.0              | 90.40           | 0.80        | 12,389.6              | 1,015.4      | -744.9       | 1,015.4                 | 3.13                    | -1.05                  | 2.95                  |
| 13,504.0              | 90.20           | 1.00        | 12,389.1              | 1,109.4      | -743.4       | 1,109.3                 | 0.30                    | -0.21                  | 0.21                  |
| 13,599.0              | 90.60           | 0.30        | 12,388.5              | 1,204.4      | -742.4       | 1,204.3                 | 0.85                    | 0.42                   | -0.74                 |
| 13,694.0              | 89.60           | 1.60        | 12,388.3              | 1,299.4      | -740.8       | 1,299.3                 | 1.73                    | -1.05                  | 1.37                  |
| 13,789.0              | 89.30           | 1.20        | 12,389.2              | 1,394.4      | -738.5       | 1,394.3                 | 0.53                    | -0.32                  | -0.42                 |
| 13,883.0              | 89.90           | 1.60        | 12,389.9              | 1,488.3      | -736.2       | 1,488.3                 | 0.77                    | 0.64                   | 0.43                  |
| 13,977.0              | 89.60           | 1.40        | 12,390.3              | 1,582.3      | -733.7       | 1,582.2                 | 0.38                    | -0.32                  | -0.21                 |
| 14,072.0              | 89.00           | 1.20        | 12,391.4              | 1,677.3      | -731.6       | 1,677.2                 | 0.67                    | -0.63                  | -0.21                 |
| 14,166.0              | 88.30           | 1.00        | 12,393.6              | 1,771.2      | -729.8       | 1,771.1                 | 0.77                    | -0.74                  | -0.21                 |
| 14,260.0              | 89.40           | 2.30        | 12,395.5              | 1,865.2      | -727.0       | 1,865.1                 | 1.81                    | 1.17                   | 1.38                  |
| 14,354.0              | 89.70           | 359.80      | 12,396.3              | 1,959.1      | -725.3       | 1,959.1                 | 2.68                    | 0.32                   | -2.66                 |
| 14,449.0              | 93.50           | 1.00        | 12,393.6              | 2,054.1      | -724.7       | 2,054.0                 | 4.19                    | 4.00                   | 1.26                  |
| 14,544.0              | 93.70           | 1.50        | 12,387.6              | 2,148.9      | -722.6       | 2,148.8                 | 0.57                    | 0.21                   | 0.53                  |
| 14,639.0              | 92.30           | 359.60      | 12,382.7              | 2,243.7      | -721.7       | 2,243.7                 | 2.48                    | -1.47                  | -2.00                 |
| 14,733.0              | 89.50           | 356.80      | 12,381.2              | 2,337.6      | -724.6       | 2,337.6                 | 4.21                    | -2.98                  | -2.98                 |
| 14,827.0              | 89.80           | 356.70      | 12,381.8              | 2,431.5      | -730.0       | 2,431.4                 | 0.34                    | 0.32                   | -0.11                 |
| 14,921.0              | 89.40           | 356.30      | 12,382.4              | 2,525.3      | -735.7       | 2,525.2                 | 0.60                    | -0.43                  | -0.43                 |
| 15,016.0              | 89.70           | 357.10      | 12,383.2              | 2,620.1      | -741.2       | 2,620.1                 | 0.90                    | 0.32                   | 0.84                  |
| 15,111.0              | 90.60           | 356.80      | 12,382.9              | 2,715.0      | -746.2       | 2,714.9                 | 1.00                    | 0.95                   | -0.32                 |
| 15,205.0              | 90.80           | 356.20      | 12,381.8              | 2,808.8      | -752.0       | 2,808.8                 | 0.67                    | 0.21                   | -0.64                 |
| 15,300.0              | 91.20           | 358.40      | 12,380.1              | 2,903.7      | -756.4       | 2,903.6                 | 2.35                    | 0.42                   | 2.32                  |
| 15,394.0              | 91.50           | 358.80      | 12,377.9              | 2,997.6      | -758.7       | 2,997.6                 | 0.53                    | 0.32                   | 0.43                  |
| 15,489.0              | 91.20           | 0.40        | 12,375.7              | 3,092.6      | -759.4       | 3,092.5                 | 1.71                    | -0.32                  | 1.68                  |
| 15,583.0              | 91.10           | 0.30        | 12,373.8              | 3,186.6      | -758.8       | 3,186.5                 | 0.15                    | -0.11                  | -0.11                 |
| 15,677.0              | 89.70           | 1.10        | 12,373.1              | 3,280.6      | -757.7       | 3,280.5                 | 1.72                    | -1.49                  | 0.85                  |
| 15,771.0              | 89.40           | 1.00        | 12,373.9              | 3,374.6      | -756.0       | 3,374.5                 | 0.34                    | -0.32                  | -0.11                 |
| 15,865.0              | 88.80           | 359.80      | 12,375.3              | 3,468.5      | -755.3       | 3,468.5                 | 1.43                    | -0.64                  | -1.28                 |
| 15,960.0              | 88.10           | 358.30      | 12,377.9              | 3,563.5      | -756.9       | 3,563.4                 | 1.74                    | -0.74                  | -1.58                 |
| 16,054.0              | 90.30           | 358.90      | 12,379.2              | 3,657.5      | -759.2       | 3,657.4                 | 2.43                    | 2.34                   | 0.64                  |
| 16,148.0              | 91.60           | 359.50      | 12,377.7              | 3,751.4      | -760.5       | 3,751.4                 | 1.52                    | 1.38                   | 0.64                  |
| 16,243.0              | 92.00           | 0.01        | 12,374.7              | 3,846.4      | -760.9       | 3,846.3                 | 0.68                    | 0.42                   | 0.53                  |
| 16,337.0              | 92.70           | 1.70        | 12,370.8              | 3,940.3      | -759.5       | 3,940.2                 | 1.95                    | 0.74                   | 1.80                  |
| 16,431.0              | 90.10           | 2.00        | 12,368.5              | 4,034.2      | -756.5       | 4,034.1                 | 2.78                    | -2.77                  | 0.32                  |
| 16,526.0              | 90.20           | 1.90        | 12,368.3              | 4,129.1      | -753.2       | 4,129.1                 | 0.15                    | 0.11                   | -0.11                 |
| 16,621.0              | 88.30           | 359.10      | 12,369.5              | 4,224.1      | -752.4       | 4,224.1                 | 3.56                    | -2.00                  | -2.95                 |
| 16,715.0              | 88.50           | 358.80      | 12,372.1              | 4,318.1      | -754.1       | 4,318.0                 | 0.38                    | 0.21                   | -0.32                 |
| 16,810.0              | 89.80           | 357.90      | 12,373.6              | 4,413.0      | -756.9       | 4,412.9                 | 1.66                    | 1.37                   | -0.95                 |
| 16,904.0              | 92.50           | 0.40        | 12,371.7              | 4,507.0      | -758.3       | 4,506.9                 | 3.91                    | 2.87                   | 2.66                  |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                                       |                 |             |                       |              |              |                         |                         |                        |                       |
|----------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                        | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 16,998.0                                     | 93.60           | 0.90        | 12,366.7              | 4,600.8      | -757.2       | 4,600.8                 | 1.29                    | 1.17                   | 0.53                  |
| 17,093.0                                     | 94.00           | 0.20        | 12,360.4              | 4,695.6      | -756.3       | 4,695.5                 | 0.85                    | 0.42                   | -0.74                 |
| 17,187.0                                     | 94.70           | 359.40      | 12,353.2              | 4,789.3      | -756.6       | 4,789.3                 | 1.13                    | 0.74                   | -0.85                 |
| 17,282.0                                     | 92.00           | 0.10        | 12,347.7              | 4,884.2      | -757.0       | 4,884.1                 | 2.94                    | -2.84                  | 0.74                  |
| 17,376.0                                     | 92.40           | 359.80      | 12,344.1              | 4,978.1      | -757.1       | 4,978.0                 | 0.53                    | 0.43                   | -0.32                 |
| 17,471.0                                     | 92.40           | 0.30        | 12,340.1              | 5,073.0      | -757.0       | 5,072.9                 | 0.53                    | 0.00                   | 0.53                  |
| Cross Section 23 to 14; 17471' MD, 1891' FEL |                 |             |                       |              |              |                         |                         |                        |                       |
| 17,565.0                                     | 91.50           | 0.60        | 12,336.9              | 5,167.0      | -756.3       | 5,166.9                 | 1.01                    | -0.96                  | 0.32                  |
| 17,659.0                                     | 92.00           | 0.30        | 12,334.0              | 5,260.9      | -755.5       | 5,260.8                 | 0.62                    | 0.53                   | -0.32                 |
| 17,754.0                                     | 92.60           | 0.90        | 12,330.2              | 5,355.8      | -754.5       | 5,355.8                 | 0.89                    | 0.63                   | 0.63                  |
| 17,848.0                                     | 90.30           | 359.60      | 12,327.8              | 5,449.8      | -754.1       | 5,449.7                 | 2.81                    | -2.45                  | -1.38                 |
| 17,943.0                                     | 89.00           | 358.30      | 12,328.4              | 5,544.8      | -755.9       | 5,544.7                 | 1.94                    | -1.37                  | -1.37                 |
| 18,038.0                                     | 89.80           | 358.40      | 12,329.4              | 5,639.7      | -758.6       | 5,639.7                 | 0.85                    | 0.84                   | 0.11                  |
| 18,132.0                                     | 90.70           | 358.40      | 12,329.0              | 5,733.7      | -761.2       | 5,733.6                 | 0.96                    | 0.96                   | 0.00                  |
| 18,227.0                                     | 89.90           | 357.10      | 12,328.5              | 5,828.6      | -765.0       | 5,828.5                 | 1.61                    | -0.84                  | -1.37                 |
| 18,321.0                                     | 89.60           | 358.00      | 12,328.9              | 5,922.5      | -769.0       | 5,922.5                 | 1.01                    | -0.32                  | 0.96                  |
| 18,415.0                                     | 89.70           | 358.20      | 12,329.5              | 6,016.5      | -772.1       | 6,016.4                 | 0.24                    | 0.11                   | 0.21                  |
| 18,510.0                                     | 89.70           | 358.50      | 12,330.0              | 6,111.4      | -774.8       | 6,111.4                 | 0.32                    | 0.00                   | 0.32                  |
| 18,605.0                                     | 88.90           | 358.80      | 12,331.2              | 6,206.4      | -777.1       | 6,206.3                 | 0.90                    | -0.84                  | 0.32                  |
| 18,700.0                                     | 87.30           | 358.30      | 12,334.3              | 6,301.3      | -779.5       | 6,301.2                 | 1.76                    | -1.68                  | -0.53                 |
| 18,794.0                                     | 90.30           | 359.10      | 12,336.3              | 6,395.2      | -781.6       | 6,395.2                 | 3.30                    | 3.19                   | 0.85                  |
| 18,888.0                                     | 90.60           | 359.00      | 12,335.5              | 6,489.2      | -783.2       | 6,489.2                 | 0.34                    | 0.32                   | -0.11                 |
| 18,982.0                                     | 90.10           | 359.40      | 12,335.0              | 6,583.2      | -784.5       | 6,583.2                 | 0.68                    | -0.53                  | 0.43                  |
| 19,077.0                                     | 89.10           | 359.60      | 12,335.6              | 6,678.2      | -785.3       | 6,678.1                 | 1.07                    | -1.05                  | 0.21                  |
| 19,172.0                                     | 88.30           | 358.30      | 12,337.8              | 6,773.2      | -787.1       | 6,773.1                 | 1.61                    | -0.84                  | -1.37                 |
| 19,267.0                                     | 90.20           | 359.10      | 12,339.0              | 6,868.1      | -789.2       | 6,868.1                 | 2.17                    | 2.00                   | 0.84                  |
| 19,361.0                                     | 90.50           | 358.80      | 12,338.4              | 6,962.1      | -790.9       | 6,962.0                 | 0.45                    | 0.32                   | -0.32                 |
| 19,455.0                                     | 89.60           | 357.90      | 12,338.4              | 7,056.1      | -793.6       | 7,056.0                 | 1.35                    | -0.96                  | -0.96                 |
| 19,549.0                                     | 91.40           | 358.70      | 12,337.5              | 7,150.0      | -796.4       | 7,150.0                 | 2.10                    | 1.91                   | 0.85                  |
| 19,644.0                                     | 89.50           | 357.20      | 12,336.8              | 7,245.0      | -799.8       | 7,244.9                 | 2.55                    | -2.00                  | -1.58                 |
| 19,767.0                                     | 90.00           | 358.80      | 12,337.3              | 7,367.9      | -804.1       | 7,367.8                 | 1.36                    | 0.41                   | 1.30                  |
| 19,861.0                                     | 90.80           | 358.40      | 12,336.7              | 7,461.8      | -806.4       | 7,461.8                 | 0.95                    | 0.85                   | -0.43                 |
| 19,956.0                                     | 90.20           | 0.60        | 12,335.8              | 7,556.8      | -807.2       | 7,556.8                 | 2.40                    | -0.63                  | 2.32                  |
| 20,050.0                                     | 90.20           | 0.60        | 12,335.5              | 7,650.8      | -806.3       | 7,650.8                 | 0.00                    | 0.00                   | 0.00                  |
| 20,145.0                                     | 90.30           | 0.40        | 12,335.1              | 7,745.8      | -805.4       | 7,745.7                 | 0.24                    | 0.11                   | -0.21                 |
| 20,239.0                                     | 90.40           | 0.50        | 12,334.5              | 7,839.8      | -804.7       | 7,839.7                 | 0.15                    | 0.11                   | 0.11                  |
| 20,333.0                                     | 89.60           | 0.40        | 12,334.5              | 7,933.8      | -803.9       | 7,933.7                 | 0.86                    | -0.85                  | -0.11                 |
| 20,428.0                                     | 90.50           | 0.40        | 12,334.5              | 8,028.8      | -803.3       | 8,028.7                 | 0.95                    | 0.95                   | 0.00                  |
| 20,523.0                                     | 92.00           | 1.60        | 12,332.4              | 8,123.8      | -801.6       | 8,123.7                 | 2.02                    | 1.58                   | 1.26                  |
| 20,617.0                                     | 91.80           | 1.70        | 12,329.3              | 8,217.7      | -798.9       | 8,217.6                 | 0.24                    | -0.21                  | 0.11                  |
| 20,711.0                                     | 91.90           | 1.00        | 12,326.2              | 8,311.6      | -796.7       | 8,311.5                 | 0.75                    | 0.11                   | -0.74                 |
| 20,806.0                                     | 92.20           | 0.70        | 12,322.8              | 8,406.5      | -795.3       | 8,406.5                 | 0.45                    | 0.32                   | -0.32                 |
| 20,900.0                                     | 90.60           | 1.30        | 12,320.5              | 8,500.5      | -793.7       | 8,500.4                 | 1.82                    | -1.70                  | 0.64                  |
| 20,995.0                                     | 91.50           | 1.20        | 12,318.8              | 8,595.4      | -791.6       | 8,595.4                 | 0.95                    | 0.95                   | -0.11                 |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                                           |                 |             |                       |              |              |                         |                         |                        |                       |  |
|--------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft)                            | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 21,089.0                                         | 90.30           | 359.90      | 12,317.3              | 8,689.4      | -790.7       | 8,689.4                 | 1.88                    | -1.28                  | -1.38                 |  |
| 21,183.0                                         | 91.50           | 0.60        | 12,315.8              | 8,783.4      | -790.3       | 8,783.3                 | 1.48                    | 1.28                   | 0.74                  |  |
| 21,278.0                                         | 91.70           | 0.90        | 12,313.2              | 8,878.4      | -789.0       | 8,878.3                 | 0.38                    | 0.21                   | 0.32                  |  |
| 21,373.0                                         | 91.60           | 0.90        | 12,310.4              | 8,973.3      | -787.5       | 8,973.2                 | 0.11                    | -0.11                  | 0.00                  |  |
| 21,468.0                                         | 91.50           | 0.60        | 12,307.9              | 9,068.3      | -786.3       | 9,068.2                 | 0.33                    | -0.11                  | -0.32                 |  |
| 21,562.0                                         | 91.90           | 1.00        | 12,305.1              | 9,162.2      | -785.0       | 9,162.1                 | 0.60                    | 0.43                   | 0.43                  |  |
| 21,656.0                                         | 90.50           | 3.60        | 12,303.1              | 9,256.1      | -781.2       | 9,256.0                 | 3.14                    | -1.49                  | 2.77                  |  |
| 21,751.0                                         | 87.60           | 2.90        | 12,304.7              | 9,350.9      | -775.8       | 9,350.9                 | 3.14                    | -3.05                  | -0.74                 |  |
| 21,845.0                                         | 87.60           | 3.80        | 12,308.6              | 9,444.7      | -770.3       | 9,444.6                 | 0.96                    | 0.00                   | 0.96                  |  |
| 21,940.0                                         | 87.80           | 3.80        | 12,312.4              | 9,539.4      | -764.1       | 9,539.3                 | 0.21                    | 0.21                   | 0.00                  |  |
| 22,034.0                                         | 89.30           | 3.00        | 12,314.8              | 9,633.2      | -758.5       | 9,633.1                 | 1.81                    | 1.60                   | -0.85                 |  |
| 22,128.0                                         | 89.90           | 2.80        | 12,315.5              | 9,727.1      | -753.7       | 9,727.0                 | 0.67                    | 0.64                   | -0.21                 |  |
| 22,222.0                                         | 90.60           | 2.80        | 12,315.1              | 9,821.0      | -749.1       | 9,820.9                 | 0.74                    | 0.74                   | 0.00                  |  |
| 22,316.0                                         | 90.10           | 3.10        | 12,314.5              | 9,914.8      | -744.3       | 9,914.8                 | 0.62                    | -0.53                  | 0.32                  |  |
| 22,410.0                                         | 89.30           | 2.90        | 12,315.0              | 10,008.7     | -739.4       | 10,008.6                | 0.88                    | -0.85                  | -0.21                 |  |
| 22,505.0                                         | 87.80           | 2.70        | 12,317.4              | 10,103.6     | -734.7       | 10,103.5                | 1.59                    | -1.58                  | -0.21                 |  |
| 22,599.0                                         | 86.00           | 1.80        | 12,322.5              | 10,197.3     | -731.1       | 10,197.3                | 2.14                    | -1.91                  | -0.96                 |  |
| 22,650.0                                         | 85.92           | 1.72        | 12,326.1              | 10,248.2     | -729.5       | 10,248.1                | 0.22                    | -0.16                  | -0.16                 |  |
| <b>Cross 100' FNL Perf; 22650' MD, 1822' FEL</b> |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 22,663.0                                         | 85.90           | 1.70        | 12,327.0              | 10,261.2     | -729.1       | 10,261.1                | 0.22                    | -0.16                  | -0.16                 |  |
| <b>Last Survey</b>                               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 22,720.0                                         | 85.90           | 1.70        | 12,331.1              | 10,318.0     | -727.4       | 10,317.9                | 0.00                    | 0.00                   | 0.00                  |  |
| <b>PTB; 22720' MD, 30' FNL-1820' FEL</b>         |                 |             |                       |              |              |                         |                         |                        |                       |  |

| Design Annotations    |                       |                   |              |                                              |  |
|-----------------------|-----------------------|-------------------|--------------|----------------------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                                              |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                                      |  |
| 215.0                 | 215.0                 | 2.3               | -0.7         | First Survey                                 |  |
| 12,217.9              | 12,161.4              | -104.9            | -701.9       | Cross 100' FSL Perf; 12161.4' TVD, 1876' FEL |  |
| 17,471.0              | 12,340.1              | 5,073.0           | -757.0       | Cross Section 23 to 14; 17471' MD, 1891' FEL |  |
| 22,650.0              | 12,326.1              | 10,248.2          | -729.5       | Cross 100' FNL Perf; 22650' MD, 1822' FEL    |  |
| 22,663.0              | 12,327.0              | 10,261.2          | -729.1       | Last Survey                                  |  |
| 22,720.0              | 12,331.1              | 10,318.0          | -727.4       | PTB; 22720' MD, 30' FNL-1820' FEL            |  |

|                   |                    |             |
|-------------------|--------------------|-------------|
| Checked By: _____ | Approved By: _____ | Date: _____ |
|-------------------|--------------------|-------------|



## **Devon Energy Production Company, L.P.**

**Lea Co, New Mexico (NAD-83)**

**Blue Krait 23-14 Fed 37H**

**Blue Krait 23-14 Fed 37H**

**Lateral #1**

**Design: Lateral #1**

## **Survey Report - Geographic**

**06 May, 2020**





# Skyline Directional

## Survey Report - Geographic



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

|                    |                             |                      |                |
|--------------------|-----------------------------|----------------------|----------------|
| <b>Project</b>     | Lea Co, New Mexico (NAD-83) |                      |                |
| <b>Map System:</b> | US State Plane 1983         | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983   |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone     |                      |                |

|                       |     |                          |            |              |            |                   |        |
|-----------------------|-----|--------------------------|------------|--------------|------------|-------------------|--------|
| Site                  |     | Blue Krait 23-14 Fed 37H |            |              |            |                   |        |
| Site Position:        |     | Northing:                | 436,093.12 | usft         | Latitude:  | 32° 11' 47.035 N  |        |
| From:                 | Map | Easting:                 | 787,239.71 | usft         | Longitude: | 103° 32' 18.174 W |        |
| Position Uncertainty: |     | 0.0                      | usft       | Slot Radius: | 13-3/16 "  | Grid Convergence: | 0.42 ° |

| Well                 | Blue Krait 23-14 Fed 37H |          |                     |                 |               |                   |
|----------------------|--------------------------|----------|---------------------|-----------------|---------------|-------------------|
| Well Position        | +N/-S                    | 0.0 usft | Northing:           | 436,093.12 usft | Latitude:     | 32° 11' 47.035 N  |
|                      | +E/-W                    | 0.0 usft | Easting:            | 787,239.71 usft | Longitude:    | 103° 32' 18.174 W |
| Position Uncertainty |                          | 0.0 usft | Wellhead Elevation: | usft            | Ground Level: | 3,556.8 usft      |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | Lateral #1        |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2015          | 1/24/2020          | 6.65                   | 60.01                | 47,656.41336986            |

|                          |                                |                     |                     |                      |     |
|--------------------------|--------------------------------|---------------------|---------------------|----------------------|-----|
| <b>Design</b>            | Lateral #1                     |                     |                     |                      |     |
| <b>Audit Notes:</b>      |                                |                     |                     |                      |     |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL              | <b>Tie On Depth:</b> | 0.0 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Direction (°)</b> |     |
|                          | 0.0                            | 0.0                 | 0.0                 | 0.01                 |     |

|                       |                  |                          |                  |                    |  |
|-----------------------|------------------|--------------------------|------------------|--------------------|--|
| <b>Survey Program</b> | <b>Date</b>      | 5/6/2020                 |                  |                    |  |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |  |
| 215.0                 | 22,720.0         | Survey #1 (Lateral #1)   | MWD              | MWD - Skyline      |  |

| Survey                      |                    |                |                             |                 |                 |                           |                          |                  |                   |
|-----------------------------|--------------------|----------------|-----------------------------|-----------------|-----------------|---------------------------|--------------------------|------------------|-------------------|
| Measured<br>Depth<br>(usft) | Inclination<br>(°) | Azimuth<br>(°) | Vertical<br>Depth<br>(usft) | +N/-S<br>(usft) | +E/-W<br>(usft) | Map<br>Northing<br>(usft) | Map<br>Easting<br>(usft) | Latitude         | Longitude         |
| 0.0                         | 0.00               | 0.00           | 0.0                         | 0.0             | 0.0             | 436,093.12                | 787,239.71               | 32° 11' 47.035 N | 103° 32' 18.174 W |
| 215.0                       | 1.30               | 343.10         | 215.0                       | 2.3             | -0.7            | 436,095.45                | 787,239.00               | 32° 11' 47.058 N | 103° 32' 18.182 W |
| First Survey                |                    |                |                             |                 |                 |                           |                          |                  |                   |
| 305.0                       | 1.20               | 359.00         | 305.0                       | 4.3             | -1.0            | 436,097.37                | 787,238.69               | 32° 11' 47.077 N | 103° 32' 18.186 W |
| 396.0                       | 1.30               | 352.60         | 395.9                       | 6.2             | -1.2            | 436,099.35                | 787,238.54               | 32° 11' 47.096 N | 103° 32' 18.187 W |
| 488.0                       | 1.20               | 339.90         | 487.9                       | 8.2             | -1.6            | 436,101.29                | 787,238.07               | 32° 11' 47.116 N | 103° 32' 18.193 W |
| 580.0                       | 0.90               | 336.60         | 579.9                       | 9.7             | -2.3            | 436,102.86                | 787,237.45               | 32° 11' 47.131 N | 103° 32' 18.200 W |
| 672.0                       | 0.90               | 332.20         | 671.9                       | 11.0            | -2.9            | 436,104.16                | 787,236.83               | 32° 11' 47.144 N | 103° 32' 18.207 W |
| 764.0                       | 0.80               | 331.30         | 763.9                       | 12.2            | -3.5            | 436,105.36                | 787,236.18               | 32° 11' 47.156 N | 103° 32' 18.214 W |
| 855.0                       | 1.10               | 339.80         | 854.9                       | 13.6            | -4.1            | 436,106.74                | 787,235.58               | 32° 11' 47.170 N | 103° 32' 18.221 W |
| 949.0                       | 1.10               | 324.80         | 948.9                       | 15.2            | -5.0            | 436,108.32                | 787,234.74               | 32° 11' 47.185 N | 103° 32' 18.231 W |
| 1,041.0                     | 1.00               | 327.00         | 1,040.8                     | 16.6            | -5.9            | 436,109.72                | 787,233.80               | 32° 11' 47.199 N | 103° 32' 18.242 W |



# Skyline Directional Survey Report - Geographic



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                |                 |             |                       |              |              |                     |                    |                  |                   |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|------------------|-------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude         | Longitude         |
| 1,133.0               | 0.90            | 318.40      | 1,132.8               | 17.8         | -6.8         | 436,110.93          | 787,232.88         | 32° 11' 47.211 N | 103° 32' 18.252 W |
| 1,224.0               | 0.70            | 317.90      | 1,223.8               | 18.8         | -7.7         | 436,111.88          | 787,232.03         | 32° 11' 47.221 N | 103° 32' 18.262 W |
| 1,256.0               | 1.00            | 319.20      | 1,255.8               | 19.1         | -8.0         | 436,112.23          | 787,231.72         | 32° 11' 47.224 N | 103° 32' 18.266 W |
| 1,423.0               | 0.80            | 345.40      | 1,422.8               | 21.3         | -9.2         | 436,114.47          | 787,230.47         | 32° 11' 47.247 N | 103° 32' 18.280 W |
| 1,517.0               | 0.80            | 346.20      | 1,516.8               | 22.6         | -9.6         | 436,115.74          | 787,230.15         | 32° 11' 47.259 N | 103° 32' 18.284 W |
| 1,611.0               | 2.20            | 270.50      | 1,610.8               | 23.3         | -11.5        | 436,116.39          | 787,228.19         | 32° 11' 47.266 N | 103° 32' 18.306 W |
| 1,705.0               | 4.30            | 253.90      | 1,704.6               | 22.3         | -16.7        | 436,115.43          | 787,223.00         | 32° 11' 47.257 N | 103° 32' 18.367 W |
| 1,799.0               | 4.00            | 250.00      | 1,798.4               | 20.2         | -23.2        | 436,113.33          | 787,216.53         | 32° 11' 47.236 N | 103° 32' 18.442 W |
| 1,894.0               | 5.60            | 254.30      | 1,893.0               | 17.8         | -30.7        | 436,110.94          | 787,208.96         | 32° 11' 47.213 N | 103° 32' 18.531 W |
| 1,989.0               | 7.10            | 248.70      | 1,987.4               | 14.4         | -40.7        | 436,107.56          | 787,199.03         | 32° 11' 47.180 N | 103° 32' 18.647 W |
| 2,083.0               | 7.70            | 250.60      | 2,080.6               | 10.2         | -52.0        | 436,103.35          | 787,187.67         | 32° 11' 47.140 N | 103° 32' 18.779 W |
| 2,178.0               | 7.60            | 250.80      | 2,174.8               | 6.1          | -64.0        | 436,099.17          | 787,175.74         | 32° 11' 47.099 N | 103° 32' 18.918 W |
| 2,272.0               | 7.30            | 251.50      | 2,268.0               | 2.1          | -75.5        | 436,095.23          | 787,164.20         | 32° 11' 47.061 N | 103° 32' 19.053 W |
| 2,366.0               | 7.10            | 251.90      | 2,361.3               | -1.6         | -86.7        | 436,091.53          | 787,153.02         | 32° 11' 47.025 N | 103° 32' 19.183 W |
| 2,460.0               | 6.80            | 252.40      | 2,454.6               | -5.1         | -97.5        | 436,088.05          | 787,142.19         | 32° 11' 46.992 N | 103° 32' 19.310 W |
| 2,554.0               | 6.70            | 256.50      | 2,547.9               | -8.0         | -108.2       | 436,085.08          | 787,131.56         | 32° 11' 46.963 N | 103° 32' 19.434 W |
| 2,649.0               | 6.30            | 256.90      | 2,642.3               | -10.5        | -118.6       | 436,082.61          | 787,121.09         | 32° 11' 46.939 N | 103° 32' 19.556 W |
| 2,743.0               | 5.80            | 258.10      | 2,735.8               | -12.7        | -128.3       | 436,080.46          | 787,111.42         | 32° 11' 46.919 N | 103° 32' 19.668 W |
| 2,837.0               | 5.70            | 264.70      | 2,829.3               | -14.1        | -137.6       | 436,079.05          | 787,102.12         | 32° 11' 46.905 N | 103° 32' 19.777 W |
| 2,931.0               | 7.10            | 256.50      | 2,922.7               | -15.9        | -147.9       | 436,077.26          | 787,091.83         | 32° 11' 46.889 N | 103° 32' 19.897 W |
| 3,024.0               | 7.10            | 258.40      | 3,015.0               | -18.4        | -159.1       | 436,074.77          | 787,080.61         | 32° 11' 46.865 N | 103° 32' 20.027 W |
| 3,119.0               | 6.90            | 258.30      | 3,109.3               | -20.7        | -170.4       | 436,072.43          | 787,069.27         | 32° 11' 46.842 N | 103° 32' 20.160 W |
| 3,213.0               | 6.20            | 258.70      | 3,202.7               | -22.8        | -180.9       | 436,070.29          | 787,058.76         | 32° 11' 46.822 N | 103° 32' 20.282 W |
| 3,307.0               | 5.90            | 260.00      | 3,296.2               | -24.7        | -190.7       | 436,068.45          | 787,049.03         | 32° 11' 46.805 N | 103° 32' 20.395 W |
| 3,401.0               | 6.80            | 255.00      | 3,389.6               | -26.9        | -200.8       | 436,066.18          | 787,038.89         | 32° 11' 46.783 N | 103° 32' 20.514 W |
| 3,495.0               | 7.10            | 253.20      | 3,482.9               | -30.1        | -211.8       | 436,063.06          | 787,027.95         | 32° 11' 46.753 N | 103° 32' 20.641 W |
| 3,589.0               | 6.90            | 252.90      | 3,576.2               | -33.4        | -222.7       | 436,059.72          | 787,017.00         | 32° 11' 46.720 N | 103° 32' 20.769 W |
| 3,683.0               | 6.30            | 252.90      | 3,669.6               | -36.6        | -233.0       | 436,056.54          | 787,006.67         | 32° 11' 46.690 N | 103° 32' 20.889 W |
| 3,776.0               | 6.10            | 249.60      | 3,762.0               | -39.8        | -242.5       | 436,053.32          | 786,997.16         | 32° 11' 46.659 N | 103° 32' 21.000 W |
| 3,871.0               | 6.00            | 249.80      | 3,856.5               | -43.3        | -251.9       | 436,049.84          | 786,987.77         | 32° 11' 46.625 N | 103° 32' 21.110 W |
| 3,965.0               | 6.00            | 254.10      | 3,950.0               | -46.3        | -261.3       | 436,046.80          | 786,978.44         | 32° 11' 46.595 N | 103° 32' 21.219 W |
| 4,057.0               | 6.30            | 252.90      | 4,041.5               | -49.1        | -270.7       | 436,044.00          | 786,968.99         | 32° 11' 46.568 N | 103° 32' 21.329 W |
| 4,152.0               | 7.90            | 249.30      | 4,135.7               | -53.0        | -281.8       | 436,040.16          | 786,957.90         | 32° 11' 46.531 N | 103° 32' 21.458 W |
| 4,246.0               | 7.90            | 250.70      | 4,228.8               | -57.4        | -294.0       | 436,035.74          | 786,945.76         | 32° 11' 46.488 N | 103° 32' 21.600 W |
| 4,340.0               | 7.70            | 251.60      | 4,322.0               | -61.5        | -306.0       | 436,031.62          | 786,933.68         | 32° 11' 46.448 N | 103° 32' 21.741 W |
| 4,434.0               | 7.40            | 252.60      | 4,415.2               | -65.3        | -317.8       | 436,027.82          | 786,921.93         | 32° 11' 46.412 N | 103° 32' 21.878 W |
| 4,528.0               | 6.20            | 242.20      | 4,508.5               | -69.5        | -328.0       | 436,023.64          | 786,911.67         | 32° 11' 46.371 N | 103° 32' 21.998 W |
| 4,622.0               | 5.50            | 222.30      | 4,602.0               | -75.2        | -335.6       | 436,017.94          | 786,904.14         | 32° 11' 46.315 N | 103° 32' 22.086 W |
| 4,715.0               | 5.20            | 217.80      | 4,694.6               | -81.8        | -341.1       | 436,011.31          | 786,898.56         | 32° 11' 46.250 N | 103° 32' 22.151 W |
| 4,810.0               | 6.30            | 219.00      | 4,789.1               | -89.3        | -347.1       | 436,003.86          | 786,892.64         | 32° 11' 46.177 N | 103° 32' 22.221 W |
| 4,905.0               | 7.40            | 215.40      | 4,883.5               | -98.3        | -353.9       | 435,994.82          | 786,885.82         | 32° 11' 46.088 N | 103° 32' 22.301 W |
| 4,999.0               | 8.10            | 223.40      | 4,976.6               | -108.0       | -361.9       | 435,985.08          | 786,877.76         | 32° 11' 45.992 N | 103° 32' 22.396 W |
| 5,094.0               | 7.10            | 219.00      | 5,070.8               | -117.5       | -370.2       | 435,975.65          | 786,869.47         | 32° 11' 45.899 N | 103° 32' 22.493 W |
| 5,189.0               | 6.00            | 218.80      | 5,165.1               | -125.9       | -377.0       | 435,967.22          | 786,862.66         | 32° 11' 45.816 N | 103° 32' 22.573 W |
| 5,283.0               | 5.90            | 217.60      | 5,258.6               | -133.6       | -383.1       | 435,959.56          | 786,856.63         | 32° 11' 45.741 N | 103° 32' 22.644 W |
| 5,378.0               | 7.00            | 232.70      | 5,353.0               | -140.9       | -390.7       | 435,952.19          | 786,849.05         | 32° 11' 45.669 N | 103° 32' 22.733 W |
| 5,472.0               | 10.10           | 251.90      | 5,446.0               | -147.0       | -403.1       | 435,946.15          | 786,836.65         | 32° 11' 45.610 N | 103° 32' 22.877 W |
| 5,566.0               | 10.30           | 251.90      | 5,538.5               | -152.1       | -418.9       | 435,940.98          | 786,820.83         | 32° 11' 45.560 N | 103° 32' 23.062 W |
| 5,661.0               | 9.80            | 263.80      | 5,632.1               | -155.7       | -435.0       | 435,937.47          | 786,804.72         | 32° 11' 45.526 N | 103° 32' 23.250 W |
| 5,756.0               | 9.60            | 269.50      | 5,725.7               | -156.6       | -450.9       | 435,936.53          | 786,788.76         | 32° 11' 45.518 N | 103° 32' 23.436 W |
| 5,851.0               | 9.10            | 267.80      | 5,819.4               | -157.0       | -466.4       | 435,936.17          | 786,773.33         | 32° 11' 45.516 N | 103° 32' 23.615 W |
| 5,946.0               | 9.20            | 268.10      | 5,913.2               | -157.5       | -481.5       | 435,935.63          | 786,758.23         | 32° 11' 45.511 N | 103° 32' 23.791 W |
| 6,040.0               | 9.00            | 267.90      | 6,006.1               | -158.0       | -496.3       | 435,935.11          | 786,743.38         | 32° 11' 45.507 N | 103° 32' 23.964 W |
| 6,135.0               | 8.30            | 269.60      | 6,100.0               | -158.3       | -510.6       | 435,934.79          | 786,729.09         | 32° 11' 45.505 N | 103° 32' 24.130 W |
| 6,230.0               | 8.10            | 267.60      | 6,194.0               | -158.7       | -524.2       | 435,934.46          | 786,715.55         | 32° 11' 45.503 N | 103° 32' 24.288 W |



# Skyline Directional Survey Report - Geographic



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                |                 |             |                       |              |              |                     |                    |                  |                   |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|------------------|-------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude         | Longitude         |
| 6,324.0               | 7.50            | 266.40      | 6,287.1               | -159.3       | -536.9       | 435,933.80          | 786,702.81         | 32° 11' 45.497 N | 103° 32' 24.436 W |
| 6,418.0               | 6.90            | 265.70      | 6,380.4               | -160.1       | -548.7       | 435,932.99          | 786,691.06         | 32° 11' 45.490 N | 103° 32' 24.573 W |
| 6,511.0               | 6.80            | 267.60      | 6,472.7               | -160.8       | -559.7       | 435,932.34          | 786,679.99         | 32° 11' 45.485 N | 103° 32' 24.702 W |
| 6,605.0               | 6.70            | 266.30      | 6,566.1               | -161.4       | -570.8       | 435,931.75          | 786,668.95         | 32° 11' 45.480 N | 103° 32' 24.830 W |
| 6,700.0               | 7.10            | 264.90      | 6,660.4               | -162.2       | -582.1       | 435,930.87          | 786,657.57         | 32° 11' 45.472 N | 103° 32' 24.963 W |
| 6,794.0               | 7.30            | 264.90      | 6,753.6               | -163.3       | -593.9       | 435,929.83          | 786,645.84         | 32° 11' 45.462 N | 103° 32' 25.099 W |
| 6,888.0               | 6.90            | 262.00      | 6,846.9               | -164.6       | -605.4       | 435,928.51          | 786,634.30         | 32° 11' 45.450 N | 103° 32' 25.234 W |
| 6,982.0               | 7.10            | 271.50      | 6,940.2               | -165.2       | -616.8       | 435,927.88          | 786,622.90         | 32° 11' 45.445 N | 103° 32' 25.366 W |
| 7,076.0               | 7.20            | 274.10      | 7,033.5               | -164.7       | -628.5       | 435,928.45          | 786,611.22         | 32° 11' 45.451 N | 103° 32' 25.502 W |
| 7,170.0               | 6.60            | 271.40      | 7,126.8               | -164.1       | -639.8       | 435,929.00          | 786,599.94         | 32° 11' 45.457 N | 103° 32' 25.633 W |
| 7,264.0               | 6.50            | 269.60      | 7,220.2               | -164.0       | -650.5       | 435,929.10          | 786,589.22         | 32° 11' 45.459 N | 103° 32' 25.758 W |
| 7,358.0               | 6.10            | 269.70      | 7,313.6               | -164.1       | -660.8       | 435,929.03          | 786,578.91         | 32° 11' 45.459 N | 103° 32' 25.878 W |
| 7,452.0               | 6.10            | 265.00      | 7,407.1               | -164.5       | -670.8       | 435,928.57          | 786,568.94         | 32° 11' 45.455 N | 103° 32' 25.994 W |
| 7,546.0               | 5.40            | 269.90      | 7,500.6               | -165.0       | -680.2       | 435,928.13          | 786,559.54         | 32° 11' 45.452 N | 103° 32' 26.104 W |
| 7,641.0               | 4.70            | 268.90      | 7,595.3               | -165.1       | -688.5       | 435,928.05          | 786,551.18         | 32° 11' 45.452 N | 103° 32' 26.201 W |
| 7,734.0               | 3.40            | 284.80      | 7,688.0               | -164.4       | -695.0       | 435,928.68          | 786,544.70         | 32° 11' 45.458 N | 103° 32' 26.276 W |
| 7,829.0               | 1.50            | 340.80      | 7,783.0               | -162.5       | -698.1       | 435,930.57          | 786,541.57         | 32° 11' 45.477 N | 103° 32' 26.313 W |
| 7,923.0               | 1.30            | 343.90      | 7,876.9               | -160.4       | -698.8       | 435,932.76          | 786,540.87         | 32° 11' 45.499 N | 103° 32' 26.321 W |
| 8,018.0               | 1.10            | 351.70      | 7,971.9               | -158.4       | -699.3       | 435,934.70          | 786,540.44         | 32° 11' 45.518 N | 103° 32' 26.325 W |
| 8,112.0               | 0.70            | 350.90      | 8,065.9               | -157.0       | -699.5       | 435,936.16          | 786,540.22         | 32° 11' 45.533 N | 103° 32' 26.328 W |
| 8,206.0               | 1.00            | 330.60      | 8,159.9               | -155.7       | -700.0       | 435,937.44          | 786,539.72         | 32° 11' 45.545 N | 103° 32' 26.334 W |
| 8,300.0               | 0.80            | 337.30      | 8,253.9               | -154.4       | -700.6       | 435,938.76          | 786,539.07         | 32° 11' 45.558 N | 103° 32' 26.341 W |
| 8,394.0               | 0.60            | 313.50      | 8,347.9               | -153.4       | -701.3       | 435,939.70          | 786,538.46         | 32° 11' 45.568 N | 103° 32' 26.348 W |
| 8,488.0               | 0.60            | 332.50      | 8,441.9               | -152.6       | -701.8       | 435,940.48          | 786,537.87         | 32° 11' 45.576 N | 103° 32' 26.355 W |
| 8,582.0               | 0.50            | 332.00      | 8,535.9               | -151.8       | -702.3       | 435,941.28          | 786,537.45         | 32° 11' 45.583 N | 103° 32' 26.360 W |
| 8,677.0               | 0.40            | 313.80      | 8,630.9               | -151.2       | -702.7       | 435,941.87          | 786,537.02         | 32° 11' 45.589 N | 103° 32' 26.365 W |
| 8,770.0               | 0.50            | 297.10      | 8,723.8               | -150.8       | -703.3       | 435,942.28          | 786,536.42         | 32° 11' 45.593 N | 103° 32' 26.371 W |
| 8,864.0               | 0.40            | 249.40      | 8,817.8               | -150.8       | -704.0       | 435,942.35          | 786,535.75         | 32° 11' 45.594 N | 103° 32' 26.379 W |
| 8,957.0               | 0.40            | 243.70      | 8,910.8               | -151.0       | -704.6       | 435,942.09          | 786,535.15         | 32° 11' 45.592 N | 103° 32' 26.386 W |
| 9,051.0               | 0.30            | 279.70      | 9,004.8               | -151.1       | -705.1       | 435,941.99          | 786,534.62         | 32° 11' 45.591 N | 103° 32' 26.393 W |
| 9,145.0               | 0.30            | 304.20      | 9,098.8               | -150.9       | -705.5       | 435,942.17          | 786,534.17         | 32° 11' 45.593 N | 103° 32' 26.398 W |
| 9,239.0               | 0.50            | 331.10      | 9,192.8               | -150.5       | -705.9       | 435,942.67          | 786,533.77         | 32° 11' 45.597 N | 103° 32' 26.402 W |
| 9,334.0               | 0.70            | 334.50      | 9,287.8               | -149.6       | -706.4       | 435,943.55          | 786,533.32         | 32° 11' 45.606 N | 103° 32' 26.407 W |
| 9,427.0               | 0.90            | 349.30      | 9,380.8               | -148.3       | -706.8       | 435,944.79          | 786,532.94         | 32° 11' 45.618 N | 103° 32' 26.412 W |
| 9,520.0               | 1.00            | 13.30       | 9,473.8               | -146.8       | -706.7       | 435,946.29          | 786,532.99         | 32° 11' 45.633 N | 103° 32' 26.411 W |
| 9,614.0               | 0.70            | 48.20       | 9,567.8               | -145.6       | -706.1       | 435,947.47          | 786,533.61         | 32° 11' 45.645 N | 103° 32' 26.404 W |
| 9,708.0               | 0.30            | 38.70       | 9,661.8               | -145.1       | -705.5       | 435,948.05          | 786,534.19         | 32° 11' 45.651 N | 103° 32' 26.397 W |
| 9,802.0               | 0.20            | 345.00      | 9,755.8               | -144.7       | -705.4       | 435,948.40          | 786,534.30         | 32° 11' 45.654 N | 103° 32' 26.396 W |
| 9,896.0               | 0.60            | 275.60      | 9,849.8               | -144.5       | -705.9       | 435,948.61          | 786,533.77         | 32° 11' 45.656 N | 103° 32' 26.402 W |
| 9,990.0               | 1.10            | 250.70      | 9,943.8               | -144.8       | -707.3       | 435,948.36          | 786,532.43         | 32° 11' 45.654 N | 103° 32' 26.417 W |
| 10,083.0              | 1.30            | 255.50      | 10,036.8              | -145.3       | -709.1       | 435,947.80          | 786,530.56         | 32° 11' 45.648 N | 103° 32' 26.439 W |
| 10,177.0              | 1.50            | 265.10      | 10,130.7              | -145.7       | -711.4       | 435,947.42          | 786,528.31         | 32° 11' 45.645 N | 103° 32' 26.466 W |
| 10,271.0              | 1.10            | 256.40      | 10,224.7              | -146.0       | -713.5       | 435,947.11          | 786,526.20         | 32° 11' 45.642 N | 103° 32' 26.490 W |
| 10,365.0              | 1.10            | 250.60      | 10,318.7              | -146.5       | -715.2       | 435,946.60          | 786,524.47         | 32° 11' 45.637 N | 103° 32' 26.510 W |
| 10,459.0              | 1.20            | 244.90      | 10,412.7              | -147.2       | -717.0       | 435,945.88          | 786,522.73         | 32° 11' 45.630 N | 103° 32' 26.530 W |
| 10,553.0              | 1.20            | 244.20      | 10,506.7              | -148.1       | -718.8       | 435,945.03          | 786,520.95         | 32° 11' 45.622 N | 103° 32' 26.551 W |
| 10,646.0              | 1.20            | 240.20      | 10,599.6              | -149.0       | -720.5       | 435,944.12          | 786,519.23         | 32° 11' 45.613 N | 103° 32' 26.571 W |
| 10,738.0              | 0.90            | 235.90      | 10,691.6              | -149.9       | -721.9       | 435,943.24          | 786,517.80         | 32° 11' 45.604 N | 103° 32' 26.588 W |
| 10,833.0              | 0.70            | 193.30      | 10,786.6              | -150.9       | -722.7       | 435,942.26          | 786,517.05         | 32° 11' 45.595 N | 103° 32' 26.597 W |
| 10,927.0              | 1.40            | 162.70      | 10,880.6              | -152.5       | -722.5       | 435,940.60          | 786,517.26         | 32° 11' 45.578 N | 103° 32' 26.595 W |
| 11,021.0              | 1.60            | 167.00      | 10,974.6              | -154.9       | -721.8       | 435,938.23          | 786,517.89         | 32° 11' 45.555 N | 103° 32' 26.587 W |
| 11,115.0              | 1.30            | 164.60      | 11,068.5              | -157.2       | -721.2       | 435,935.92          | 786,518.47         | 32° 11' 45.532 N | 103° 32' 26.581 W |
| 11,209.0              | 1.40            | 113.30      | 11,162.5              | -158.7       | -719.9       | 435,934.44          | 786,519.81         | 32° 11' 45.517 N | 103° 32' 26.565 W |
| 11,304.0              | 1.70            | 111.40      | 11,257.5              | -159.7       | -717.5       | 435,933.46          | 786,522.19         | 32° 11' 45.507 N | 103° 32' 26.538 W |
| 11,398.0              | 1.60            | 108.20      | 11,351.4              | -160.6       | -715.0       | 435,932.55          | 786,524.73         | 32° 11' 45.498 N | 103° 32' 26.508 W |



# Skyline Directional Survey Report - Geographic



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                                       |                 |             |                       |              |              |                     |                    |                  |                   |
|----------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|------------------|-------------------|
| Measured Depth (usft)                        | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude         | Longitude         |
| 11,492.0                                     | 1.10            | 86.60       | 11,445.4              | -160.9       | -712.8       | 435,932.19          | 786,526.88         | 32° 11' 45.494 N | 103° 32' 26.483 W |
| 11,586.0                                     | 1.40            | 35.80       | 11,539.4              | -159.9       | -711.3       | 435,933.17          | 786,528.45         | 32° 11' 45.504 N | 103° 32' 26.465 W |
| 11,680.0                                     | 1.20            | 60.70       | 11,633.4              | -158.5       | -709.7       | 435,934.59          | 786,529.98         | 32° 11' 45.518 N | 103° 32' 26.447 W |
| 11,774.0                                     | 1.10            | 95.90       | 11,727.3              | -158.1       | -708.0       | 435,934.98          | 786,531.74         | 32° 11' 45.522 N | 103° 32' 26.427 W |
| 11,869.0                                     | 1.30            | 104.80      | 11,822.3              | -158.5       | -706.0       | 435,934.61          | 786,533.69         | 32° 11' 45.518 N | 103° 32' 26.404 W |
| 11,878.0                                     | 1.40            | 105.90      | 11,831.3              | -158.6       | -705.8       | 435,934.55          | 786,533.89         | 32° 11' 45.517 N | 103° 32' 26.402 W |
| 11,993.0                                     | 1.40            | 91.00       | 11,946.3              | -159.0       | -703.1       | 435,934.14          | 786,536.65         | 32° 11' 45.513 N | 103° 32' 26.370 W |
| 12,088.0                                     | 9.80            | 2.60        | 12,040.8              | -150.9       | -701.5       | 435,942.22          | 786,538.18         | 32° 11' 45.593 N | 103° 32' 26.351 W |
| 12,182.0                                     | 25.90           | 358.90      | 12,130.0              | -122.2       | -701.6       | 435,970.93          | 786,538.15         | 32° 11' 45.877 N | 103° 32' 26.349 W |
| 12,217.9                                     | 31.68           | 358.85      | 12,161.4              | -104.9       | -701.9       | 435,988.21          | 786,537.81         | 32° 11' 46.048 N | 103° 32' 26.351 W |
| Cross 100' FSL Perf; 12161.4' TVD, 1876' FEL |                 |             |                       |              |              |                     |                    |                  |                   |
| 12,277.0                                     | 41.20           | 358.80      | 12,208.9              | -69.9        | -702.6       | 436,023.26          | 786,537.09         | 32° 11' 46.395 N | 103° 32' 26.357 W |
| 12,372.0                                     | 53.50           | 0.40        | 12,273.2              | -0.1         | -703.0       | 436,093.00          | 786,536.70         | 32° 11' 47.085 N | 103° 32' 26.355 W |
| 12,466.0                                     | 67.90           | 359.40      | 12,319.1              | 81.6         | -703.2       | 436,174.75          | 786,536.50         | 32° 11' 47.894 N | 103° 32' 26.351 W |
| 12,561.0                                     | 73.50           | 355.60      | 12,350.5              | 171.2        | -707.2       | 436,264.27          | 786,532.54         | 32° 11' 48.780 N | 103° 32' 26.389 W |
| 12,655.0                                     | 80.20           | 358.10      | 12,371.8              | 262.5        | -712.2       | 436,355.61          | 786,527.54         | 32° 11' 49.684 N | 103° 32' 26.439 W |
| 12,750.0                                     | 85.80           | 358.70      | 12,383.4              | 356.7        | -714.8       | 436,449.83          | 786,524.92         | 32° 11' 50.617 N | 103° 32' 26.462 W |
| 12,845.0                                     | 85.80           | 357.20      | 12,390.4              | 451.4        | -718.2       | 436,544.51          | 786,521.53         | 32° 11' 51.554 N | 103° 32' 26.493 W |
| 12,939.0                                     | 89.00           | 357.30      | 12,394.6              | 545.2        | -722.7       | 436,638.29          | 786,517.02         | 32° 11' 52.482 N | 103° 32' 26.538 W |
| 13,034.0                                     | 88.70           | 355.90      | 12,396.5              | 640.0        | -728.3       | 436,733.10          | 786,511.39         | 32° 11' 53.421 N | 103° 32' 26.595 W |
| 13,129.0                                     | 91.40           | 357.10      | 12,396.5              | 734.8        | -734.1       | 436,827.91          | 786,505.59         | 32° 11' 54.359 N | 103° 32' 26.654 W |
| 13,222.0                                     | 91.90           | 356.40      | 12,393.8              | 827.6        | -739.4       | 436,920.73          | 786,500.32         | 32° 11' 55.278 N | 103° 32' 26.708 W |
| 13,315.0                                     | 91.40           | 358.00      | 12,391.1              | 920.5        | -743.9       | 437,013.57          | 786,495.78         | 32° 11' 56.197 N | 103° 32' 26.753 W |
| 13,410.0                                     | 90.40           | 0.80        | 12,389.6              | 1,015.4      | -744.9       | 437,108.54          | 786,494.79         | 32° 11' 57.137 N | 103° 32' 26.756 W |
| 13,504.0                                     | 90.20           | 1.00        | 12,389.1              | 1,109.4      | -743.4       | 437,202.53          | 786,496.26         | 32° 11' 58.067 N | 103° 32' 26.731 W |
| 13,599.0                                     | 90.60           | 0.30        | 12,388.5              | 1,204.4      | -742.4       | 437,297.52          | 786,497.34         | 32° 11' 59.007 N | 103° 32' 26.710 W |
| 13,694.0                                     | 89.60           | 1.60        | 12,388.3              | 1,299.4      | -740.8       | 437,392.51          | 786,498.91         | 32° 11' 59.946 N | 103° 32' 26.684 W |
| 13,789.0                                     | 89.30           | 1.20        | 12,389.2              | 1,394.4      | -738.5       | 437,487.47          | 786,501.24         | 32° 12' 0.886 N  | 103° 32' 26.648 W |
| 13,883.0                                     | 89.90           | 1.60        | 12,389.9              | 1,488.3      | -736.2       | 437,581.44          | 786,503.53         | 32° 12' 1.816 N  | 103° 32' 26.614 W |
| 13,977.0                                     | 89.60           | 1.40        | 12,390.3              | 1,582.3      | -733.7       | 437,675.41          | 786,505.99         | 32° 12' 2.745 N  | 103° 32' 26.577 W |
| 14,072.0                                     | 89.00           | 1.20        | 12,391.4              | 1,677.3      | -731.6       | 437,770.38          | 786,508.15         | 32° 12' 3.685 N  | 103° 32' 26.544 W |
| 14,166.0                                     | 88.30           | 1.00        | 12,393.6              | 1,771.2      | -729.8       | 437,864.33          | 786,509.95         | 32° 12' 4.614 N  | 103° 32' 26.515 W |
| 14,260.0                                     | 89.40           | 2.30        | 12,395.5              | 1,865.2      | -727.0       | 437,958.27          | 786,512.66         | 32° 12' 5.544 N  | 103° 32' 26.475 W |
| 14,354.0                                     | 89.70           | 359.80      | 12,396.3              | 1,959.1      | -725.3       | 438,052.25          | 786,514.38         | 32° 12' 6.473 N  | 103° 32' 26.447 W |
| 14,449.0                                     | 93.50           | 1.00        | 12,393.6              | 2,054.1      | -724.7       | 438,147.19          | 786,515.04         | 32° 12' 7.413 N  | 103° 32' 26.431 W |
| 14,544.0                                     | 93.70           | 1.50        | 12,387.6              | 2,148.9      | -722.6       | 438,241.98          | 786,517.11         | 32° 12' 8.351 N  | 103° 32' 26.399 W |
| 14,639.0                                     | 92.30           | 359.60      | 12,382.7              | 2,243.7      | -721.7       | 438,336.84          | 786,518.02         | 32° 12' 9.289 N  | 103° 32' 26.380 W |
| 14,733.0                                     | 89.50           | 356.80      | 12,381.2              | 2,337.6      | -724.6       | 438,430.76          | 786,515.07         | 32° 12' 10.219 N | 103° 32' 26.406 W |
| 14,827.0                                     | 89.80           | 356.70      | 12,381.8              | 2,431.5      | -730.0       | 438,524.61          | 786,509.74         | 32° 12' 11.148 N | 103° 32' 26.460 W |
| 14,921.0                                     | 89.40           | 356.30      | 12,382.4              | 2,525.3      | -735.7       | 438,618.43          | 786,504.00         | 32° 12' 12.077 N | 103° 32' 26.519 W |
| 15,016.0                                     | 89.70           | 357.10      | 12,383.2              | 2,620.1      | -741.2       | 438,713.27          | 786,498.53         | 32° 12' 13.016 N | 103° 32' 26.575 W |
| 15,111.0                                     | 90.60           | 356.80      | 12,382.9              | 2,715.0      | -746.2       | 438,808.13          | 786,493.48         | 32° 12' 13.955 N | 103° 32' 26.625 W |
| 15,205.0                                     | 90.80           | 356.20      | 12,381.8              | 2,808.8      | -752.0       | 438,901.95          | 786,487.74         | 32° 12' 14.883 N | 103° 32' 26.684 W |
| 15,300.0                                     | 91.20           | 358.40      | 12,380.1              | 2,903.7      | -756.4       | 438,996.82          | 786,483.26         | 32° 12' 15.822 N | 103° 32' 26.728 W |
| 15,394.0                                     | 91.50           | 358.80      | 12,377.9              | 2,997.6      | -758.7       | 439,090.77          | 786,480.97         | 32° 12' 16.752 N | 103° 32' 26.747 W |
| 15,489.0                                     | 91.20           | 0.40        | 12,375.7              | 3,092.6      | -759.4       | 439,185.74          | 786,480.31         | 32° 12' 17.692 N | 103° 32' 26.746 W |
| 15,583.0                                     | 91.10           | 0.30        | 12,373.8              | 3,186.6      | -758.8       | 439,279.71          | 786,480.88         | 32° 12' 18.622 N | 103° 32' 26.732 W |
| 15,677.0                                     | 89.70           | 1.10        | 12,373.1              | 3,280.6      | -757.7       | 439,373.70          | 786,482.03         | 32° 12' 19.552 N | 103° 32' 26.710 W |
| 15,771.0                                     | 89.40           | 1.00        | 12,373.9              | 3,374.6      | -756.0       | 439,467.68          | 786,483.75         | 32° 12' 20.482 N | 103° 32' 26.682 W |
| 15,865.0                                     | 88.80           | 359.80      | 12,375.3              | 3,468.5      | -755.3       | 439,561.67          | 786,484.41         | 32° 12' 21.412 N | 103° 32' 26.666 W |
| 15,960.0                                     | 88.10           | 358.30      | 12,377.9              | 3,563.5      | -756.9       | 439,656.62          | 786,482.83         | 32° 12' 22.351 N | 103° 32' 26.676 W |
| 16,054.0                                     | 90.30           | 358.90      | 12,379.2              | 3,657.5      | -759.2       | 439,750.57          | 786,480.54         | 32° 12' 23.281 N | 103° 32' 26.695 W |
| 16,148.0                                     | 91.60           | 359.50      | 12,377.7              | 3,751.4      | -760.5       | 439,844.55          | 786,479.22         | 32° 12' 24.211 N | 103° 32' 26.702 W |
| 16,243.0                                     | 92.00           | 0.01        | 12,374.7              | 3,846.4      | -760.9       | 439,939.50          | 786,478.81         | 32° 12' 25.151 N | 103° 32' 26.699 W |
| 16,337.0                                     | 92.70           | 1.70        | 12,370.8              | 3,940.3      | -759.5       | 440,033.41          | 786,480.21         | 32° 12' 26.080 N | 103° 32' 26.675 W |



# Skyline Directional Survey Report - Geographic



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                                              |                 |             |                       |              |              |                     |                    |                  |                   |
|-----------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|------------------|-------------------|
| Measured Depth (usft)                               | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude         | Longitude         |
| 16,431.0                                            | 90.10           | 2.00        | 12,368.5              | 4,034.2      | -756.5       | 440,127.32          | 786,483.24         | 32° 12' 27.009 N | 103° 32' 26.631 W |
| 16,526.0                                            | 90.20           | 1.90        | 12,368.3              | 4,129.1      | -753.2       | 440,222.27          | 786,486.48         | 32° 12' 27.948 N | 103° 32' 26.586 W |
| 16,621.0                                            | 88.30           | 359.10      | 12,369.5              | 4,224.1      | -752.4       | 440,317.24          | 786,487.31         | 32° 12' 28.888 N | 103° 32' 26.568 W |
| 16,715.0                                            | 88.50           | 358.80      | 12,372.1              | 4,318.1      | -754.1       | 440,411.19          | 786,485.58         | 32° 12' 29.818 N | 103° 32' 26.580 W |
| 16,810.0                                            | 89.80           | 357.90      | 12,373.6              | 4,413.0      | -756.9       | 440,506.13          | 786,482.85         | 32° 12' 30.757 N | 103° 32' 26.603 W |
| 16,904.0                                            | 92.50           | 0.40        | 12,371.7              | 4,507.0      | -758.3       | 440,600.09          | 786,481.45         | 32° 12' 31.687 N | 103° 32' 26.612 W |
| 16,998.0                                            | 93.60           | 0.90        | 12,366.7              | 4,600.8      | -757.2       | 440,693.95          | 786,482.52         | 32° 12' 32.616 N | 103° 32' 26.591 W |
| 17,093.0                                            | 94.00           | 0.20        | 12,360.4              | 4,695.6      | -756.3       | 440,788.73          | 786,483.43         | 32° 12' 33.554 N | 103° 32' 26.572 W |
| 17,187.0                                            | 94.70           | 359.40      | 12,353.2              | 4,789.3      | -756.6       | 440,882.46          | 786,483.10         | 32° 12' 34.481 N | 103° 32' 26.568 W |
| 17,282.0                                            | 92.00           | 0.10        | 12,347.7              | 4,884.2      | -757.0       | 440,977.29          | 786,482.69         | 32° 12' 35.420 N | 103° 32' 26.565 W |
| 17,376.0                                            | 92.40           | 359.80      | 12,344.1              | 4,978.1      | -757.1       | 441,071.22          | 786,482.61         | 32° 12' 36.349 N | 103° 32' 26.558 W |
| 17,471.0                                            | 92.40           | 0.30        | 12,340.1              | 5,073.0      | -757.0       | 441,166.14          | 786,482.69         | 32° 12' 37.288 N | 103° 32' 26.549 W |
| <b>Cross Section 23 to 14; 17471' MD, 1891' FEL</b> |                 |             |                       |              |              |                     |                    |                  |                   |
| 17,565.0                                            | 91.50           | 0.60        | 12,336.9              | 5,167.0      | -756.3       | 441,260.08          | 786,483.43         | 32° 12' 38.218 N | 103° 32' 26.532 W |
| 17,659.0                                            | 92.00           | 0.30        | 12,334.0              | 5,260.9      | -755.5       | 441,354.03          | 786,484.17         | 32° 12' 39.147 N | 103° 32' 26.515 W |
| 17,754.0                                            | 92.60           | 0.90        | 12,330.2              | 5,355.8      | -754.5       | 441,448.95          | 786,485.16         | 32° 12' 40.086 N | 103° 32' 26.496 W |
| 17,848.0                                            | 90.30           | 359.60      | 12,327.8              | 5,449.8      | -754.1       | 441,542.91          | 786,485.57         | 32° 12' 41.016 N | 103° 32' 26.483 W |
| 17,943.0                                            | 89.00           | 358.30      | 12,328.4              | 5,544.8      | -755.9       | 441,637.89          | 786,483.83         | 32° 12' 41.956 N | 103° 32' 26.495 W |
| 18,038.0                                            | 89.80           | 358.40      | 12,329.4              | 5,639.7      | -758.6       | 441,732.84          | 786,481.09         | 32° 12' 42.896 N | 103° 32' 26.519 W |
| 18,132.0                                            | 90.70           | 358.40      | 12,329.0              | 5,733.7      | -761.2       | 441,826.80          | 786,478.47         | 32° 12' 43.826 N | 103° 32' 26.541 W |
| 18,227.0                                            | 89.90           | 357.10      | 12,328.5              | 5,828.6      | -765.0       | 441,921.73          | 786,474.74         | 32° 12' 44.765 N | 103° 32' 26.576 W |
| 18,321.0                                            | 89.60           | 358.00      | 12,328.9              | 5,922.5      | -769.0       | 442,015.64          | 786,470.72         | 32° 12' 45.695 N | 103° 32' 26.615 W |
| 18,415.0                                            | 89.70           | 358.20      | 12,329.5              | 6,016.5      | -772.1       | 442,109.58          | 786,467.60         | 32° 12' 46.625 N | 103° 32' 26.643 W |
| 18,510.0                                            | 89.70           | 358.50      | 12,330.0              | 6,111.4      | -774.8       | 442,204.54          | 786,464.87         | 32° 12' 47.565 N | 103° 32' 26.667 W |
| 18,605.0                                            | 88.90           | 358.80      | 12,331.2              | 6,206.4      | -777.1       | 442,299.51          | 786,462.63         | 32° 12' 48.505 N | 103° 32' 26.685 W |
| 18,700.0                                            | 87.30           | 358.30      | 12,334.3              | 6,301.3      | -779.5       | 442,394.42          | 786,460.23         | 32° 12' 49.444 N | 103° 32' 26.705 W |
| 18,794.0                                            | 90.30           | 359.10      | 12,336.3              | 6,395.2      | -781.6       | 442,488.37          | 786,458.10         | 32° 12' 50.374 N | 103° 32' 26.721 W |
| 18,888.0                                            | 90.60           | 359.00      | 12,335.5              | 6,489.2      | -783.2       | 442,582.35          | 786,456.54         | 32° 12' 51.304 N | 103° 32' 26.731 W |
| 18,982.0                                            | 90.10           | 359.40      | 12,335.0              | 6,583.2      | -784.5       | 442,676.34          | 786,455.23         | 32° 12' 52.234 N | 103° 32' 26.739 W |
| 19,077.0                                            | 89.10           | 359.60      | 12,335.6              | 6,678.2      | -785.3       | 442,771.33          | 786,454.40         | 32° 12' 53.174 N | 103° 32' 26.740 W |
| 19,172.0                                            | 88.30           | 358.30      | 12,337.8              | 6,773.2      | -787.1       | 442,866.29          | 786,452.66         | 32° 12' 54.114 N | 103° 32' 26.752 W |
| 19,267.0                                            | 90.20           | 359.10      | 12,339.0              | 6,868.1      | -789.2       | 442,961.25          | 786,450.50         | 32° 12' 55.053 N | 103° 32' 26.769 W |
| 19,361.0                                            | 90.50           | 358.80      | 12,338.4              | 6,962.1      | -790.9       | 443,055.23          | 786,448.78         | 32° 12' 55.984 N | 103° 32' 26.781 W |
| 19,455.0                                            | 89.60           | 357.90      | 12,338.4              | 7,056.1      | -793.6       | 443,149.19          | 786,446.07         | 32° 12' 56.913 N | 103° 32' 26.805 W |
| 19,549.0                                            | 91.40           | 358.70      | 12,337.5              | 7,150.0      | -796.4       | 443,243.14          | 786,443.28         | 32° 12' 57.843 N | 103° 32' 26.829 W |
| 19,644.0                                            | 89.50           | 357.20      | 12,336.8              | 7,245.0      | -799.8       | 443,338.07          | 786,439.89         | 32° 12' 58.783 N | 103° 32' 26.860 W |
| 19,737.0                                            | 90.00           | 358.80      | 12,337.3              | 7,339.9      | -804.1       | 443,432.99          | 786,435.59         | 32° 13' 0.000 N  | 103° 32' 26.900 W |
| 19,831.0                                            | 90.80           | 358.40      | 12,336.7              | 7,434.8      | -806.4       | 443,527.91          | 786,433.30         | 32° 13' 0.930 N  | 103° 32' 26.918 W |
| 19,925.0                                            | 90.20           | 0.60        | 12,335.8              | 7,529.7      | -807.2       | 443,622.83          | 786,432.01         | 32° 13' 1.860 N  | 103° 32' 26.920 W |
| 20,019.0                                            | 90.20           | 0.60        | 12,335.5              | 7,624.6      | -806.3       | 443,717.75          | 786,433.45         | 32° 13' 2.790 N  | 103° 32' 26.900 W |
| 20,113.0                                            | 90.30           | 0.40        | 12,335.1              | 7,719.5      | -805.4       | 443,812.67          | 786,434.28         | 32° 13' 3.720 N  | 103° 32' 26.883 W |
| 20,207.0                                            | 90.40           | 0.50        | 12,334.5              | 7,814.4      | -804.7       | 443,907.59          | 786,435.02         | 32° 13' 4.650 N  | 103° 32' 26.866 W |
| 20,301.0                                            | 89.60           | 0.40        | 12,334.5              | 7,909.3      | -803.9       | 444,002.51          | 786,435.76         | 32° 13' 5.580 N  | 103° 32' 26.849 W |
| 20,395.0                                            | 90.50           | 0.40        | 12,334.5              | 8,004.2      | -803.3       | 444,097.43          | 786,436.42         | 32° 13' 6.510 N  | 103° 32' 26.833 W |
| 20,489.0                                            | 92.00           | 1.60        | 12,332.4              | 8,099.1      | -801.6       | 444,192.35          | 786,438.08         | 32° 13' 7.440 N  | 103° 32' 26.806 W |
| 20,583.0                                            | 91.80           | 1.70        | 12,329.3              | 8,194.0      | -798.9       | 444,287.27          | 786,440.78         | 32° 13' 8.370 N  | 103° 32' 26.766 W |
| 20,677.0                                            | 91.90           | 1.00        | 12,326.2              | 8,288.9      | -796.7       | 444,382.19          | 786,443.00         | 32° 13' 9.300 N  | 103° 32' 26.733 W |
| 20,771.0                                            | 92.20           | 0.70        | 12,322.8              | 8,383.8      | -795.3       | 444,477.11          | 786,444.41         | 32° 13' 10.230 N | 103° 32' 26.708 W |
| 20,865.0                                            | 90.60           | 1.30        | 12,320.5              | 8,478.7      | -793.7       | 444,572.03          | 786,446.05         | 32° 13' 11.160 N | 103° 32' 26.681 W |
| 20,959.0                                            | 91.50           | 1.20        | 12,318.8              | 8,573.6      | -791.6       | 444,666.95          | 786,448.12         | 32° 13' 12.090 N | 103° 32' 26.649 W |
| 21,053.0                                            | 90.30           | 359.90      | 12,317.3              | 8,668.5      | -790.7       | 444,761.87          | 786,449.02         | 32° 13' 13.020 N | 103° 32' 26.630 W |
| 21,147.0                                            | 91.50           | 0.60        | 12,315.8              | 8,763.4      | -790.3       | 444,856.79          | 786,449.43         | 32° 13' 14.000 N | 103° 32' 26.617 W |
| 21,241.0                                            | 91.70           | 0.90        | 12,313.2              | 8,858.3      | -789.0       | 444,951.71          | 786,450.67         | 32° 13' 14.930 N | 103° 32' 26.595 W |
| 21,335.0                                            | 91.60           | 0.90        | 12,310.4              | 8,953.2      | -787.5       | 445,046.63          | 786,452.17         | 32° 13' 15.860 N | 103° 32' 26.569 W |
| 21,429.0                                            | 91.50           | 0.60        | 12,307.9              | 9,048.1      | -786.3       | 445,141.55          | 786,453.41         | 32° 13' 16.790 N | 103° 32' 26.546 W |



# Skyline Directional

## Survey Report - Geographic



|                  |                                       |                                     |                                  |
|------------------|---------------------------------------|-------------------------------------|----------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Site Blue Krait 23-14 Fed 37H    |
| <b>Project:</b>  | Lea Co, New Mexico (NAD-83)           | <b>TVD Reference:</b>               | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Site:</b>     | Blue Krait 23-14 Fed 37H              | <b>MD Reference:</b>                | Rig KB @ 3580.0usft (Cactus 168) |
| <b>Well:</b>     | Blue Krait 23-14 Fed 37H              | <b>North Reference:</b>             | Grid                             |
| <b>Wellbore:</b> | Lateral #1                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                |
| <b>Design:</b>   | Lateral #1                            | <b>Database:</b>                    | Compass_DSN                      |

| Survey                                           |                 |             |                       |              |              |                     |                    |                  |                   |
|--------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|------------------|-------------------|
| Measured Depth (usft)                            | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude         | Longitude         |
| 21,562.0                                         | 91.90           | 1.00        | 12,305.1              | 9,162.2      | -785.0       | 445,255.34          | 786,454.72         | 32° 13' 17.753 N | 103° 32' 26.523 W |
| 21,656.0                                         | 90.50           | 3.60        | 12,303.1              | 9,256.1      | -781.2       | 445,349.23          | 786,458.49         | 32° 13' 18.682 N | 103° 32' 26.471 W |
| 21,751.0                                         | 87.60           | 2.90        | 12,304.7              | 9,350.9      | -775.8       | 445,444.05          | 786,463.88         | 32° 13' 19.620 N | 103° 32' 26.400 W |
| 21,845.0                                         | 87.60           | 3.80        | 12,308.6              | 9,444.7      | -770.3       | 445,537.81          | 786,469.36         | 32° 13' 20.547 N | 103° 32' 26.328 W |
| 21,940.0                                         | 87.80           | 3.80        | 12,312.4              | 9,539.4      | -764.1       | 445,632.52          | 786,475.66         | 32° 13' 21.484 N | 103° 32' 26.247 W |
| 22,034.0                                         | 89.30           | 3.00        | 12,314.8              | 9,633.2      | -758.5       | 445,726.32          | 786,481.23         | 32° 13' 22.412 N | 103° 32' 26.174 W |
| 22,128.0                                         | 89.90           | 2.80        | 12,315.5              | 9,727.1      | -753.7       | 445,820.20          | 786,485.98         | 32° 13' 23.341 N | 103° 32' 26.111 W |
| 22,222.0                                         | 90.60           | 2.80        | 12,315.1              | 9,821.0      | -749.1       | 445,914.09          | 786,490.58         | 32° 13' 24.269 N | 103° 32' 26.049 W |
| 22,316.0                                         | 90.10           | 3.10        | 12,314.5              | 9,914.8      | -744.3       | 446,007.96          | 786,495.41         | 32° 13' 25.198 N | 103° 32' 25.985 W |
| 22,410.0                                         | 89.30           | 2.90        | 12,315.0              | 10,008.7     | -739.4       | 446,101.83          | 786,500.33         | 32° 13' 26.126 N | 103° 32' 25.919 W |
| 22,505.0                                         | 87.80           | 2.70        | 12,317.4              | 10,103.6     | -734.7       | 446,196.68          | 786,504.97         | 32° 13' 27.064 N | 103° 32' 25.857 W |
| 22,599.0                                         | 86.00           | 1.80        | 12,322.5              | 10,197.3     | -731.1       | 446,290.47          | 786,508.66         | 32° 13' 27.992 N | 103° 32' 25.806 W |
| 22,650.0                                         | 85.92           | 1.72        | 12,326.1              | 10,248.2     | -729.5       | 446,341.32          | 786,510.22         | 32° 13' 28.495 N | 103° 32' 25.784 W |
| <b>Cross 100' FNL Perf; 22650' MD, 1822' FEL</b> |                 |             |                       |              |              |                     |                    |                  |                   |
| 22,663.0                                         | 85.90           | 1.70        | 12,327.0              | 10,261.2     | -729.1       | 446,354.28          | 786,510.61         | 32° 13' 28.623 N | 103° 32' 25.778 W |
| <b>Last Survey</b>                               |                 |             |                       |              |              |                     |                    |                  |                   |
| 22,720.0                                         | 85.90           | 1.70        | 12,331.1              | 10,318.0     | -727.4       | 446,411.11          | 786,512.29         | 32° 13' 29.186 N | 103° 32' 25.754 W |
| <b>PTB; 22720' MD, 30' FNL-1820' FEL</b>         |                 |             |                       |              |              |                     |                    |                  |                   |

| Design Annotations    |                       |                   |              |                                              |  |
|-----------------------|-----------------------|-------------------|--------------|----------------------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                                              |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                                      |  |
| 215.0                 | 215.0                 | 2.3               | -0.7         | First Survey                                 |  |
| 12,217.9              | 12,161.4              | -104.9            | -701.9       | Cross 100' FSL Perf; 12161.4' TVD, 1876' FEL |  |
| 17,471.0              | 12,340.1              | 5,073.0           | -757.0       | Cross Section 23 to 14; 17471' MD, 1891' FEL |  |
| 22,650.0              | 12,326.1              | 10,248.2          | -729.5       | Cross 100' FNL Perf; 22650' MD, 1822' FEL    |  |
| 22,663.0              | 12,327.0              | 10,261.2          | -729.1       | Last Survey                                  |  |
| 22,720.0              | 12,331.1              | 10,318.0          | -727.4       | PTB; 22720' MD, 30' FNL-1820' FEL            |  |

|                   |                    |             |
|-------------------|--------------------|-------------|
| Checked By: _____ | Approved By: _____ | Date: _____ |
|-------------------|--------------------|-------------|

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised August 1, 2011

|                                                                                          |                                      |
|------------------------------------------------------------------------------------------|--------------------------------------|
| WELL API NO.                                                                             | 30-025-46466                         |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input type="checkbox"/> |                                      |
| 6. State Oil & Gas Lease No.                                                             |                                      |
| 7. Lease Name or Unit Agreement Name                                                     | Blue Krait 23-14 Fed                 |
| 8. Well Number                                                                           | 37H                                  |
| 9. OGRID Number                                                                          | 6137                                 |
| 10. Pool name or Wildcat                                                                 | WC-025 G-09 S243310P; UPPER WOLFCAMP |

SUNDRY NOTICES AND REPORTS ON WELLS  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

|                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                                        |
| 2. Name of Operator<br>Devon Energy Production Company, L.P.                                                                                                                                                          |
| 3. Address of Operator<br>333 West Sheridan, Oklahoma City, OK 73102                                                                                                                                                  |
| 4. Well Location<br>Unit Letter <u>P</u> : <u>200</u> feet from the <u>South</u> line and <u>1174</u> feet from the <u>East</u> line<br>Section <u>23</u> Township <u>24S</u> Range <u>33E</u> NMPM County <u>Lea</u> |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>GL: 3556.8                                                                                                                                                      |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

9/10/20 - 11/2/20: MIRU WL & PT. TIH, TOC @ SURF. No logs ran. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12,500'-22,605'. Frac totals 25,269,203# prop, 1062 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 22,655'. CHC, FWB, ND BOP. RIH w/ 363 jts 2-7/8" L-80 tbg, set @ 12,157'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 11/30/2020

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 Conditions of Approval (if any): \_\_\_\_\_

|                                                                                                                                                                                                                                                                                                                                                                                           |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------|-----------------------------------|---------------|----------|--------|
| Submit To Appropriate District Office<br>Two Copies<br>District I<br>1625 N. French Dr., Hobbs, NM 88240<br>District II<br>811 S. First St., Artesia, NM 88210<br>District III<br>1000 Rio Brazos Rd., Aztec, NM 87410<br>District IV<br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                                                      |                                  | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                        |                                                                                                                                                                                    |                                                 | <b>Form C-105</b><br>Revised August 1, 2011                      |                                   |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  | 1. WELL API NO.<br>30-025-46466                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  | 2. Type of Lease<br><input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN                                                        |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  | 3. State Oil & Gas Lease No.                                                                                                                                                          |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| <b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>                                                                                                                                                                                                                                                                                                                                     |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 | 5. Lease Name or Unit Agreement Name<br>Blue Krait 23-14 Fed     |                                   |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 | 6. Well Number:<br><br>37H                                       |                                   |               |          |        |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                                 |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| 8. Name of Operator<br>Devon Energy Production Company, L.P.                                                                                                                                                                                                                                                                                                                              |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 | 9. OGRID<br>6137                                                 |                                   |               |          |        |
| 10. Address of Operator<br><br>333 West Sheridan Avenue, Oklahoma City, OK 73102                                                                                                                                                                                                                                                                                                          |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 | 11. Pool name or Wildcat<br>WC-025 G-09 S243310P; UPPER WOLFCAMP |                                   |               |          |        |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                         | Section                                                                                                                                                                               | Township               | Range                                                                                                                                                                              | Lot                                             | Feet from the                                                    | N/S Line                          | Feet from the | E/W Line | County |
| Surface:                                                                                                                                                                                                                                                                                                                                                                                  | P                                | 23                                                                                                                                                                                    | 24S                    | 33E                                                                                                                                                                                |                                                 | 200                                                              | South                             | 1174          | East     | Lea    |
| BH:                                                                                                                                                                                                                                                                                                                                                                                       | B                                | 14                                                                                                                                                                                    | 24S                    | 33E                                                                                                                                                                                |                                                 | 30                                                               | North                             | 1820          | East     | Lea    |
| 13. Date Spudded<br>3/2/20                                                                                                                                                                                                                                                                                                                                                                | 14. Date T.D. Reached<br>4/20/20 | 15. Date Rig Released<br>4/23/20                                                                                                                                                      |                        | 16. Date Completed (Ready to Produce)<br>11/2/20                                                                                                                                   |                                                 | 17. Elevations (DF and RKB, RT, GR, etc.)<br>3556.8 GL           |                                   |               |          |        |
| 18. Total Measured Depth of Well<br><br>22720 MD, 12331 TVD                                                                                                                                                                                                                                                                                                                               |                                  | 19. Plug Back Measured Depth<br><br>22655                                                                                                                                             |                        | 20. Was Directional Survey Made?<br><br>Yes                                                                                                                                        |                                                 | 21. Type Electric and Other Logs Run<br><br>CBL                  |                                   |               |          |        |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br>12500-22605, UPPER WOLFCAMP                                                                                                                                                                                                                                                                                          |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               | WEIGHT LB./FT.                   | DEPTH SET                                                                                                                                                                             | HOLE SIZE              | CEMENTING RECORD                                                                                                                                                                   | AMOUNT PULLED                                   |                                                                  |                                   |               |          |        |
| 13.375                                                                                                                                                                                                                                                                                                                                                                                    | 54.5                             | 1311                                                                                                                                                                                  | 17.5                   | 1205 sx C/C; circ 622 sx                                                                                                                                                           |                                                 |                                                                  |                                   |               |          |        |
| 8.625                                                                                                                                                                                                                                                                                                                                                                                     | 32                               | 11914                                                                                                                                                                                 | 9.875                  | 965 sx C/H; circ 0 sx                                                                                                                                                              | TOC @ 1310                                      |                                                                  |                                   |               |          |        |
| 5.5                                                                                                                                                                                                                                                                                                                                                                                       | 20                               | 22704                                                                                                                                                                                 | 7.875                  | 2525 sx C/POZ MIX; circ 308 sx                                                                                                                                                     |                                                 |                                                                  |                                   |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| <b>24. LINER RECORD</b>                                                                                                                                                                                                                                                                                                                                                                   |                                  |                                                                                                                                                                                       |                        | <b>25. TUBING RECORD</b>                                                                                                                                                           |                                                 |                                                                  |                                   |               |          |        |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                              | BOTTOM                                                                                                                                                                                | SACKS CEMENT           | SCREEN                                                                                                                                                                             | SIZE                                            | DEPTH SET                                                        | PACKER SET                        |               |          |        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    | 2.875 L-80                                      | 12157                                                            |                                   |               |          |        |
| 26. Perforation record (interval, size, and number)<br><br>12500 - 22605, total 1004 holes                                                                                                                                                                                                                                                                                                |                                  |                                                                                                                                                                                       |                        | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.<br>DEPTH INTERVAL    AMOUNT AND KIND MATERIAL USED<br>12500-22605    Acidize and frac in 51 stages. See detailed summary attached. |                                                 |                                                                  |                                   |               |          |        |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| Date First Production<br><br>11/2/20                                                                                                                                                                                                                                                                                                                                                      |                                  | Production Method (Flowing, gas lift, pumping - Size and type pump)<br><br>Flowing                                                                                                    |                        |                                                                                                                                                                                    | Well Status (Prod. or Shut-in)<br><br>Producing |                                                                  |                                   |               |          |        |
| Date of Test<br><br>11/28/20                                                                                                                                                                                                                                                                                                                                                              | Hours Tested<br><br>24           | Choke Size                                                                                                                                                                            | Prod'n For Test Period | Oil - Bbl<br><br>2962                                                                                                                                                              | Gas - MCF<br><br>5352                           | Water - Bbl.<br><br>3599                                         | Gas - Oil Ratio<br><br>1806.88724 |               |          |        |
| Flow Tubing Press.<br>1613 psi                                                                                                                                                                                                                                                                                                                                                            | Casing Pressure<br>2662 psi      | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.             | Gas - MCF                                                                                                                                                                          | Water - Bbl.                                    | Oil Gravity - API - (Corr.)                                      |                                   |               |          |        |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)<br><br>Sold                                                                                                                                                                                                                                                                                                                    |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 | 30. Test Witnessed By                                            |                                   |               |          |        |
| 31. List Attachments<br><br>Directional Survey, Logs                                                                                                                                                                                                                                                                                                                                      |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| 33. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| Latitude                                                                                                                                                                                                                                                                                                                                                                                  |                                  | Longitude                                                                                                                                                                             |                        | NAD 1927 1983                                                                                                                                                                      |                                                 |                                                                  |                                   |               |          |        |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                  |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |
| Signature                                                                                                                                                                                                                                                                                                                                                                                 | Rebecca Deal                     |                                                                                                                                                                                       | Printed Name           | Rebecca Deal                                                                                                                                                                       | Title                                           | Regulatory Analyst                                               | Date 11/30/2020                   |               |          |        |
| E-mail Address                                                                                                                                                                                                                                                                                                                                                                            | Rebecca.Deal@dmn.com             |                                                                                                                                                                                       |                        |                                                                                                                                                                                    |                                                 |                                                                  |                                   |               |          |        |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

|                  |     |         |     |                  |     |         |     |
|------------------|-----|---------|-----|------------------|-----|---------|-----|
| No. 1, from..... | N/A | to..... | N/A | No. 3, from..... | N/A | to..... | N/A |
| No. 2, from..... | N/A | to..... | N/A | No. 4, from..... | N/A | to..... | N/A |

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 35797

**ACKNOWLEDGMENTS**

|                                                                                                       |                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                     |
|                                                                                                       | Action Number:<br>35797                            |
|                                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 35797

CONDITIONS

|                                                                                                       |                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                     |
|                                                                                                       | Action Number:<br>35797                            |
|                                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

|            |           |                |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| ksimmons   | None      | 8/25/2021      |