

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK, 74121-1468		² OGRID Number 12361	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 025-47846	⁵ Pool Name Ojo Chiso; Bone Spring, Southwest		⁶ Pool Code 98259
⁷ Property Code 316707	⁸ Property Name Bell Lake Unit North		⁹ Well Number 229H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
I	6	23S	34E		1866	South	831	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	31	22S	34E		103	North	1322	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 6/18/21	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC 1515 Araphoe St., Suite 1600 Denver, CO 80202	G
	Plains Pipeline LP 333 Clay St., #1600 Houston, TX 77002	O

IV. Well Completion Data

²¹ Spud Date 11/27/20	²² Ready Date 4/12/21	²³ TD 18195MD/ 10115TVD	²⁴ PBD 18093MD/ 10120TVD	²⁵ Perforations 10466 - 17797	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
17 - 1/2"		13 - 3/8"		1210 '		1330
12 - 1/4"		9 - 5/8"		4930 '		1250
8 - 1/2"		5 - 1/2"		18170 '		3100

V. Well Test Data

³¹ Date New Oil 6/26/21	³² Gas Delivery Date 6/26/21	³³ Test Date 7/4/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure N/A	³⁶ Csg. Pressure 1945
³⁷ Choke Size 24/64	³⁸ Oil 564	³⁹ Water 1217	⁴⁰ Gas 1087		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Erica Miles		OIL CONSERVATION DIVISION	
Printed name: Erica Miles		Approved by: KURT SIMMONS	
Title: Geosciences Technician		Title: NM OCD, SANTA FE	
E-mail Address: EricaM@kfoc.net		Approval Date: 08/26/2021	
Date: 8/26/21	Phone: 918-491-4548		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47846	² Pool Code 98259	³ Pool Name Ojo Chiso; Bone Spring, Southwest
⁴ Property Code 316707	⁵ Property Name BELL LAKE UNIT NORTH	⁶ Well Number 229H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3455.0

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	6	23 S	34 E		1866	SOUTH	831	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	31	22 S	34 E		103	NORTH	1322	EAST	LEA

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14527-A
---	-------------------------------	----------------------------------	---

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. 7/12/21 Signature _____ Date _____ Erica Miles Printed Name _____ EricaM@kfoc.net E-mail Address _____ 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MARCH 23, 2021 Date of Survey _____ Signature and Seal of Professional Surveyor: Certificate Number: _____

Intent ☐ As Drilled ☒

API # 30-025-47846		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT NORTH	Well Number 229H

Kick Off Point (KOP)

UL J	Section 6	Township 23S	Range 34E	Lot	Feet 2140	From N/S SOUTH	Feet 1339	From E/W EAST	County LEA
Latitude 32.3322662					Longitude 103.5050447				NAD 83

First Take Point (FTP)

UL G	Section 6	Township 23S	Range 34E	Lot	Feet 2541	From N/S NORTH	Feet 1344	From E/W EAST	County LEA
Latitude 32.3339208					Longitude 103.5050625				NAD 83

Last Take Point (LTP)

UL A	Section 31	Township 22S	Range 34E	Lot	Feet 618	From N/S NORTH	Feet 1306	From E/W EAST	County LEA
Latitude 32.3537220					Longitude 103.5049138				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☒

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-43033		
Operator Name: Kaiser-Francis Oil Company	Property Name: Bell Lake Unit North	Well Number 230H

KZ 06/29/2018



KAISER FRANCIS OIL CO.

LEA COUNTY, N.M. 83

SEC 6-T23S-R34E

BELL LAKE UNIT N. 229H

HORIZONTAL

Survey: Survey #1

Survey Report - Geographic

16 December, 2020

Kaiser-Francis Oil Company



SB Directional Services

Survey Report - Geographic

Kaiser-Francis Oil Company

Company:	KAISER FRANCIS OIL CO.	Local Co-ordinate Reference:	Well BELL LAKE UNIT N. 229H
Project:	LEA COUNTY, N.M. 83	TVD Reference:	GE+23' @ 3478.00usft (CAC 170)
Site:	SEC 6-T23S-R34E	MD Reference:	GE+23' @ 3478.00usft (CAC 170)
Well:	BELL LAKE UNIT N. 229H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	HORIZONTAL	Database:	EDM 5000.15 Single User Db

Project	LEA COUNTY, N.M. 83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	SEC 6-T23S-R34E		
Site Position:		Northing:	485,269.02 usft
From:	Map	Easting:	756,497.04 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32.33215
		Longitude:	-103.63673
		Grid Convergence:	0.37 °

Well	BELL LAKE UNIT N. 229H		
Well Position	+N/-S	0.00 usft	Northing: 485,328.95 usft
	+E/-W	0.00 usft	Easting: 797,680.22 usft
Position Uncertainty	0.00 usft	Wellhead Elevation:	3,455.00 usft
		Latitude:	32.33151
		Longitude:	-103.50340
		Ground Level:	3,455.00 usft

Wellbore	HORIZONTAL				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	11/11/20	6.59	60.03	47,625.99255433

Design	HORIZONTAL				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	0.07	

Survey Program	Date	12/16/20			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
146.00	18,195.00	Survey #1 (HORIZONTAL)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	485,328.95	797,680.22	32.33151	-103.50340
146.00	0.04	147.48	146.00	-0.04	0.03	485,328.91	797,680.25	32.33151	-103.50340
237.00	0.48	170.15	237.00	-0.45	0.11	485,328.51	797,680.33	32.33151	-103.50340
331.00	0.84	195.20	330.99	-1.50	0.00	485,327.45	797,680.21	32.33151	-103.50340
421.00	1.27	185.45	420.98	-3.13	-0.27	485,325.82	797,679.95	32.33150	-103.50341
511.00	1.36	196.35	510.95	-5.15	-0.67	485,323.81	797,679.55	32.33150	-103.50341
601.00	1.67	193.53	600.92	-7.45	-1.27	485,321.51	797,678.94	32.33149	-103.50341
691.00	1.45	198.02	690.89	-9.80	-1.93	485,319.15	797,678.28	32.33149	-103.50341
782.00	1.63	199.51	781.86	-12.12	-2.72	485,316.83	797,677.50	32.33148	-103.50341
873.00	1.54	203.90	872.82	-14.46	-3.65	485,314.49	797,676.57	32.33147	-103.50342
964.00	1.32	203.38	963.79	-16.54	-4.56	485,312.41	797,675.66	32.33147	-103.50342
1,055.00	1.36	212.52	1,054.77	-18.41	-5.56	485,310.54	797,674.66	32.33146	-103.50342



SB Directional Services

Survey Report - Geographic

Kaiser-Francis Oil Company

Company:	KAISER FRANCIS OIL CO.	Local Co-ordinate Reference:	Well BELL LAKE UNIT N. 229H
Project:	LEA COUNTY, N.M. 83	TVD Reference:	GE+23' @ 3478.00usft (CAC 170)
Site:	SEC 6-T23S-R34E	MD Reference:	GE+23' @ 3478.00usft (CAC 170)
Well:	BELL LAKE UNIT N. 229H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	HORIZONTAL	Database:	EDM 5000.15 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,147.00	1.67	210.50	1,146.74	-20.48	-6.82	485,308.47	797,673.39	32.33146	-103.50343
1,253.00	1.01	209.62	1,252.71	-22.63	-8.07	485,306.32	797,672.15	32.33145	-103.50343
1,347.00	1.01	207.60	1,346.69	-24.08	-8.86	485,304.87	797,671.35	32.33145	-103.50343
1,442.00	1.36	212.17	1,441.67	-25.78	-9.85	485,303.17	797,670.37	32.33144	-103.50344
1,537.00	1.49	197.49	1,536.64	-27.91	-10.82	485,301.04	797,669.39	32.33144	-103.50344
1,632.00	1.45	190.81	1,631.61	-30.27	-11.42	485,298.68	797,668.80	32.33143	-103.50344
1,727.00	1.27	179.47	1,726.58	-32.50	-11.64	485,296.45	797,668.58	32.33142	-103.50344
1,822.00	1.80	243.89	1,821.56	-34.21	-12.97	485,294.74	797,667.25	32.33142	-103.50345
1,917.00	2.77	271.93	1,916.48	-34.79	-16.60	485,294.16	797,663.62	32.33142	-103.50346
2,012.00	5.58	278.70	2,011.22	-34.02	-23.46	485,294.94	797,656.76	32.33142	-103.50348
2,107.00	4.97	288.81	2,105.82	-31.99	-31.92	485,296.96	797,648.30	32.33143	-103.50351
2,201.00	5.49	296.45	2,199.43	-28.67	-39.80	485,300.28	797,640.42	32.33143	-103.50353
2,296.00	6.55	305.24	2,293.91	-23.52	-48.30	485,305.43	797,631.92	32.33145	-103.50356
2,391.00	8.35	306.65	2,388.10	-16.28	-58.26	485,312.67	797,621.96	32.33147	-103.50359
2,486.00	7.91	309.02	2,482.15	-8.05	-68.87	485,320.91	797,611.35	32.33149	-103.50363
2,581.00	7.65	313.06	2,576.27	0.39	-78.57	485,329.34	797,601.65	32.33152	-103.50366
2,676.00	7.21	315.61	2,670.47	8.97	-87.36	485,337.92	797,592.86	32.33154	-103.50369
2,771.00	7.52	321.33	2,764.69	18.08	-95.41	485,347.03	797,584.80	32.33156	-103.50371
2,866.00	8.18	323.79	2,858.80	28.39	-103.29	485,357.34	797,576.93	32.33159	-103.50374
2,960.00	7.78	333.28	2,951.90	39.46	-110.10	485,368.42	797,570.12	32.33162	-103.50376
3,055.00	8.18	330.03	3,045.98	51.06	-116.37	485,380.01	797,563.85	32.33166	-103.50378
3,150.00	7.30	327.13	3,140.11	61.99	-123.02	485,390.94	797,557.20	32.33169	-103.50380
3,245.00	6.11	323.79	3,234.46	71.14	-129.28	485,400.09	797,550.93	32.33171	-103.50382
3,340.00	5.76	312.89	3,328.95	78.46	-135.76	485,407.41	797,544.45	32.33173	-103.50384
3,530.00	4.75	327.21	3,518.16	91.56	-147.01	485,420.51	797,533.21	32.33177	-103.50388
3,624.00	4.79	320.62	3,611.83	97.87	-151.61	485,426.82	797,528.61	32.33178	-103.50389
3,719.00	5.58	311.04	3,706.45	103.97	-157.61	485,432.92	797,522.61	32.33180	-103.50391
3,814.00	5.76	311.13	3,800.98	110.14	-164.68	485,439.09	797,515.53	32.33182	-103.50393
3,909.00	6.11	306.12	3,895.47	116.25	-172.36	485,445.20	797,507.86	32.33184	-103.50396
4,004.00	5.89	312.80	3,989.95	122.54	-180.02	485,451.50	797,500.20	32.33185	-103.50398
4,099.00	5.71	325.28	4,084.47	129.74	-186.29	485,458.69	797,493.93	32.33187	-103.50400
4,194.00	5.85	328.88	4,178.99	137.77	-191.48	485,466.72	797,488.74	32.33190	-103.50402
4,288.00	6.37	326.69	4,272.45	146.23	-196.82	485,475.18	797,483.40	32.33192	-103.50404
4,383.00	6.46	328.01	4,366.86	155.17	-202.55	485,484.12	797,477.67	32.33194	-103.50406
4,478.00	7.16	319.39	4,461.19	164.19	-209.23	485,493.14	797,470.99	32.33197	-103.50408
4,573.00	6.86	325.63	4,555.48	173.37	-216.29	485,502.32	797,463.93	32.33199	-103.50410
4,668.00	6.64	308.76	4,649.83	181.49	-223.77	485,510.44	797,456.44	32.33202	-103.50412
4,763.00	7.78	290.39	4,744.09	187.17	-234.09	485,516.12	797,446.13	32.33203	-103.50416
4,858.00	7.30	290.04	4,838.27	191.48	-245.78	485,520.43	797,434.43	32.33204	-103.50420
4,883.00	7.34	289.16	4,863.07	192.55	-248.78	485,521.50	797,431.43	32.33205	-103.50421
5,033.00	6.59	287.58	5,011.96	198.30	-266.04	485,527.25	797,414.18	32.33206	-103.50426
5,128.00	6.77	288.98	5,106.31	201.76	-276.53	485,530.71	797,403.69	32.33207	-103.50429
5,222.00	6.37	286.78	5,199.70	205.07	-286.76	485,534.02	797,393.45	32.33208	-103.50433
5,317.00	6.33	288.63	5,294.11	208.26	-296.77	485,537.22	797,383.44	32.33209	-103.50436
5,412.00	5.93	285.20	5,388.57	211.22	-306.47	485,540.18	797,373.75	32.33210	-103.50439
5,507.00	5.41	282.83	5,483.11	213.51	-315.57	485,542.46	797,364.64	32.33211	-103.50442
5,602.00	5.05	285.91	5,577.71	215.65	-323.96	485,544.60	797,356.26	32.33211	-103.50445
5,697.00	4.70	284.59	5,672.37	217.77	-331.75	485,546.72	797,348.47	32.33212	-103.50447
5,792.00	4.75	283.97	5,767.04	219.70	-339.33	485,548.65	797,340.89	32.33212	-103.50450
5,887.00	4.84	285.64	5,861.71	221.73	-347.01	485,550.68	797,333.21	32.33213	-103.50452
5,981.00	4.88	284.68	5,955.37	223.82	-354.70	485,552.77	797,325.52	32.33214	-103.50455
6,076.00	4.75	283.97	6,050.04	225.79	-362.42	485,554.74	797,317.80	32.33214	-103.50457
6,171.00	4.97	288.28	6,144.70	228.03	-370.15	485,556.98	797,310.07	32.33215	-103.50460
6,266.00	5.01	288.72	6,239.34	230.65	-377.98	485,559.60	797,302.24	32.33215	-103.50462
6,361.00	5.01	289.16	6,333.97	233.34	-385.83	485,562.29	797,294.39	32.33216	-103.50465



SB Directional Services

Survey Report - Geographic

Kaiser-Francis Oil Company

Company:	KAISER FRANCIS OIL CO.	Local Co-ordinate Reference:	Well BELL LAKE UNIT N. 229H
Project:	LEA COUNTY, N.M. 83	TVD Reference:	GE+23' @ 3478.00usft (CAC 170)
Site:	SEC 6-T23S-R34E	MD Reference:	GE+23' @ 3478.00usft (CAC 170)
Well:	BELL LAKE UNIT N. 229H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	HORIZONTAL	Database:	EDM 5000.15 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,456.00	5.23	293.02	6,428.60	236.40	-393.73	485,565.35	797,286.49	32.33217	-103.50467
6,551.00	5.14	296.54	6,523.21	239.99	-401.52	485,568.94	797,278.69	32.33218	-103.50470
6,645.00	5.19	295.31	6,616.83	243.69	-409.14	485,572.64	797,271.08	32.33219	-103.50472
6,740.00	4.79	295.22	6,711.47	247.22	-416.61	485,576.17	797,263.61	32.33220	-103.50475
6,835.00	5.10	294.87	6,806.11	250.69	-424.03	485,579.64	797,256.19	32.33221	-103.50477
6,930.00	5.19	293.02	6,900.73	254.14	-431.81	485,583.09	797,248.40	32.33222	-103.50480
7,025.00	5.41	293.55	6,995.32	257.61	-439.87	485,586.56	797,240.34	32.33223	-103.50482
7,120.00	4.92	285.99	7,089.94	260.52	-447.89	485,589.47	797,232.32	32.33224	-103.50485
7,215.00	4.57	279.05	7,184.61	262.24	-455.55	485,591.19	797,224.67	32.33224	-103.50487
7,309.00	2.68	303.04	7,278.43	264.03	-461.09	485,592.98	797,219.13	32.33225	-103.50489
7,404.00	1.93	323.96	7,373.35	266.53	-463.89	485,595.48	797,216.32	32.33225	-103.50490
7,499.00	1.45	289.25	7,468.31	268.22	-465.97	485,597.17	797,214.25	32.33226	-103.50491
7,594.00	1.89	275.01	7,563.27	268.76	-468.66	485,597.71	797,211.55	32.33226	-103.50492
7,689.00	1.85	272.90	7,658.22	268.97	-471.76	485,597.92	797,208.46	32.33226	-103.50493
7,784.00	1.67	271.76	7,753.17	269.09	-474.67	485,598.04	797,205.55	32.33226	-103.50493
7,879.00	1.54	269.29	7,848.14	269.12	-477.33	485,598.07	797,202.89	32.33226	-103.50494
7,973.00	0.97	259.10	7,942.11	268.95	-479.38	485,597.90	797,200.84	32.33226	-103.50495
8,068.00	1.10	246.53	8,037.10	268.44	-481.00	485,597.39	797,199.22	32.33226	-103.50496
8,163.00	1.14	257.87	8,132.08	267.87	-482.76	485,596.82	797,197.46	32.33226	-103.50496
8,258.00	1.05	259.89	8,227.06	267.52	-484.54	485,596.47	797,195.67	32.33226	-103.50497
8,353.00	1.14	255.41	8,322.05	267.13	-486.31	485,596.08	797,193.90	32.33226	-103.50497
8,447.00	1.27	250.57	8,416.03	266.55	-488.20	485,595.50	797,192.02	32.33226	-103.50498
8,542.00	1.23	252.86	8,511.00	265.90	-490.17	485,594.85	797,190.05	32.33225	-103.50498
8,637.00	1.19	263.58	8,605.98	265.49	-492.12	485,594.44	797,188.09	32.33225	-103.50499
8,732.00	1.10	268.59	8,700.96	265.35	-494.02	485,594.31	797,186.20	32.33225	-103.50500
8,827.00	1.49	270.52	8,795.94	265.34	-496.16	485,594.29	797,184.06	32.33225	-103.50500
8,922.00	1.85	278.00	8,890.90	265.57	-498.92	485,594.52	797,181.30	32.33225	-103.50501
9,017.00	1.67	282.57	8,985.85	266.08	-501.79	485,595.03	797,178.43	32.33225	-103.50502
9,112.00	1.41	274.74	9,080.82	266.48	-504.30	485,595.43	797,175.92	32.33226	-103.50503
9,207.00	0.62	292.94	9,175.80	266.78	-505.94	485,595.73	797,174.28	32.33226	-103.50504
9,301.00	0.75	305.33	9,269.80	267.33	-506.91	485,596.28	797,173.31	32.33226	-103.50504
9,396.00	1.14	318.51	9,364.78	268.40	-508.04	485,597.35	797,172.17	32.33226	-103.50504
9,482.00	1.10	328.36	9,450.77	269.74	-509.04	485,598.69	797,171.17	32.33226	-103.50505
9,538.00	1.14	326.78	9,506.76	270.67	-509.63	485,599.62	797,170.59	32.33227	-103.50505
9,633.00	11.60	2.72	9,601.05	281.03	-509.69	485,609.98	797,170.52	32.33230	-103.50505
9,728.00	22.24	0.09	9,691.81	308.63	-509.21	485,637.58	797,171.01	32.33237	-103.50505
9,823.00	29.01	355.69	9,777.42	349.63	-510.92	485,678.58	797,169.30	32.33248	-103.50505
9,918.00	37.01	358.24	9,857.03	401.26	-513.53	485,730.21	797,166.69	32.33263	-103.50506
10,012.00	42.64	0.79	9,929.20	461.43	-513.96	485,790.38	797,166.26	32.33279	-103.50506
10,107.00	55.38	358.24	9,991.39	532.97	-514.72	485,861.92	797,165.50	32.33299	-103.50506
10,202.00	65.63	358.06	10,038.10	615.51	-517.39	485,944.46	797,162.82	32.33322	-103.50506
10,297.00	76.88	358.50	10,068.58	705.28	-520.08	486,034.23	797,160.14	32.33346	-103.50507
10,341.00	83.16	0.35	10,076.20	748.59	-520.51	486,077.54	797,159.71	32.33358	-103.50507
10,435.00	83.21	0.44	10,087.35	841.93	-519.86	486,170.88	797,160.36	32.33384	-103.50507
10,530.00	82.59	359.91	10,099.10	936.20	-519.57	486,265.15	797,160.64	32.33410	-103.50506
10,625.00	84.79	0.52	10,109.54	1,030.61	-519.22	486,359.56	797,161.00	32.33436	-103.50506
10,720.00	87.60	1.32	10,115.84	1,125.38	-517.70	486,454.33	797,162.52	32.33462	-103.50505
10,814.00	87.21	1.67	10,120.10	1,219.25	-515.25	486,548.20	797,164.97	32.33487	-103.50504
10,909.00	87.25	2.19	10,124.69	1,314.09	-512.05	486,643.04	797,168.17	32.33514	-103.50503
11,004.00	88.48	1.58	10,128.23	1,408.97	-508.93	486,737.92	797,171.29	32.33540	-103.50502
11,099.00	89.27	1.76	10,130.09	1,503.91	-506.16	486,832.86	797,174.06	32.33566	-103.50501
11,194.00	90.68	2.81	10,130.13	1,598.83	-502.37	486,927.78	797,177.85	32.33592	-103.50499
11,289.00	90.64	2.11	10,129.04	1,693.74	-498.30	487,022.69	797,181.92	32.33618	-103.50498
11,384.00	90.86	2.19	10,127.80	1,788.66	-494.73	487,117.61	797,185.49	32.33644	-103.50496
11,478.00	90.15	3.25	10,126.97	1,882.55	-490.27	487,211.50	797,189.95	32.33670	-103.50494



SB Directional Services

Survey Report - Geographic

Kaiser-Francis Oil Company

Company:	KAISER FRANCIS OIL CO.	Local Co-ordinate Reference:	Well BELL LAKE UNIT N. 229H
Project:	LEA COUNTY, N.M. 83	TVD Reference:	GE+23' @ 3478.00usft (CAC 170)
Site:	SEC 6-T23S-R34E	MD Reference:	GE+23' @ 3478.00usft (CAC 170)
Well:	BELL LAKE UNIT N. 229H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	HORIZONTAL	Database:	EDM 5000.15 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,573.00	89.10	2.19	10,127.59	1,977.44	-485.76	487,306.39	797,194.45	32.33696	-103.50493
11,667.00	88.57	2.02	10,129.50	2,071.35	-482.31	487,400.30	797,197.91	32.33722	-103.50491
11,762.00	88.31	2.02	10,132.09	2,166.26	-478.96	487,495.21	797,201.25	32.33748	-103.50490
11,857.00	88.35	1.49	10,134.86	2,261.17	-476.06	487,590.12	797,204.16	32.33774	-103.50489
11,952.00	91.12	3.86	10,135.29	2,356.05	-471.62	487,685.00	797,208.60	32.33800	-103.50487
12,047.00	89.89	2.90	10,134.46	2,450.88	-466.02	487,779.83	797,214.20	32.33826	-103.50485
12,142.00	91.30	4.66	10,133.47	2,545.66	-459.76	487,874.61	797,220.46	32.33852	-103.50483
12,237.00	89.14	2.55	10,133.11	2,640.46	-453.79	487,969.42	797,226.43	32.33878	-103.50481
12,332.00	86.55	359.21	10,136.68	2,735.36	-452.33	488,064.32	797,227.89	32.33904	-103.50480
12,426.00	88.04	359.56	10,141.11	2,829.25	-453.33	488,158.20	797,226.88	32.33930	-103.50480
12,521.00	87.03	357.54	10,145.20	2,924.13	-455.74	488,253.08	797,224.48	32.33956	-103.50481
12,616.00	86.81	356.39	10,150.31	3,018.85	-460.76	488,347.81	797,219.46	32.33982	-103.50482
12,711.00	86.73	356.39	10,155.66	3,113.52	-466.73	488,442.47	797,213.49	32.34008	-103.50484
12,806.00	87.52	356.13	10,160.42	3,208.19	-472.92	488,537.14	797,207.30	32.34034	-103.50486
12,901.00	88.48	356.22	10,163.74	3,302.92	-479.25	488,631.87	797,200.97	32.34060	-103.50487
12,996.00	88.97	356.31	10,165.85	3,397.70	-485.44	488,726.65	797,194.78	32.34086	-103.50489
13,091.00	89.71	355.78	10,166.95	3,492.46	-491.99	488,821.41	797,188.23	32.34112	-103.50491
13,186.00	90.24	357.10	10,166.99	3,587.28	-497.89	488,916.23	797,182.33	32.34138	-103.50493
13,280.00	89.80	357.19	10,166.96	3,681.16	-502.57	489,010.11	797,177.65	32.34164	-103.50494
13,375.00	89.89	358.59	10,167.21	3,776.09	-506.07	489,105.04	797,174.15	32.34190	-103.50495
13,470.00	90.64	357.01	10,166.77	3,871.02	-509.72	489,199.97	797,170.50	32.34216	-103.50496
13,565.00	90.29	357.27	10,166.00	3,965.90	-514.46	489,294.85	797,165.76	32.34242	-103.50497
13,660.00	90.11	357.45	10,165.67	4,060.80	-518.83	489,389.75	797,161.39	32.34268	-103.50498
13,755.00	90.33	357.45	10,165.31	4,155.70	-523.06	489,484.65	797,157.16	32.34295	-103.50499
13,850.00	90.68	357.27	10,164.47	4,250.60	-527.43	489,579.55	797,152.78	32.34321	-103.50501
13,944.00	90.81	357.01	10,163.25	4,344.47	-532.12	489,673.42	797,148.09	32.34346	-103.50502
14,039.00	90.68	356.66	10,162.01	4,439.32	-537.37	489,768.27	797,142.85	32.34373	-103.50503
14,134.00	91.60	357.62	10,160.12	4,534.18	-542.11	489,863.13	797,138.11	32.34399	-103.50505
14,229.00	91.60	359.82	10,157.47	4,629.11	-544.23	489,958.06	797,135.99	32.34425	-103.50505
14,324.00	91.65	359.47	10,154.77	4,724.07	-544.82	490,053.02	797,135.40	32.34451	-103.50505
14,419.00	91.47	359.38	10,152.19	4,819.03	-545.77	490,147.98	797,134.45	32.34477	-103.50505
14,514.00	91.25	359.12	10,149.93	4,914.00	-547.01	490,242.95	797,133.20	32.34503	-103.50505
14,609.00	91.16	358.77	10,147.94	5,008.96	-548.76	490,337.91	797,131.46	32.34529	-103.50506
14,703.00	90.55	358.33	10,146.53	5,102.92	-551.14	490,431.87	797,129.08	32.34555	-103.50506
14,798.00	90.20	357.98	10,145.91	5,197.87	-554.20	490,526.82	797,126.02	32.34581	-103.50507
14,893.00	90.51	358.50	10,145.32	5,292.82	-557.12	490,621.77	797,123.10	32.34607	-103.50508
14,988.00	91.21	359.21	10,143.90	5,387.79	-559.02	490,716.74	797,121.20	32.34633	-103.50508
15,083.00	90.86	1.23	10,142.18	5,482.77	-558.65	490,811.72	797,121.57	32.34659	-103.50508
15,178.00	91.34	1.49	10,140.36	5,577.72	-556.40	490,906.67	797,123.82	32.34685	-103.50507
15,273.00	90.02	2.11	10,139.23	5,672.67	-553.41	491,001.62	797,126.81	32.34712	-103.50505
15,368.00	90.46	2.28	10,138.83	5,767.60	-549.77	491,096.55	797,130.44	32.34738	-103.50504
15,462.00	88.92	2.90	10,139.34	5,861.50	-545.53	491,190.45	797,134.69	32.34763	-103.50502
15,557.00	89.14	2.55	10,140.95	5,956.37	-541.01	491,285.33	797,139.21	32.34790	-103.50501
15,652.00	89.01	2.55	10,142.48	6,051.27	-536.78	491,380.22	797,143.43	32.34816	-103.50499
15,747.00	88.35	1.67	10,144.67	6,146.18	-533.29	491,475.13	797,146.93	32.34842	-103.50498
15,842.00	88.88	2.19	10,146.97	6,241.09	-530.09	491,570.05	797,150.13	32.34868	-103.50496
15,937.00	89.32	2.11	10,148.46	6,336.02	-526.53	491,664.97	797,153.69	32.34894	-103.50495
16,032.00	89.01	1.76	10,149.84	6,430.95	-523.32	491,759.90	797,156.90	32.34920	-103.50494
16,127.00	88.84	1.67	10,151.62	6,525.89	-520.48	491,854.84	797,159.74	32.34946	-103.50493
16,221.00	88.84	1.67	10,153.53	6,619.83	-517.74	491,948.78	797,162.48	32.34972	-103.50491
16,316.00	88.70	1.49	10,155.57	6,714.77	-515.12	492,043.73	797,165.10	32.34998	-103.50490
16,411.00	88.53	0.96	10,157.86	6,809.72	-513.09	492,138.68	797,167.13	32.35024	-103.50490
16,506.00	89.32	1.05	10,159.65	6,904.69	-511.42	492,233.64	797,168.80	32.35050	-103.50489
16,601.00	89.71	0.96	10,160.45	6,999.67	-509.76	492,328.63	797,170.46	32.35076	-103.50488
16,696.00	91.60	0.17	10,159.36	7,094.66	-508.82	492,423.61	797,171.40	32.35102	-103.50487



SB Directional Services

Survey Report - Geographic

Kaiser-Francis Oil Company

Company:	KAISER FRANCIS OIL CO.	Local Co-ordinate Reference:	Well BELL LAKE UNIT N. 229H
Project:	LEA COUNTY, N.M. 83	TVD Reference:	GE+23' @ 3478.00usft (CAC 170)
Site:	SEC 6-T23S-R34E	MD Reference:	GE+23' @ 3478.00usft (CAC 170)
Well:	BELL LAKE UNIT N. 229H	North Reference:	Grid
Wellbore:	HORIZONTAL	Survey Calculation Method:	Minimum Curvature
Design:	HORIZONTAL	Database:	EDM 5000.15 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,791.00	92.31	0.35	10,156.12	7,189.60	-508.39	492,518.55	797,171.83	32.35128	-103.50487
16,886.00	91.12	358.59	10,153.28	7,284.55	-509.27	492,613.50	797,170.95	32.35155	-103.50487
16,981.00	90.81	358.06	10,151.68	7,379.50	-512.04	492,708.45	797,168.18	32.35181	-103.50488
17,076.00	92.09	357.71	10,149.28	7,474.40	-515.55	492,803.35	797,164.67	32.35207	-103.50489
17,170.00	91.56	358.33	10,146.28	7,568.29	-518.79	492,897.24	797,161.42	32.35233	-103.50489
17,265.00	91.65	359.29	10,143.62	7,663.23	-520.77	492,992.19	797,159.45	32.35259	-103.50490
17,360.00	90.37	358.77	10,141.95	7,758.20	-522.37	493,087.15	797,157.84	32.35285	-103.50490
17,455.00	90.59	358.50	10,141.15	7,853.17	-524.64	493,182.12	797,155.58	32.35311	-103.50491
17,550.00	90.68	358.77	10,140.10	7,948.14	-526.90	493,277.09	797,153.32	32.35337	-103.50491
17,645.00	90.99	358.92	10,138.71	8,043.11	-528.81	493,372.06	797,151.40	32.35363	-103.50492
17,740.00	91.87	358.59	10,136.34	8,138.06	-530.88	493,467.01	797,149.34	32.35389	-103.50492
17,834.00	92.09	358.33	10,133.10	8,231.97	-533.40	493,560.92	797,146.82	32.35415	-103.50493
17,929.00	92.62	357.71	10,129.19	8,326.83	-536.68	493,655.78	797,143.54	32.35441	-103.50493
18,024.00	92.57	357.62	10,124.89	8,421.65	-540.55	493,750.60	797,139.67	32.35467	-103.50494
18,119.00	93.36	357.19	10,119.98	8,516.43	-544.84	493,845.38	797,135.37	32.35493	-103.50496
18,195.00	93.36	357.19	10,115.52	8,592.21	-548.56	493,921.16	797,131.65	32.35514	-103.50497

Well Name: BELL LAKE UNIT NORTH	Well Location: T23S / R34E / SEC 6 / NESE / 32.3318253 / -103.5032206	County or Parish/State: LEA / NM
Well Number: 229H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0000587, NMNM0587	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM068292X, NMNM68292X
US Well Number: 3002547846	Well Status: Drilling Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 05/11/2021	Time Sundry Submitted: 02:36
Date Operation Actually Began: 02/28/2021	

Actual Procedure: 2/21: Pressure test csg to 9,800#. Test annulus to 500#. TCP Stage 1: 17,675'-17,797' W/ 5, 3 1/8" guns. BD perfs @ 6,021# w/2% KCl and biocides. Establish injection into perfs: 5 BPM @ 5,642# for 30 bbls. SD and isolate well. ISIP 5,293#, 5 min 3,225#, 10 min 3,210#, 15 min 3,102#. 2/21: Stage-Frac lateral 10,466'-17,797' O/A in 43 stages w/ 75,780 gals 15% HCl, 403,575 bbls SW and 31,672 bbls HVFR carrying 326,948# 100M and 17,911,446# 30/50 white. 4/21: Drilled out all plugs w/4.625" roller cone bit. SICP: 1,700#. TLTR: 442,566 bbls.

SR Attachments

Actual Procedure

BLUN_229_WBD_20210511143620.pdf

Well Name: BELL LAKE UNIT NORTH	Well Location: T23S / R34E / SEC 6 / NESE / 32.3318253 / -103.5032206	County or Parish/State: LEA / NM
Well Number: 229H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0000587, NMNM0587	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM068292X, NMNM68292X
US Well Number: 3002547846	Well Status: Drilling Well	Operator: KAISER FRANCIS OIL COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: ERIC HANSEN	Signed on: MAY 11, 2021 02:36 PM
Name: KAISER FRANCIS OIL COMPANY	
Title: Drilling Engineer	
Street Address: 6733 S. Yale Ave.	
City: Tulsa	State: OK
Phone: (918) 491-4339	
Email address: EricH@kfoc.net	

Field Representative

Representative Name: Jeremy Parent		
Street Address: 88 Shell Road		
City: Jal	State: NM	Zip: 88252
Phone: (580)504-2593		
Email address: JeremyP@kfoc.net		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/14/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Bell Lake Unit North		
								6. Well Number: 229H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator Kaiser-Francis Oil Company						9. OGRID 12361				
10. Address of Operator P.O. Box 21468 Tulsa, OK 74121-1468						11. Pool name or Wildcat Ojo Chiso; Bone Spring, SW				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	I	6	23S	34E		1866	South	831	East	Lea
BH:	B	31	22S	34E		103	North	1322	East	Lea
13. Date Spudded 11/27/20	14. Date T.D. Reached 12/8/20		15. Date Rig Released 12/9/20			16. Date Completed (Ready to Produce) 4/12/21		17. Elevations (DF and RKB, RT, GR, etc.)		
18. Total Measured Depth of Well 18195 MD/ 10115 TVD			19. Plug Back Measured Depth 18093 MD/10120 TVD			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10466-17797							Bone Spring			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		1210'		17-1/2"		1330 SX		
9-5/8"		40		4930'		12-1/4"		1250 SX		
5-1/2"		20		18170'		8-1/2"		3100 SX		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 10466-17797 .42 1806						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10466-		18,238,394# sd +		
						17797		437,051 bbls fluid		
28. PRODUCTION										
Date First Production 6/26/21		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>)				
Date of Test 7/4/21	Hours Tested 24	Choke Size 24/64	Prod'n For Test Period	Oil - Bbl 564	Gas - MCF 1087	Water - Bbl. 1217	Gas - Oil Ratio 1927			
Flow Tubing Press. N/A	Casing Pressure 1945	Calculated 24-Hour Rate	Oil - Bbl. 564	Gas - MCF 1087	Water - Bbl. 1217	Oil Gravity - API - (<i>Corr.</i>) 43				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold							30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 As-Drilled w/HSU, C-103 Completion, Final Svy, WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____			Longitude _____			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Name Erica Miles Title Geosciences Technician Date 7/12/21 Signature _____ E-mail Address EricaM@kfoc.net										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
1101	MD		Rustler				
5070	MD		Top Delaware Group				
8478	MD		Upper Avalon				
8531	MD		1st Bone Spring Sd				
10052	MD		2nd Bone Spring Lm				
10172	MD		2nd Bone Spring Sd				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 35967

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 35967
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 35967

CONDITIONS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 35967
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/26/2021