
| eceined by Och Appropriate Bistrict 8 PM   | PM State of New Mexico                                     |                       | Form C-103 <sup>1</sup> of 4                     |  |
|--|--|-----------------------|--|--|
| <u>District I</u> – (575) 393-6161<br>1625 N. French Dr., Hobbs, NM 88240                    | Energy, Minerals and Natural Resources                     |                       | Revised July 18, 2013  WELL API NO.              |  |
| <u>District II</u> – (575) 748-1283<br>811 S. First St., Artesia, NM 88210                   | OIL CONSERVATION DIVISION                                  |                       | 30-021-20101 5. Indicate Type of Lease           |  |
| <u>District III</u> – (505) 334-6178   | 1220 South St. Francis Dr.                                 |                       | STATE FEE  |  |
| 1000 Rio Brazos Rd., Aztec, NM 87410<br>District IV – (505) 476-3460                         | Santa Fe, NM 87  | 505                   | 6. State Oil & Gas Lease No.                     |  |
| 1220 S. St. Francis Dr., Santa Fe, NM<br>87505   |  |                       |  |  |
| SUNDRY NOTICE (DO NOT USE THIS FORM FOR PROPOSA  | ES AND REPORTS ON WELLS<br>LS TO DRILL OR TO DEEPEN OR PLU |                       | 7. Lease Name or Unit Agreement Name             |  |
| DIFFERENT RESERVOIR. USE "APPLICA PROPOSALS.)  |  |                       | BRAVO DOME CARBON DIOXIDE GAS UNIT               |  |
| 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ✔   |  |                       | 8. Well Number #321                              |  |
| 2. Name of Operator OXY USA INC.   |  |                       | 9. OGRID Number<br>16696                         |  |
| 3. Address of Operator   |  |                       | 10. Pool name or Wildcat                         |  |
| PO BOX 4294, HOUSTON, 7  | ΓX 77210-4294  |                       | BRAVO DOME CARBON DIOXIDE GAS 640 (96010)        |  |
| 4. Well Location   |  |                       |  |  |
| Unit Letter F:   | feet from the NORTH  | line and 198          | feet from the WEST line                          |  |
| Section 32   |  | nge 32E               | NMPM HARDING County                              |  |
|  | 11. Elevation (Show whether DR,                            | RKB, RT, GR, etc.,    |  |  |
|  |  |                       |  |  |
| 12. Check An   | propriate Box to Indicate N                                | ature of Notice.      | Report or Other Data                             |  |
| -  | -  |                       | •  |  |
| NOTICE OF INT PERFORM REMEDIAL WORK □  |  | SUB<br>REMEDIAL WOR   | SEQUENT REPORT OF:                               |  |
|  | PLUG AND ABANDON   CHANGE PLANS  □                         | COMMENCE DRI          | <del>_</del>                                     |  |
| <del></del> -  | MULTIPLE COMPL   | CASING/CEMEN          |  |  |
| DOWNHOLE COMMINGLE   | MIGETIN EE GOIMI E   | O/ (OII VO/ OEIVIEI V |  |  |
| CLOSED-LOOP SYSTEM   |  |                       |  |  |
| OTHER:   |  | OTHER:                |  |  |
|  |  |                       | d give pertinent dates, including estimated date |  |
| proposed completion or recon   |  | . For Multiple Cor    | mpletions: Attach wellbore diagram of            |  |
| DXY USA INC. respectfully requests   | approval to plug and abandor                               | the subject well      | The proposed plan is as follows:                 |  |
| TD-2421' Perfs @ 2250'-2357'   | approval to plug and abandon                               | tile edsjeet weii.    | The proposed plan is as relieved.                |  |
| 3-5/8" 24# csg @ 707', 12-1/4" hole,   |  |                       |  |  |
| 5-1/2" 14# csg @ 2421', 7-7/8" hole,   | w/ 650sx-TOC-Surf-Circ.                                    |                       |  |  |
| POOH with tubing and prod  | equipment.   |                       |  |  |
| 2. RIH & set CIBP @ 2200'. Ta  | g & leak test. Dump bail 5sx c                             | class c cmt to 216    | 4'. WOC – Tag.                                   |  |
| 3. M&P 25sx class c cmt f/ 176   |  |                       |  |  |
| <ol> <li>M&amp;P 25sx class c cmt f/ 757</li> <li>M&amp;P 25sx class c cmt f/ 150</li> </ol> | ' to 607'. WOC. Tag.<br>' to surface. WOC. Verify cmt t    | o curface             |  |  |
| 10# MLF between plugs - Above  |  |                       |  |  |
| , ,  |  |                       |  |  |
| 01/26/109  | 71   | ,                     |  |  |
| Spud Date: 01/26/198   | Rig Release Da   | te:                   |  |  |
|  |  |                       |  |  |
| I hereby certify that the information ab   | ove is true and complete to the be                         | est of my knowledge   | e and belief.                                    |  |
| (P & T (D)   | 55011  | TODY .DV !!!          | 7/7/0004   |  |
| SIGNATURE Leslie T. Rec  | TITLE REGU   | LATORY ADVISO         | DRDATE_7/7/2021                                  |  |
| ** *   | E-mail address   | : LESLIE_REEVE        | S@OXY.COM PHONE: <u>713-497-2492</u>             |  |
| For State Use Only   |  |                       |  |  |
| APPROVED BY:   | TITLE  |                       | DATE   |  |
| Conditions of Approval (if any):   |  |                       | <del></del>                                      |  |

OXY USA Inc. - Current Bravo Dome Carbon Dioxide Gas Unit # 321 API No. 30-021-20101



OXY USA Inc. - Proposed Bravo Dome Carbon Dioxide Gas Unit # 321 API No. 30-021-20101


M&P 25sx class c cmt f/ 150' to Surface. WOC. Verify.

M&P 25sx class c cmt f/ 757' to 607' - WOC - Tag

M&P 25sx class c cmt f/ 1768'-1618' - WOC - Tag

CIBP @ 2200', tag & leak test. Dump bail 5sx class c cmt to 2164' - WOC - Tag

PBTD - 2390'



TD - 2421'

Spud 01/26/1981

12-1/4" hole @ 707' 8-5/8"24# csg @ 707 w/ 500sx-TOC-Surf-Circ.

7-7/8" hole @ 2421' 5-1/2" 14# csg @ 2421' w/ 650sx - TOC-Surf-Circ.

Perfs 2250' - 2357'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 35339

## **CONDITIONS**

| Operator:             | OGRID:                              |
|-----------------------|-------------------------------------|
| OXY USA INC           | 16696                               |
| P.O. Box 4294         | Action Number:                      |
| Houston, TX 772104294 | 35339                               |
|                       | Action Type:                        |
|                       | [C-103] NOI Plug & Abandon (C-103F) |

## CONDITIONS

| Created By | Condition  | Condition Date |
|------------|--|----------------|
| kpickford  | Notify NMOCD 24 Hours Prior to beginning operations                                    | 9/2/2021       |
| kpickford  | Plug #1 must start at 50' above top perf. @ 2187'.                                     | 9/2/2021       |
| kpickford  | Extend Plug #1 to 2148' to cover the Tubb top (@2215') and the Cimaron top (@2198').   | 9/2/2021       |
| kpickford  | Add a plug 1863'-1667' to cover the Yeso top (@ 1813') and the Glorietta top (@1717'). | 9/2/2021       |