
Received by Opp Po Apply 1921 Bistfict 33 AM Office	State of New Mexico	Form C-103 ¹ of 4
<u>District I</u> – (575) 393-6161	nergy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283		30-021-20375
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
87505		
	ND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		BRAVO DOME CO2 GAS UNIT
PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ✔		8. Well Number 321
2. Name of Operator	en _ Other V	9. OGRID Number
OXY USA INC. (16696)		16696
3. Address of Operator		10. Pool name or Wildcat
PO BOX 4294, HOUSTON, TX 7	7210-4294	BRAVO DOME CO2 GAS 640
4. Well Location	a a COUTU a 470	20
Unit Letter J : 1700	feet from the SOUTH line and 170	
Section 32	Township 19N Range 32E Elevation (Show whether DR, RKB, RT, GR, etc.	NMPM County
11. E	nevation (Snow whether DR, RKB, R1, GR, etc.))
12. Check Approx	oriate Box to Indicate Nature of Notice,	Report or Other Data
	· •	•
NOTICE OF INTENT	_	SEQUENT REPORT OF:
	G AND ABANDON REMEDIAL WOR NGE PLANS COMMENCE DRI	
	TIPLE COMPL CASING/CEMEN	
DOWNHOLE COMMINGLE	<u></u>	
CLOSED-LOOP SYSTEM	VIENOION MIT	<u>_</u>
OTTIET.	XTENSION - MIT OTHER:	d since mentioned dates in chedian action at a date
	perations. (Clearly state all pertinent details, and EE RULE 19.15.7.14 NMAC. For Multiple Con	
proposed completion or recompleti		impletions. Attach wendore diagram of
TD -2270' PBTD-2249' PERFS-2	160'-2210'	
15 2270 1515 2210 12111 62	100 2210	
OXY USA Inc. respectfully request	ts a five-year Temporarily Abandon	Status Exemption from the current
TA expiration date of 12/02/2020.	, , ,	
1. Set retrievable bridge plug ~50'		
2. Notify NMOCD of casing integrit	·	
,	th treated water, pressure test casin	ng to 500psi for 30 minutes.
• •		
THIS IS A MONITOR WELL		
0/04/0007		
Spud Date: 8/24/2007	Rig Release Date:	
T1 1 20 4 4 5 6 4 1		11.11.6
I hereby certify that the information above i	s true and complete to the best of my knowledg	e and belief.
Leslie T. 9	Regard	
SIGNATURE	TITLE REGULATORY ADVISO	OR DATE 9/1/2021
Towns on maint and I EQLIE DEEL/EQ	E 1 - 11 LEGUE DEEVE	S@OYV COM DUONE 712 407 2402
Type or print name LESLIE REEVES For State Use Only	E-mail address: LESLIE_REEVE	S@OXY.COM PHONE: 713-497-2492
Monica Kush	lling	
AFFROVED DI	TITLE Deputy Oil and Gas I	nspector DATE 9/9/2021
Conditions of Approval (if any):		

OXY USA Inc. - Current Bravo Dome Carbon Dioxide Gas Unit # 321 API No. 30-021-20375



Bravo Dome Carbon Dioxide Gas Unit # 321

OXY USA Inc. - Proposed API No. 30-021-20375

Spud 08/24/2007

12-1/4" hole @ 715' 8-5/8"24# csg @ 706' w/ 400sx-TOC-Surf-Circ.

7-7/8" hole @ 2270' 5-1/2" 15.5# csg @ 2260' w/ 550sx - TOC-Surf-Circ.

Set RBP @ ~2110'

PBTD - 2249'

Perfs 2160' - 2210'

TD - 2270'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 43534

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	43534
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created	Condition	Condition
Ву		Date
mkuehling	NMOCD witness required on all testing. Northwest bradenhead test required prior to MIT - performed day of MIT - all valves need to be dug out and plumbed to surface - do not bury till after	9/9/2021
	testing - chart recorder with 1000 lb spring - 1 hour clock - chart should match spring and clock	