
ecestle fill by Copy to Appropriate District 3 AM	State of New Mexico	Form C-103 ¹ 6
Office District I – (575) 393-6161 Enc	ergy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210	IL CONSERVATION DIVISION	30-021-20483
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease STATE ✓ FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	,	o. State on & Gas Lease 110.
87505	D DEDODES ON WELLS	
SUNDRY NOTICES AND (DO NOT USE THIS FORM FOR PROPOSALS TO D	D REPORTS ON WELLS ORILLOR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FO PROPOSALS.)		Bravo Dome Carbon Dioxide Gas Unit
1. Type of Well: Oil Well Gas Wel	l 🗹 Other	8. Well Number 281
2. Name of Operator		9. OGRID Number
OXY USA Inc. 3. Address of Operator		16696 10. Pool name or Wildcat
1		Bravo Dome Carbon Dioxide Gas Unit 640
P.O. Box 4294, Houston, TX 77210 4. Well Location		Bravo Borne Carbon Bloxide Gas Offit 040
Unit Letter G: 1700	feet from the North line and 17	700 fact from the East line
Section 28	Township 19N Range 30E vation (Show whether DR, RKB, RT, GR, etc.	<i>y</i>
4448'	vation (Snow whether DR, RKB, R1, GR, etc.	:.)
7770		
12 Check Appropr	iate Box to Indicate Nature of Notice	Report or Other Data
12. Check Appropri	nate Box to indicate i vature of i volice,	, Report of Other Data
NOTICE OF INTENTION		BSEQUENT REPORT OF:
	AND ABANDON 🔲 REMEDIAL WOF	
	_	RILLING OPNS. P AND A
	PLE COMPL CASING/CEMEN	NT JOB \square
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM OTHER:	□ OTHER:	П
		nd give pertinent dates, including estimated date
	E RULE 19.15.7.14 NMAC. For Multiple Co	
proposed completion or recompletion		
OXY USA INC respectfully reques	ts a five year Temporarily Abandon Statu	us Extension from the current
TA expiration date of 9/30/2020	. Plan forward is as follows:	
 Set retrievable bridge plug ~5 	0' above top perf	
2. Notify NMOCD of casing integ	grity test 24hours in advance to witness	test
3. RU pump truck, circulate well	with treated water, pressure test casing	g to 500 psi for 30 min
	-	•
Please note this is a monitor v	vell	
Spud Date:	Rig Release Date:	
I hereby certify that the information above is t	true and complete to the best of my knowled	ge and belief.
SIGNATURE Roni Mathew	THE E Populatory Analyst Cr	DAME 9/22/2021
SIGNATURE Koni Mathew	TITLE Regulatory Analyst Sr.	DATE <u>8/23/2021</u>
Type or print name Roni Mathew	E-mail address: roni_mathew@	@oxy.com PHONE: 713-215-7827
For State Use Only	D man address. 10.11_manowe	111011L. 1.10 1.021
APPROVED BY: Monica Kuehli	1.	
APPROVED BY:	TITLE Deputy Oil and Gas	s Inspector DATE 9/9/2021
Conditions of Approval (if any):	TITLE Deputy Oil and Ga	DAIL 6/6/2021

Roni Mathew 8/23/2021

Current Wellbore

Bravo Dome CDGU #281

30-021-20483-0000 Harding




Released to Imaging: 9/9/2021 10:59:33 AM

Roni Mathew 8/23/2021

Proposed Wellbore


Bravo Dome CDGU #281

30-021-20483-0000 Harding



Prod Zone 1960 ft 2010 ft

String 2 OD 5.5 in TD 2137 ft TOC 11 ft PBTD 2126 ft



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 46032

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	46032
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created	Condition	Condition
Ву		Date
mkuehli	NMOCD witness required on all testing. Northwest bradenhead test required prior to MIT - performed day of MIT - all valves need to be dug out and plumbed to surface - do not bury till after	9/9/2021
	testing - chart recorder with 1000 lb spring - 1 hour clock - chart should match spring and clock.	ļ