
(DO NOT USE THIS FORM FOR PROPOSITION OF THE PROPOS	Energy, Minerals a OIL CONSERV. 1220 South Santa Fe, CES AND REPORTS ON SALS TO DRILL OR TO DEEPE	ATION St. Fran NM 87 WELLS EN OR PLU (C-101) FO	DIVISION acis Dr. 2505	 State On the state of the state	30-02 e Type of I ATE Sil & Gas I Name or U A C WOO umber 21 name or W	FEE
4. Well Location	/0; MIDLAND, TEXA	5 /9/10		JALMA		AILS-7 KVKS (GAS)
Unit Letter J : 198						
Section 33	Township 24S	Range	37E	NMPM	LEA	County
	11. Elevation (Show whe	3,219°)		
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM 13. Describe proposed or complete of starting any proposed wo proposed completion or recomplete of the complete of the	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL OTHER: leted operations. (Clearly ork). SEE RULE 19.15.7.1 ompletion. D 1/3/2021 lbg. RU WL truck, RIH w lagged cmt @ 2648'-2800 s C cmt. WOC 4 hrs, tag i mt to surface. RD and rel ce reclamation to follow.	state all p 4 NMAC ". Test to plug @ 1 leased all **	SUBSTREMEDIAL WORLD COMMENCE DRILL CASING/CEMENT OTHER: Description of the control of the contro	SEQUEN K LLING OPNS T JOB I give pertine npletions: A RU cement and perf 4 L and perf 4	ent dates, attach well	AND A AND A PNR including estimated date lbore diagram of ed 25 sks Class C cmt 200'. RU cementers,
I hereby certify that the information	above is true and complete	to the be	est of my knowledge	e and belief.		
SIGNATURE LINDSAY L						
Type or print name LINDSAY I For State Use Only APPROVED BY: Conditions of Approval (if any) Released to Imaging: 9/10/2021 10:49	Forther TITLE					9/3/21

Page 1

Wellbore Schematic (From Surface to TD) Printed: 3/23/2021



Well ID: 1010	API # 30-02	25-11332	
1980' FSL & 1980' FEL	GL Elev: 3,219.00	KOP:	
Section 33, Township 24S, Range 37E		EOC:	
County, State: Lea, NM		Fill Depth:	
Aux ID:		PBTD:	
'KB' correction: ; All Depths Corr To:		TD:	3,520.00
		BOP:	

Hole Size

Diameter	Top At	Btm At	Date Drilled
12.2500	0.00	308.00	12/26/1938
8.7500	308.00	3,520.00	1/18/1939

Surface Casing						Date Ran:	12/26/1938
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		9.6250	29.30		308.00	0.00	308.00

Production Casing String 1 Date R							1/18/1939
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing		7.0000	23.00		3,336.00	0.00	3,336.00

Cement

Top At	Btm At	I D	O D	TOC Per	# - Type	# Sx	Class	Wt.
0.00	308.00	9.625	12.250	Circ	10 - Lead	200	El Tore	
Lead: Portland								
2,086.00	3,336.00	7.000	8.750	Calc	20 - Lead	400	Trinity	
Lead: Common								

Zone and Perfs

Tan-Yates-7 Rvrs

Comments / Completion Summary

2850'-3125': Centralfracd w/ 8000 gals.

Perforations

	Тор	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl#
	2,850.00 3,125.00 Jalmat;Tan-Yates-		Α	2/23/1955				
ľ			7Rvrs					


Wellbore Plugs and Junk

Тор	Bottom	Туре	Diameter	Solid	Date
0.00	354.00	Cement	9.625	Yes	
Surf Cmt Plu	ug				
1,945.00	2,200.00	Cement	7.000	Yes	
Cmt Plug					
2,648.00	2,800.00	CIBP	7.000	Yes	
CIBP w/ 25	sks cmt				
3,265.00	3,269.00	Packer	7.000	Yes	2/23/1955
Existing Pag	cker				

Wellbore Schematic (From Surface to TD)

Printed: 3/23/2021

Page 1



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 27732

CONDITIONS

O	perator:	OGRID:
	SOUTHWEST ROYALTIES INC	21355
	P O BOX 53570	Action Number:
	Midland, TX 79710	27732
		Action Type:
		[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	9/3/2021