

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: YUKON 20 FED COM Well Location: T24S / R34E / SEC 20 / County or Parish/State: LEA /

NWNE / 32.2089591 / -103.4910095

Well Number: 306H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM17241 Unit or CA Name: Unit or CA Number:

US Well Number: 300254697200X1 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Notification Type of Action: Well Spud

Date Sundry Submitted: 02/25/2021 **Time Sundry Submitted:** 12:33:08 PM

Date Operation Will Begin: 02/17/2021 Time Operation Will Begin: 11:00:00 AM

APD Approved Date: 03/06/2020

US Well Number 3002546972

Field Contact Name: E DEL VALLE Field Contact Number: (432) 636-3600

Rig Name: Rig Number: HP246

Spud Type: Conductor Hole, Rathole and/or Mousehole

Procedure Description: 2-18-2021 20" Conductor @ 117'

Disposition: Accepted

Accepted Date: 05/26/2021



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: YUKON 20 FED COM Well Location: T24S / R34E / SEC 20 / County or Parish/State: LEA /

NWNE / 32.2089591 / -103.4910095

Well Number: 306H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM17241 Unit or CA Name: Unit or CA Number:

US Well Number: 300254697200X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Mar 1, 2021 Time Sundry Submitted: 3:06:39 PM

Date Operation will begin: Feb 22, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: E Del Valle Field Contact Number: 4326363600

Rig Name: Rig Number: HP246

Well Casing Table:

0 71					Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	О	3536	1140	1140	2396

Procedure Description: 2-23-2021 16" HOLE

2-23-2021 Surface Hole @ 1,312' MD, 1,312' TVD

Casing shoe @ 1,307' MD Ran 13-3/8" 54.5# J-55 STC

 $Lead\ Cement\ w/\ 865\ sx\ Class\ C\ (1.79\ yld,\ 13.5\ ppg),\ tTail\ w/\ 205\ sx\ Class\ C\ (1.35\ yld,\ 14.8\ ppg)$

ppg)

Test casing to 1,500 psi for 30 min -OK. Circ 819 sx cement to surf Resume drilling

Disposition: Accepted

Accepted Date: 05/26/2021



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: YUKON 20 FED COM Well Location: T24S / R34E / SEC 20 / County or Parish/State: LEA /

NWNE / 32.2089591 / -103.4910095

Well Number: 306H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM17241 Unit or CA Name: Unit or CA Number:

US Well Number: 300254697200X1 **Well Status:** Approved Application for **Operator:** EOG RESOURCES

Permit to Drill INCORPORATED

Notification

Type of Submission: Notification Type of Action: Casing and Cementing

Date Sundry Submitted: Mar 9, 2021 **Time Sundry Submitted:** 12:26:39 PM

Date Operation will begin: Mar 7, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: E DEL VALLE Field Contact Number: 4326363600

Rig Name: Rig Number:

Well Casing Table:

0 71						Bottom Setting Depth MSL
INTERMEDIATE	0	О	3491	11480	11480	-7944

Procedure Description: 3-8-2021 12 1/4 " HOLE

3-8-2021 1st Intermediate Hole @ 5,239' MD, 5,207' TVD

Casing shoe @ 5,224' MD

Ran 9-5/8", 40#, J-55 LTC (0' - 3,704')

Ran 9-5/8", 40#, HCK-55 LTC (3,704' - 5,224')

Cement w/ 1,150 sx Class C (2.18 yld, 12.7 ppg), TOC @ 0' by Visual, followed by 315 sx

Class C (1.39 yld, 14.8 ppg)

Test casing to 1,500 psi for 30 min - OK. Circ 366 sx cement to surface. TOC @ 3,592' by Calc

,Resume drilling 8 1/2" hole



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: YUKON 20 FED COM Well Location: T24S / R34E / SEC 20 / County or Parish/State: LEA /

NWNE / 32.2089591 / -103.4910095

Well Number: 306H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM17241 Unit or CA Name: Unit or CA Number:

US Well Number: 300254697200X1 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Mar 23, 2021 Time Sundry Submitted: 8:37:27 AM

Date Operation will begin: Mar 19, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: E DEL VALLE Field Contact Number: 4326363600

Rig Name: Rig Number: HP246

Well Casing Table:

String Type						Bottom Setting Depth MSL
PRODUCTION	0	0	3491	10980	10980	-7444
PRODUCTION	10980	10980	-10451	11480	11480	-7944
PRODUCTION	11480	11480	-10951	22356	12129	-8593

Procedure Description: 3-20-2021 8-1/2" HOLE

3-20-2021 Production Hole @ 20,479' MD, 10,277' TVD

Casing Shoe @ 20,464' MD, 10,277' TVD

Ran 5-1/2", 20#, EY HCP-110, RDT-BTX (MJ @ 9,346' and 19,991')

Cement w/ 435 sx Class L $\,$ (3.75 yld, 10.5 ppg), TOC @ 1,493' by Calc, Trail w/ 2,315 sx Class

H (1.23 yld, 14.5 ppg).

Did not circ cement to surface, TOC @ 8,250' by Calc RR 3-21-2021

Disposition: Accepted

Accepted Date: 05/18/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 47363

CONDITIONS

(Operator:	OGRID:
	EOG RESOURCES INC	7377
	P.O. Box 2267	Action Number:
	Midland, TX 79702	47363
		Action Type:
		[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/16/2021