

<b>Well Name:</b> BETONNIE TSOSIE WASH UNIT	<b>Well Location:</b> T23N / R8W / SEC 35 / SWNW / 36.18669 / -107.657189	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 505H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b> NAVAJO NATION
<b>Lease Number:</b> NMNM50999	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM135219A
<b>US Well Number:</b> 3004538241	<b>Well Status:</b> Drilling Well	<b>Operator:</b> DJR OPERATING LLC

**Subsequent Report**

**Sundry ID:** 2633732

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 09/13/2021

**Time Sundry Submitted:** 09:59

**Date Operation Actually Began:** 09/07/2021

**Actual Procedure:** Intermediate Casing & Cement / Depths have been adjusted for 26' KB of production rig. 9/7/21: Drill 8.75 inch hole from 388 ftKB to 3572 ftKB. 9/8/21: Drill 8.75 inch hole from 3572 ftKB to 4811 ftKB. KOP 4344 MD. 9/9/21: Drill 8.75 inch hole from 4811 ftKB to 5398 ftKB. TOH. 9/10/21: RU casing crew. Run 127 jts of 7 inch 26# J55 LTC casing set from surface to 5388' MD. Float collar at 5343' MD. RU American Services cement crew. 5000 psi test on lines. Test good. Class G cement with 55 % excess on both lead and tail. Lead cement: 155 bbls (377 sx) 12.3 ppg, 2.32 yield, 13.2 gps. Tail cement: 61 bbls (230 sx) 13.5 ppg, 1.49 yield, 7.23 gps. Bump plug 2105 psi, pressure up to 2595 psi and hold for 5 min. 15 bbls good cement back to surface. TOC: surface BOC: 5398' No regulatory agencies on site to witness. RD cementers. Install 7 inch casing packoff. Secure and test to 5000 psi. Test good. ND BOPE. Rig paused.

**Well Name:** BETONNIE TSOSIE WASH UNIT

**Well Location:** T23N / R8W / SEC 35 / SWNW / 36.18669 / -107.657189

**County or Parish/State:** SAN JUAN / NM

**Well Number:** 505H

**Type of Well:** OIL WELL

**Allottee or Tribe Name:** NAVAJO NATION

**Lease Number:** NMNM50999

**Unit or CA Name:**

**Unit or CA Number:** NMNM135219A

**US Well Number:** 3004538241

**Well Status:** Drilling Well

**Operator:** DJR OPERATING LLC

**Operator Certification**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.*

**Operator Electronic Signature:** SHAW-MARIE FORD

**Signed on:** SEP 13, 2021 09:59 AM

**Name:** DJR OPERATING LLC

**Title:** Regulatory Specialist

**Street Address:** 1 Road 3263

**City:** Aztec

**State:** NM

**Phone:** (505) 632-3476

**Email address:** sford@djrlc.com

**Field Representative**

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 47978

**CONDITIONS**

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 47978
	Action Type: [C-103] Sub. Drilling (C-103N)

**CONDITIONS**

Created By	Condition	Condition Date
ksimmons	None	9/16/2021