U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reage 1 of 18
05/24/2021

Well Name: LUCKY WOLF 31 FED Well Location: T16S / R28E / SEC 31 / County or Parish/State: EDDY /

SENE /

Well Number: 2H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM12110 Unit or CA Name: LUCKY WOLF 31 Unit or CA Number:

FED COM 2H NMNM127326

US Well Number: 300153744800S1 **Well Status:** Oil Well Shut In **Operator:** EOG RESOURCES

INCORPORATED

Accepted for record – NMOCD gc 6/02/2021

Notice of Intent

Type of Submission: Notice of Intent

Type of Action Plug and Abandonment

Date Sundry Submitted: 05/21/2021 Time Sundry Submitted: 09:38

Date proposed operation will begin: 06/01/2021

Procedure Description: Please see attached. Thank you.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Lucky_Wolf_31_Federal_Com_2H_5_21_21_20210521093833.pdf

Conditions of Approval

Specialist Review

Lucky_Wolf_31_Fed_Com_2H_Sundry_ID_2388405_P_A_20210522172306.pdf

Page 1 of 2

Received by OCD: 9/13/2021 86176210AM1 Well Name: LUCKY WOLF 31 FED

COM

Well Number: 2H

Well Location: T16S / R28E / SEC 31 / SENE /

Type of Well: OIL WELL

County or Parish/State: Page 2 of

Allottee or Tribe Name:

Lease Number: NMNM12110

Unit or CA Name: LUCKY WOLF 31

FED COM 2H

Unit or CA Number:

NMNM127326

US Well Number: 300153744800S1

Well Status: Oil Well Shut In

Operator: EOG RESOURCES

INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA Signed on: MAY 21, 2021 09:38 AM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

State: NM City: Artesia

Phone: (575) 748-4168

Email address: tina_huerta@eogresources.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: LONG VO

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: lvo@blm.gov

Disposition: Approved

Signature: Long Vo

Disposition Date: 05/22/2021

Page 2 of 2


HT: 3001537448

High Care EOG Resources, Inc. plans to plug and abandon this well as follows:

- 1. MIRU all safety equipment as needed. NU BOP. POOH with production equipment.
- 2. Set a CIBP at 5960 ft with 15 sx Class C cement on top to 5852 ft. WOC and tag. This will cover leak test Wolfcamp perfs.
- 3. Perforate at 5826 ft. Spot a 25 sx Class C cement plug from 5826 ft 5652 ft. WOC and tag. This will cover casing shoe.
- 4. Perforate at 5580 ft. Spot a 30 sx Class C cement plug from 5580 ft 5395 ft. WOC and tag. This will cover top of liner.
- 5. Spot a 28 sx Class C cement plug from 5295 ft 5125 ft. This will cover Abo top. wocktown
- Spot a 25 sx Class C cement plug from 4535 ft 4383 ft. This will cover Tubb top.
- 7. Spot a 25 sx Class C cement plug from 3250 ft 3098 ft. This will cover Glorieta top. wo C
- 8. Spot a 25 sx Class C cement plug from 1840 ft 1688 ft. This will cover San Andres top.
- 9. Spot a 25 sx Class C cement plug from 1035 ft 883 ft. This will cover Queen top.
- 10. Perforate at 560 ft. Spot a 25 sx class C cement plug from 560 ft 408 ft. WOC and tag. This will cover Seven Rivers top and casing shoe. Verify @ surface
- 11. Spot a 25 sx Class C cement plug from 305 ft 153 ft. This will cover Yates top.
- 12. Spot a 25 sx Class C cement plug from 50 ft up to surface. WOC and tag. Back fill as needed.
- 13. Cut off wellhead and install dry hole marker. Clean location as per regulated.

Wellbore schematics attached

Page 100 Page 100	3		Surface Plug			1001AGES: 1840 FNL & 330 FEL	10401	& 220 rep		KB.	GL: 3527 KB:			
C S 100					011000	200								
C					#	OLE SIZE	SIZE	THUM	90490	-	-	10000	O Design	
FORMATION TOPS	g 10: Yates Top					17 1/2	13 3/8	48	H-40	+	-	146	Surface	Ciro Meniod
C 6 1/6 4 1/2 11/5 P-11/0					m	8 3/4	7	26	P-110	0	5.776	300	Surface	2 2
FORMATION TOPS FORMATION TOPS	3 9: Seven Rivers Top +				O	6 1/8	4 1/2	11.6	P-110	5580	10,762	N/A	Packers	200
FORMATION TOPS Formation Top	ing Shoe													
FORMATION TOPS Formation Top													na de la companya del companya de la companya del companya de la c	
Committee Comm	8: Oueen Top				TANGO	OCCT NO								
Notice Second Rivers Second Rivers Second Articles Secon					TOKINA TOKINA	ION IOPS		entere proposed processing the section of the section of	-		unplication desirable desi	and the second s	And the second s	
Notice Seven Rivers A	1						tion	Top			Formation		dc	
Colored Colo	r. san Andres Top						Yates	255	1.5					
A Worksamp 6.695 1700 Bottom 1		- Contraction					Seven Rivers	470						
Contract							Queen	985						
Clother Clot	6: Glorieta Top					and the second s	Sand Andres	1790						
Tubb Abo Shale S245 Abo Shale Abo Shale S245 Abo Shale S245 Abo Shale S245 Abo Shale Abo Shal							Glorieta	3200						
Noticemp S245 NOTES - Horizontal Well Noticemp G455	5: Tubb Top						Tubb	4485						
Norticamp Worlicamp G495				7.5%			Abo Shale	5245			was entered from the formation of the first			
TOL: 5568 NOTES - Horizontal Well	4: Abo Shale Top					Advancement and adjustments agreemed by the seasons.	Wolfcamp	6455						
TOL: 5580 NOTES - Horizontal Well KOP: 5958 MD Perforation Detail Perfora											securities de la company de la			
TOU: 5580' NOTES - Horizontal Well											There's income in a continue of a property			
Noticemp	3: TOL	atili		TOL: 5580'	NOTES - 1	Horizontal We	=					- Company and the Company of the Com	and the second s	
Perforation Detail Perforation Detail Perforation Detail Perforation Detail Top Bottom Top T					KOP: 5958	3. MD								- Andrews - Andr
Perforation Detail Perforation Detail Perforation Detail Formation Top Bottom Top	2: Casing Shoe	1		/	44 deg: 63	138,	90 deg landing	1: 6853'						
Compared by History Colors Compared by History Colors					Parted Ca.	sing @ 6618"								
Comparison Detail Perforation Detail Perforat														
A Wolfcamp 6,895 10,717 Plugs Plugs					Perforatio	n Detail	-							
Plugs Pl	1: 4.5" CIBP + Wolfcan	p Perfs		KOP: 5958'	Ĭ.	ormation	-			Treatmen	ı,			
Plugs # SX Class Top Bottom 1 15 C 5852 5860 2 2 25 C 5862 5860 3 30 C 5396 5826 4 28 C 5126 5296 5 25 C 1688 1840 6 25 C 1688 1840 7 25 C 1688 1840 6 25 C 6 65 650 7 25 C 6 65 650 7 25 C 75 650 7 25 C 75 650 7 25 C 75 650 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			8.		A	olfcamp,	969'9	10,717		Frac w/ 1	853 bbls 20	1% acid, 468	3106 lbs 30/50 sai	Jd.
Plugs			1)			Personal delia del personal del				1436826	lbs 20/40 s	and, 56600	bbls load.	
SX Class Top Bottom		Transport of the Control of the Cont	31	Marie Marie Value						The second secon				
1 15 C 5852 5860 108		X	}	H	Plugs				-	-				- Annual Control of the Control of t
1 15 C 5652 5660 108 2 28.50 C 5652 5860 108 3 3 30 C 5652 5826 174 4 28 C 5125 5286 185 5 25 C 4383 4535 182 7 25 C 1688 1840 152 14 9 0 0 50 50			-10		t ·	SX	Class	Top	Bottom	7	lotes	**************************************	The second secon	Tag
2 28.70 C 5662 5626 174 3 30 C 5395 5880 188 4 28 C 5125 5286 170 5 25 C 4383 4535 152 7 25 C 1688 1840 152 14 2 25 C 1688 1640 152 14 2 2 25 C 1688 1640 152 14 2 2 2 C 1688 1640 152 14 2 2 C 1688 1640 152 14 2 2 C 1688 1640 152 14 2 2 C 1688 1640 152 15 25 C 1688 1640 152 15 25 C 1688 1640 152 16 25 C 1688 1640 152 17 25 C 1688 1640 152 17 25 C 1688 1640 152 17 25 C 1650 152 1				-		15		5852	5960		Volfcamp P	erfs		>-
3 30 C 5595 5580 185 4 28 C 5125 5295 170 5 25 C 3098 3250 152 7 25 C 1688 1840 152 14 9 6 0 50 50 5 Decorated by Himm Cartors					7	000		2002	2826	1	asing Shoe	9		>
4 28 C 5125 5295 170 5 25 C 4383 4535 152 6 25 C 1688 1840 152 7 25 C 883 1035 152 9 25 C 1688 1840 152 14 9 0 0 0 50 50		H		H	2	30	0	5395	5580	1	70	(Particularies or other property of the Proper	Veniscopialismoseabla epidescopamentale minimizere	>
5 25 C 4383 4535 152 6 25 C 3098 3250 152 7 25 C 1688 1840 152 8 25 C 383 1035 152 9 25 C 488 1035 152 14 9 0 0 0 0 50 50		-	āi	1	4	28	O	5125	5295		bo Shale T.	do		7
Second by Himm Card by Himm C			<u> </u>		5	25	O	4383	4535	1	ubb Top			7
7 25 C 1688 1840 152 8 25 C 883 1035 152 9 23,15 C 158 550 152 14 9 6 0 50 50					9	25	O	3098	3250		Norieta Top			z
100 CA		1	ii)		7	25	O	1688	1840		an Andres	Top		77
14 25 C 155 305 152 155 155 155 155 155 155 155 155 15		("	-4	1	80	25	O	883	1035		do Lueen		And the state of t	z
11 9 6 9 50 50 155					6	28.85	O	2000	560		even River	s Top + Cas	ing Shoe	>
M		demonstration of the control of the	In.		100	25	O	153	305		etes Top			z
Dronated hir Hiram C. Ext. Co.					7	0	Φ	0	20		urface Plug	1		>
		1	1	M		and the state of t								
		C	/								Vanderstätt (anders de manager) personnen (etc.)	em-removement on a que de la constante		
Drapared by: Liran C 64003))												
TIVE 6.460 TAVE TO TAV		-	i		Value propulation of the second of the secon	Prepared by	: Hiram C 5/19/.	21						



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90^{th} day provide this office, prior to the 90^{th} day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

- 6. Dry Hole Marker: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all plugged. Wellhead cut off shall commence within ten (10) calendar days of the well being justification to receive an extension for completing the cut off.

 The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The number, name of the operator, lease serial number, surveyed location (quarter-quarter section, officer such as metes and bounds).
- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well.
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
 Operations must include adequate measures for stabilization and reclamation of disturbed lands.
 Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
 process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- The approved Subsequent Report of Reclamation will be your notice that the native soils, contour
 and seedbed have been reestablished. If the BLM objectives have not been met the operator will
 be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 29207

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	29207
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/2/2021



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

COM

Sundry Print Report

Well Name: LUCKY WOLF 31 FED Well Location: T16S / R28E / SEC 31 / County or Parish/State: EDDY /

SENE /

Well Number: 2H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM12110 Unit or CA Name: LUCKY WOLF 31 Unit or CA Number:

FED COM 2H NMNM127326

US Well Number: 300153744800S1 **Well Status:** Oil Well Shut In **Operator:** EOG RESOURCES

INCORPORATED

Accepted for record – NMOCD gc 9/16/2021

Notice of Intent

Sundry ID: 2632304

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/02/2021 Time Sundry Submitted: 01:43

Date proposed operation will begin: 12/07/2021

Procedure Description: EOG Resources, Inc. requests a 90 day extension to 12/7/21 for the NOI to P&A that was submitted 5/21/21, approved 5/22/21 and expired on 8/22/21. This is due to the number of wells that we are plugging and the schedule has slid back and we have not made it to this well. Thank you.

Surface Disturbance

Is any additional surface disturbance proposed?: No

Page 1 of 2

eived by OCD: 9/13/2021 8:17:21 AM Well Name: LUCKY WOLF 31 FED

COM

Well Location: T16S / R28E / SEC 31 /

SENE /

County or Parish/State: Page 12 of

Well Number: 2H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM12110

Unit or CA Name: LUCKY WOLF 31

Well Status: Oil Well Shut In

FED COM 2H

Unit or CA Number:

NMNM127326

US Well Number: 300153744800S1

Operator: EOG RESOURCES

INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA Signed on: SEP 07, 2021 12:39 PM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

City: Artesia State: NM

Phone: (575) 748-4168

Email address: tina_huerta@eogresources.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: LONG VO

BLM POC Phone: 5752345972

Disposition: Approved

Signature: Long Vo

BLM POC Title: Petroleum Engineer

BLM POC Email Address: LVO@BLM.GOV

Disposition Date: 09/12/2021

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 47890

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	47890
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/16/2021