

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FALCON 25 FED COM Well Location: T24S / R33E / SEC 25 / County or Parish/State: LEA /

SESW / 32.1819799 / -103.5275523

Well Number: 601H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM103610 Unit or CA Name: Unit or CA Number:

US Well Number: 300254778900X1 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Sundry ID: 1338035

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Jan 25, 2021 Time Sundry Submitted: 12:51:47 PM

Date Operation will begin: Jan 4, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: C CASKEY Field Contact Number: 4326363600

Rig Name: Rig Number: HP653

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL			Bottom Setting Depth MSL
SURFACE	0	О	3531	1390	1390	2141

Procedure Description: 1-5-2021 12 1/4 HOLE

1-5-2021 Surface Hole @ 1,320' MD, 1,320' TVD

Casing shoe @ 1,305' MD Ran 9-5/8" 40# J-55 LTC

Lead Cement w/ 585 sx Class C (1.64 yld, 13.8 ppg), Trail w/90 sx Class C (1.36 yld, 14.8

ppg)

Test casing to 1,500 psi for 30 min - good . Circ 274 sx cement to surface Resume drilling 8 3/4"

hole

Disposition: Accepted

Accepted Date: 07/30/2021



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: FALCON 25 FED COM Well Location: T24S / R33E / SEC 25 / County or Parish/State: LEA /

SESW / 32.1819799 / -103.5275523

Well Number: 601H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM103610 Unit or CA Name: Unit or CA Number:

US Well Number: 300254778900X1 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Feb 26, 2021 **Time Sundry Submitted:** 7:17:33 AM

Date Operation will begin: Feb 15, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: C CASKEY Field Contact Number: 4326363600

Rig Name: Rig Number: HP653

Well Casing Table:

String Type				_	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	10980	10980	-7448	11480	11480	-7949
INTERMEDIATE	0	0	3491	11480	11480	-7949
PRODUCTION	0	0	3491	10980	10980	-7449
PRODUCTION	11480	11480	-7948	22494	12286	-8755

Procedure Description: 2-16-2021 8-3/4" hole

2-16-2021 Intermediate Hole @ 11,881' MD, 11,785' TVD

Casing shoe @ 11,876' MD

Ran 7-5/8", 29.7#, HCP-110 MO-FXL

Stage 1: Cement w/ 405 sx Class H(1.2 yld, 15.6 ppg)

Test casing to 2,600 psi for 30 min - good. Did not circ cement to surface, TOC @ 7,000' by

Calc

Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.51 yld, 14.8 ppg)

Stage 3: Top out w/ 200 sx Class C (1.37 yld, 14.8 ppg)

Lines flushed w/ 4 bbls FW, TOC @ 21' by Echometer Resume drilling

Disposition: Accepted

Accepted Date: 06/11/2021

Page 1 of 1



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: FALCON 25 FED COM Well Location: T24S / R33E / SEC 25 / County or Parish/State: LEA /

SESW / 32.1819799 / -103.5275523

Well Number: 601H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM103610 Unit or CA Name: Unit or CA Number:

US Well Number: 300254778900X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Mar 2, 2021 Time Sundry Submitted: 8:43:45 AM

Date Operation will begin: Feb 23, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: C Caskey Field Contact Number: 4326363600

Rig Name: Rig Number: HP653

Well Casing Table:

String Type				_		Bottom Setting Depth MSL
PRODUCTION	10980	10980	-7448	11480	11480	-7949
PRODUCTION	0	0	3491	10980	10980	-7449
PRODUCTION	11480	11480	-7948	22494	12286	-8755

Procedure Description: 2-24-2021 6-3/4" HOLE

2-24-2021 Production Hole @ 19,061' MD, 12,297' TVD

Casing shoe @ 19,058' MD, 12,288' TVD

Ran 5-1/2", 20#, CYP-110 DWC (MJ @ 18,18588') Cement w/ 695 sx Class H (1.19 yld, 14.5 ppg)

Test casing to 5,900 psi for 10 min - OK. Did not circ cement to surface, TOC @ 11,876' by CBL

RR 2-25-2021 Completion to follow

Disposition: Accepted

Accepted Date: 06/11/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 50673

CONDITIONS

Γ	Operator:	OGRID:
	EOG RESOURCES INC	7377
ı	P.O. Box 2267	Action Number:
	Midland, TX 79702	50673
		Action Type:
		[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/23/2021