

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30.025.04170
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1936
7. Lease Name or Unit Agreement Name North Monument G/SA Ut. (Blk 18)
8. Well Number #012
9. OGRID Number 873
10. Pool name or Wildcat Eunice Monument G/SA

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Apache Corporation

3. Address of Operator
303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705

4. Well Location
 Unit Letter L : 2310 feet from the S line and 990 feet from the W line
 Section 2 Township 20S Range 36E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	PNR <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 09/15/21 Notified OCD on MI P&A equipment.
- 09/16/21 Circ well w/MLF from 3725'-surf. Spot 25 sx class C cml from 3725'-3525'. Perf @ 2403' M&P 80 sx class C cml.
- 09/17/21** Tag TOC @ 2187'. Perf @ 1260'. M&P 80 sx class C cml. Tag @ 1045'. Perf @ 305'. Circ w/114 sx class C cml on 7" csg, 9 5/8" to surf. Tag @ surf. Cut off wellhead and remove. Install dry hole marker. P&A complete.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Agent DATE 9/20/21

Type or print name Jimmy Bagley E-mail address: sunsetwellservice@yahoo.com PHONE: 432-561-8600

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/4/21

Conditions of Approval (if any):

Authorized by Nicole Pamea Regulatory Tech for Gunn Buck - Reclamation Foreman - Apache Corp



WELL BORE INFO.

LEASE NAME	North Monument Grayburg SA Ut.
WELL #	#012
API #	30.025.04170
COUNTY	LEA, NM

DEPTH SX/CMT

FINAL P&A WB DIAGRAM

0

162

325

487

650

812

975

1137

1300

1462

1625

1787

1950

2112

2274

2437

2599

2762

2924

3087

3249

3412

3574

3737

3899

17 1/2" Hole
13" 50# @ 255'
w/ 200 sx CIRC to surf

12 1/4" Hole
9 5/8" 36# @ 1210'
w/ 500 sx CIRC to surf

TOC Cal @ 2369'

8 3/4" Hole
7" 24# @ 3773'
w/ 200 sx, TOC cal @ 2369'
Open Hole @ 3773'-3899'

PBTD @ 3824'
TD @ 3899'

Surf

114 Sx

305'

4. PUH & PERF'D @ 305' & CIRC'D 114 SX
CLASS "C" CMT TO SURF INSIDE AND OUTSIDE
7" CSG. RDMO, CUT OFF WH, INSTALL DRY
HOLE MARKER, CLEAN LOCATION, P&A
COMPLETE 9/17/2021.

SURF SHOE, WATER BOARD & SURF PLUG

1045'

80 SX

1260'

3. PUH & PERF'D @ 1260' & SQZ'D 80 SX
CLASS "C" CMT, TAGGED TOC @ 1045' INSIDE
7" CSG.

TOP OF SALT

2187'

80 SX

2403'

2. PUH & PERF'D @ 2403' & SQZ'D 80 SX
CLASS "C" CMT, TAGGED TOC @ 2187' INSIDE
7" CSG.

BASE OF SALT

3525'

25 SX

3725'

1. MIRU P&A RIG. RIH W/ TBG & VERIFIED
CIBP @ 3725', CIRC W/ MLF & SPOTTED 25 SX
CLASS "C" CMT @ 3725' INSIDE 7" CSG.

Old packer may be left in bottom of hole

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 52875

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 52875
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	10/4/2021