

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> 2. Name of Operator 3. Address of Operator 4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____ 11. Elevation (Show whether DR, RKB, RT, GR, etc.)		WELL API NO. 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/> 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name 8. Well Number 9. OGRID Number 10. Pool name or Wildcat
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- RUPU, POOH with injection equipment -RIH with CICR with 230 of FG tail pipe and set it @ ~ 4050'
- RU Cementing Truck and Cement Sqz open perfs. - POOH with cement String
- RIH with 4-3/4" rock bit and DO cement, CICR and cement to PBTD @ 4342', pressure test sqz.
- Continue DO FC, and csg shoe, deepened well to +/- 4500' (Based of the NHU unitized interval) POOH with bit
- RU WL and Perf as follow, RD WL
- 4025' – 4035', 4045' – 4060', 4320' – 4335', 4345' – 4360', 4370' – 4385' (4-jspf)
- RIH with PPI tool and acid stim new perfs with ~ 4200 gals of 15% HCL NEFE, POOH with PPI tool
- RIH with pulsation tool and acid stim open hole with additional 6000 gals of 15% HCL NEFE, POOH with pulsation
- tool -RIH with injection packer and set @ +/- 3975'. - Circulate packer fluid, Latch into packer
- Perform MIT for NMOCD. -RDPU and place the well back to service

Spud Date: \_\_\_\_\_ Rig Release Date: \_\_\_\_\_

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE April Santos TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Type or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: \_\_\_\_\_

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/4/21

Conditions of Approval: \_\_\_\_\_




# NHU 33-543

API# 30-025-34997

Footage Location: 2630 FNL & 318 FEL

Surface location: SEC. 33, T-18-S, R-38-E, UL 'H'

Injector - Active



8-5/8", 24# @ 1622'  
Cemented w/ 725 sxs  
TOC: surf. (circulated)

5-1/2" Guiberson G-6 pkr,  
XL on/off tool w/ 1.875 "F" nipple  
Set @ 4060'

## Open Perfs

4096-4102', 4132-40', 4148-58', 4166-78',  
4190-98', 4206-18', 4230-40', 4247-50',  
4254-70', 4276-80', (4 JSPF)

5-1/2", 15.5#, 8rd, LT&C, J-55 @ 4400'  
Cemented w/ 950 sx  
TOC: surf. (circulated)

PBTD @ 4342'

TD @ 4400'



# NHU 33-543

API# 30-025-34997

Footage Location: 2630 FNL & 318 FEL

Surface location: SEC. 33, T-18-S, R-38-E, UL 'H'

Injector - Active

Open Perfs

4025' – 4035', 4045' – 4060'

Sqz Perfs

4096-4102', 4132-40', 4148-58', 4166-78',  
4190-98', 4206-18', 4230-40', 4247-50',  
4254-70', 4276-80', (4 JSPF)

Open Perfs

4320' – 4335', 4345' – 4360', 4370' – 4385'

Open Hole

4400' - 4500'

8-5/8", 24# @ 1622'  
Cemented w/ 725 sxs  
TOC: surf. (circulated)

5-1/2" Guiberson G-6 pkr,  
XL on/off tool w/1.875 "F" nipple  
Set @ 3975'

5-1/2", 15.5#, 8rd, LT&C, J-55@ 4400'  
Cemented w/ 950 sx  
TOC: surf. (circulated)

TD: 4500'




# NHU 33-543

API# 30-025-34997

Footage Location: 2630 FNL & 318 FEL

Surface location: SEC. 33, T-18-S, R-38-E, UL 'H'

Injector - Active



8-5/8", 24# @ 1622'  
Cemented w/ 725 sxs  
TOC: surf. (circulated)

5-1/2" Guiberson G-6 pkr,  
XL on/off tool w/ 1.875 "F" nipple  
Set @ 4060'

## Open Perfs

4096-4102', 4132-40', 4148-58', 4166-78',  
4190-98', 4206-18', 4230-40', 4247-50',  
4254-70', 4276-80', (4 JSPF)

5-1/2", 15.5#, 8rd, LT&C, J-55 @ 4400'  
Cemented w/ 950 sx  
TOC: surf. (circulated)

PBTD @ 4342'

TD @ 4400'



# NHU 33-543

API# 30-025-34997

Footage Location: 2630 FNL & 318 FEL

Surface location: SEC. 33, T-18-S, R-38-E, UL 'H'

Injector - Active

Open Perfs

4025' – 4035', 4045' – 4060'

Sqz Perfs

4096-4102', 4132-40', 4148-58', 4166-78',  
4190-98', 4206-18', 4230-40', 4247-50',  
4254-70', 4276-80', (4 JSPF)

Open Perfs

4320' – 4335', 4345' – 4360', 4370' – 4385'

Open Hole

4400' - 4500'

8-5/8", 24# @ 1622'  
Cemented w/ 725 sxs  
TOC: surf. (circulated)

5-1/2" Guiberson G-6 pkr,  
XL on/off tool w/1.875 "F" nipple  
Set @ 3975'

5-1/2", 15.5#, 8rd, LT&C, J-55@ 4400'  
Cemented w/ 950 sx  
TOC: surf. (circulated)

TD: 4500'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 49563

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 49563
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run Post workover MIT test	10/4/2021