Submit I Copy To Appropriate District

ь		
	₹	9
		١.
	-	4
	-	
	a	7
		٦
L		
3	4	k
	N	
•	v	١,
	۰	á
	۰	è
ъ		
۹		١
×		
т	•	۹
	1	١
Þ	٠,	ı
	-	1
P	6	
		1
P	٠,	ŀ
		1
e	۰.	۱
2	_	٦
ς	3	١,
-2	•	۰
e	^	3
*		١
À	_	٠,
	3	۱
è	_	1
₹	`	a
S		٦
	_	•
c	5	۱
-	_	1
	•	•
1	-	k
ь	_	
¥	_	۰
c		١
٦		d
	-	
С		۹
٦	-	è
	•	
	Ē	ė
_	ς	k
•	9	2
_		
	•	è
	`	ş
	0	١
	2	
	F	À
۰	í.	S
	c	٠
	a	۵
	KOCOL	٦
	`	ď
	0	ŝ
	*	ď
Ē	v	d
×	4	i

Office					14 00
District I - (575) 393-6161	Energy, Minerals and Natural	Resources	WELL ADIAGO	Revised July	18, 20.
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283		1	WELL API NO.		
811 S. First St., Artesia, NM 88210	OIL CONSERVATION D	IVISION	30.025.41111 5 Indicate Type of	Flagge	
District III - (505) 334-6178	1220 South St. Franci	s Dr.	5. Indicate Type of Lease  STATE X FEE		
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> = (505) 476-3460	Santa Fe, NM 8750	)5	6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM 87505			o. dime on a dia	20000 210.	
SUNDRY NOT	CES AND REPORTS ON WELLS		7. Lease Name or l	Jnit Agreement	Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			NMGSAU (302708)		
PROPOSALS.)  1. Type of Well: Oil Well X Gas Well  Other		1	8. Well Number #01H		
Name of Operator     Apache Corporation			9. OGRID Number		
Address of Operator	<u> </u>		873 10. Pool name or W	Vildeat	
303 Veterans Airpark Lane. Ste	2000 Midland TV 70705		Eunice Monume		
4. Well Location	3000, Midiand, 1X 79705		Edinoc Monanici	III-GBIGA (2000	,
Unit Letter P :	805 feet from the S	line and	10 feet from	the E	line
Section 18	Township 198 Range		NMPM	County Lea	
	11. Elevation (Show whether DR, RI	KB, RT, GR, etc.)			
	3680' GR			SHOWING BUILDING	
	MULTIPLE COMPL C	ASING/CEMENT	JOB 🗌		PI
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM  OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pa 2. 09/13/21 Circ well w/MLF from a 3. 09/14/21 Spot 195 sx class C cm 35 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Ci	Oleted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. I completion.  AA equipment. 6706'-surf. nt @ 5706'-3282'. Spot 60 sx class C cmt @	THER: inent details, and For Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A	pletions: Attach wel		nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pc 2. 09/13/21 Circ well w/MLF from: 3. 09/14/21 Spot 195 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well head and recommendations.	leted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. I completion.  BA equipment. 6706'-surf. nt @ 5706'-3282', Spot 60 sx class C cmt @ 423', rc well w/65 sx class C cmt from 300'-surf. Terms of the state	THER: inent details, and For Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A	pletions: Attach wel		nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM  OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pc 2. 09/13/21 Circ well w/MLF from: 3. 09/14/21 Spot 195 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well head and recommendations.	leted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. I completion.  AA equipment 5706'-surf. Int @ 5706'-3282', Spot 60 sx class C cmt @ 423', Inc well w/65 sx class C cmt from 300'-surf. Temove. Install dry hole marker. P&A complete	THER: inent details, and For Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A	pletions: Attach wel		nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM  OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI P. 2. 09/13/21 Circ well w/MLF from a 3. 09/14/21 Spot 195 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well wellhead and recompletion or received to the completion of the complete system.	leted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. I completion.  AA equipment 5706'-surf. Int @ 5706'-3282', Spot 60 sx class C cmt @ 423', Inc well w/65 sx class C cmt from 300'-surf. Temove. Install dry hole marker. P&A complete	THER: inent details, and For Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A te.	pletions: Attach wel		nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM  OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI P. 2. 09/13/21 Circ well w/MLF from a 3. 09/14/21 Spot 195 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well wellhead and recompleted to the complete of the comp	letted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. I completion.  BA equipment. 5706'-surf. Int @ 5706'-3282'. Spot 60 sx class C cmt @ 423'. Inc well w/65 sx class C cmt from 300'-surf. Termove. Install dry hole marker. P&A complete Rig Release Date:	THER: inent details, and For Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A te.	pletions: Attach wel		nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM  OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pc 2. 09/13/21 Circ well w/MLF from: 3. 09/14/21 Spot 195 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well head and recompleted	leted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. I completion.  AA equipment 5706'-surf. Int @ 5706'-3282'. Spot 60 sx class C cmt @ 423'. Inc well w/65 sx class C cmt from 300'-surf. Temove. Install dry hole marker. P&A complete Rig Release Date:	THER: inent details, and for Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A de.	pletions: Attach well 2 2530' Spot equipment.	Ilbore diagram o	nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pc 2. 09/13/21 Circ well w/MLF from: 3. 09/14/21 Spot 195 sx class C cm 35 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well head and recommendation  Cut off wellhead and recommendation  pud Date:	Doleted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. It completion.  AA equipment 6706'-surf. Int @ 5706'-3282', Spot 60 sx class C cmt @ 423', It completed to the best of the completed to the	THER: inent details, and for Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A de.  Of my knowledge  Agent	pletions: Attach well 2 2530' Spot equipment.  and belief.  DAT	Ilbore diagram o	nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM  OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pc 2. 09/13/21 Circ well w/MLF from: 3. 09/14/21 Spot 195 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well head and recommendation  Cut off wellhead and recommendation  pud Date:  pud Date:    Dimmy Example   Dimmy Example	Doleted operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. It completion.  AA equipment 6706'-surf. Int @ 5706'-3282', Spot 60 sx class C cmt @ 423', It completed to the best of the completed to the	THER: inent details, and for Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A de.  Of my knowledge  Agent	pletions: Attach well 2 2530' Spot equipment.	Ilbore diagram o	nated d
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or comp of starting any proposed we proposed completion or rec  1. 09/10/21 Notified OCD on MI Pc 2. 09/13/21 Circ well w/MLF from: 3. 09/14/21 Spot 195 sx class C cm 35 sx class C cmt @ 1 4. 09/15/21 Tag TOC @ 1239". Circ well head and received the completion of the	Detected operations. (Clearly state all pertork). SEE RULE 19.15.7.14 NMAC. It completion.  AA equipment 5706'-surf. Int @ 5706'-3282', Spot 60 sx class C cmt @ 423', or cwell w/65 sx class C cmt from 300'-surf. Temove. Install dry hole marker. P&A complete to the best of the best of the state of the best	THER: inent details, and for Multiple Com 2880'-2538'. Tag @ ag @ surf. RD P&A de.  of my knowledge  Agent sunsetwellservice	and belief.  DATE  @yahoo.com PHO	E 9/16/21  NE: 432-561-86	nated d

State of New Mexico

Released to Imaging: 10/5/2021 1:56:05 PM


Form C-103

 LEASE NAME
 NMGSAU

 WELL #
 #01H

 API #
 30.025.41111

 COUNTY
 LEA, NM



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 52881

## **CONDITIONS**

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	52881
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By	Condition	Condition Date
kfortner	None	10/4/2021