

| | | |
|--------------------------------------|---|---------------------------------------|
| Well Name: NORTH ALAMITO UNIT | Well Location: T22N / R8W / SEC 1 / NESE / | County or Parish/State: |
| Well Number: 407H | Type of Well: OIL WELL | Allottee or Tribe Name: |
| Lease Number: NMNM117143 | Unit or CA Name: /1/NORTH ALAMITO UNIT | Unit or CA Number: NMNM135229A |
| US Well Number: 3004538214 | Well Status: Drilling Well | Operator: DJR OPERATING LLC |

Subsequent Report

Sundry ID: 2637157

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/04/2021

Time Sundry Submitted: 12:42

Date Operation Actually Began: 09/27/2021

Actual Procedure: Intermediate Casing & Cement / Depths have been adjusted to 25' KB of production rig 9/27/21: Drill 8.75 inch hole from 383 ftKB to 2021 ftKB. 9/28/21: Drill 8.75 inch hole from 2021 ftKB to 4295 ftKB. 9/29/21: Drill 8.75 inch hole from 4295 ftKB to 4972 ftKB. KOP 4384'. 9/30/21: Drill 8.75 inch hole from 4972 ftKB to 5459 ftKB. TOH. 10/1/21: RU casing crew. Run 131 jts of 7 inch 26# J55 LTC casing set from surface to 5449' MD. Float collar at 5404' MD. 10/2/21: RU cement crew. 5000 psi test on lines. Test good. Class G cement with 55% excess on both lead and tail. Lead cement: 155 bbls (376 sx) 12.3 ppg, 2.32 yield, 13.2 gps. Tail cement: 68 bbls (257 sx) 13.5 ppg, 1.49 yield, 7.23 gps. Bump plug 1155 psi, pressure up to 1627 psi & hold for 5 min. 27 bbls good cement to surface. TOC: surface BOC: 5449'. No regulatory agencies onsite to witness. RD cementers. Install 7 inch casing pack off. Secure & test to 5000 psi. Test good. ND BOPE. Rig paused

Well Name: NORTH ALAMITO UNIT

Well Location: T22N / R8W / SEC 1 / NESE /

County or Parish/State:

Well Number: 407H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM117143

Unit or CA Name: /1/NORTH ALAMITO UNIT

Unit or CA Number: NMNM135229A

US Well Number: 3004538214

Well Status: Drilling Well

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: OCT 04, 2021 12:42 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 53764

CONDITIONS

| | |
|---|--|
| Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410 | OGRID: 371838 |
| | Action Number: 53764 |
| | Action Type: [C-103] Sub. Drilling (C-103N) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| ksimmons | None | 10/5/2021 |