

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47290	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 328107	⁸ Property Name MAN HANDS FED COM		⁹ Well Number 135H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	34	24-S	35-E	-	13'	SOUTH	680'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	22	24-S	35-E	-	31'	NORTH	1293'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 07/17/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 1/4/2021	²² Ready Date 7/15/2021	²³ TD 22795'	²⁴ PBTD 22725'	²⁵ Perforations 12612' - 22655'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1014'	1145 SKS		
12.25"	9.625"	5300'	1603 SKS		
8.75"	7.625"	11550'	570 SKS		
6.75"	5.5"	22772'	1377 SKS		

V. Well Test Data

³¹ Date New Oil 07/17/2021	³² Gas Delivery Date 07/17/2021	³³ Test Date 8/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 3100
³⁷ Choke Size 32/64	³⁸ Oil 1997	³⁹ Water 4682	⁴⁰ Gas 2202		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION	
	Approved by: KURT SIMMONS	
	Title: NMOCD, SANTA FE	
	Approval Date: 10/06/2021	
Printed name: Bill Ramsey		
Title: Regulatory Analyst		
E-mail Address: bramsey@taprk.com		
Date: 8/12/2021	Phone: 720-238-2787	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47290	² Pool Code 98098	³ Pool Name WC-025 G-09 S243532M;WOLFBONE
⁴ Property Code 328107	⁵ Property Name MAN HANDS FED COM	⁶ Well Number 135H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3277'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	27	24-S	35-E	-	13'	SOUTH	680'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	22	24-S	35-E	-	31'	NORTH	1293'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Bill Ramsey

5/19/2021

Signature

Date

Bill Ramsey

Printed Name

bramsey@taprk.com


E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

7/25/2019

Date of Survey
Signature and Seal of Professional Surveyor



Certificate Number

SECTION 27, TOWNSHIP 24-S, RANGE 35-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

MAN HANDS FED COM
135H
PRE-COMPLETION

REVISION:

INT

DATE

DATE: 05/14/2021

FILE: C:\MAN_HANDS_FED_COM_135H

DRAWN BY: IMU

SHEET: 1 OF 1

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: TapRock Resources LLC
Well Name: Man Hands Fed Com #135H
County: Lea County
State: New Mexico
Rig Name: H&P
API: 30-025-47290

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 175' MD – 22,724' MD
Projection to Bit: 22,795' MD
Dates Performed: 01/04/2021 – 04/24/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid-DDS

Location: (Man Hands) Sec-27_T-24-S_R-35-E

Well: Man Hands Fed Com #135H

Rig: H&P 466

API or UWI: 30-025-47290

Job Number: ID-2766

State: New Mexico

Operating Company: Tap Rock Resources

County: Lea

Magnetic Declination: 5.94

Country: USA

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.181275

Longitude: -103.361722222222

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
146.00	0.31	16.49	146.00	0.38	0.11	16.49	0.39	0.38	0.21
237.00	0.53	12.71	237.00	1.03	0.27	14.99	1.06	1.02	0.24
330.00	0.75	41.62	329.99	1.90	0.77	22.15	2.05	1.89	0.41
419.00	0.18	9.10	418.99	2.47	1.18	25.55	2.74	2.46	0.68
509.00	0.62	342.65	508.99	3.08	1.06	19.00	3.26	3.07	0.52
600.00	0.88	349.50	599.98	4.23	0.79	10.51	4.31	4.23	0.30
690.00	1.01	356.54	689.97	5.71	0.61	6.12	5.74	5.70	0.19
785.00	0.62	7.52	784.96	7.05	0.63	5.09	7.08	7.05	0.44
879.00	0.66	32.31	878.95	8.01	0.98	7.00	8.07	8.00	0.30
956.00	0.70	6.12	955.94	8.86	1.27	8.17	8.95	8.84	0.40
1049.00	0.97	344.76	1048.94	10.18	1.13	6.31	10.24	10.17	0.44
1140.00	1.01	325.42	1139.92	11.58	0.47	2.31	11.59	11.58	0.37
1230.00	1.01	322.96	1229.91	12.87	-0.46	357.95	12.88	12.87	0.05
1325.00	0.75	335.27	1324.90	14.10	-1.22	355.04	14.16	14.11	0.34
1419.00	0.88	351.70	1418.89	15.38	-1.59	354.11	15.46	15.39	0.28
1513.00	0.84	336.50	1512.88	16.72	-1.97	353.30	16.84	16.74	0.25

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1607.00	0.57	337.99	1606.87	17.79	-2.42	352.27	17.95	17.81	0.29
1701.00	0.75	19.91	1700.86	18.80	-2.38	352.78	18.95	18.82	0.53
1795.00	0.66	36.61	1794.86	19.81	-1.85	354.67	19.90	19.83	0.24
1889.00	0.48	59.29	1888.85	20.45	-1.19	356.68	20.48	20.46	0.30
1983.00	0.75	28.26	1982.85	21.19	-0.56	358.49	21.20	21.20	0.45
2078.00	0.79	57.88	2077.84	22.09	0.29	0.76	22.09	22.08	0.42
2172.00	1.19	54.19	2171.82	23.00	1.63	4.06	23.06	22.99	0.43
2266.00	1.49	90.40	2265.80	23.57	3.65	8.79	23.85	23.53	0.94
2360.00	2.81	119.67	2359.73	22.42	6.87	17.04	23.45	22.35	1.78
2455.00	3.56	129.78	2454.59	19.38	11.16	29.94	22.36	19.27	0.98
2549.00	3.08	123.27	2548.43	16.12	15.51	43.90	22.38	15.97	0.65
2643.00	1.14	83.11	2642.37	14.85	18.55	51.33	23.77	14.67	2.48
2737.00	1.49	80.21	2736.34	15.17	20.69	53.75	25.65	14.97	0.38
2831.00	1.93	77.04	2830.30	15.73	23.43	56.12	28.23	15.51	0.48
2926.00	2.11	84.60	2925.24	16.26	26.73	58.70	31.29	16.00	0.34
3020.00	2.20	80.12	3019.17	16.73	30.23	61.04	34.55	16.44	0.20
3114.00	2.24	73.70	3113.10	17.55	33.77	62.54	38.06	17.23	0.27
3208.00	3.25	92.78	3207.00	17.94	38.20	64.84	42.20	17.57	1.43
3302.00	4.00	100.42	3300.81	17.22	44.09	68.67	47.33	16.79	0.95
3396.00	3.56	108.68	3394.60	15.69	50.08	72.60	52.48	15.21	0.74
3490.00	4.66	128.11	3488.37	12.40	55.84	77.48	57.20	11.86	1.87
3584.00	5.14	127.93	3582.02	7.45	62.17	83.16	62.62	6.86	0.51
3678.00	6.37	123.01	3675.55	2.02	69.86	88.34	69.89	1.35	1.41
3772.00	8.66	125.91	3768.73	-4.97	79.97	93.55	80.12	-5.74	2.47
3866.00	9.45	124.94	3861.56	-13.54	92.03	98.37	93.02	-14.42	0.86
3960.00	8.70	118.70	3954.39	-21.37	104.59	101.55	106.75	-22.38	1.32
4054.00	8.09	113.25	4047.38	-27.40	116.90	103.19	120.07	-28.52	1.07
4148.00	8.84	108.68	4140.36	-32.32	129.82	103.98	133.79	-33.57	1.07
4242.00	9.45	109.21	4233.16	-37.17	143.95	104.48	148.68	-38.55	0.66
4336.00	9.45	115.63	4325.89	-43.05	158.20	105.22	163.95	-44.57	1.12
4431.00	9.19	114.22	4419.63	-49.54	172.15	106.05	179.13	-51.19	0.36
4525.00	7.91	119.23	4512.59	-55.78	184.64	106.81	192.88	-57.55	1.57
4619.00	7.38	124.42	4605.75	-62.35	195.26	107.71	204.98	-64.22	0.93
4713.00	7.12	118.53	4699.00	-68.54	205.36	108.46	216.50	-70.51	0.84
4807.00	7.25	111.32	4792.27	-73.48	216.01	108.79	228.16	-75.55	0.97
4901.00	5.85	125.56	4885.66	-78.42	225.43	109.18	238.68	-80.58	2.27
4996.00	5.10	137.69	4980.23	-84.36	232.21	109.97	247.06	-86.59	1.45

DigiDrill DataLogger

2/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5090.00	4.26	129.60	5073.91	-89.68	237.71	110.67	254.07	-91.95	1.13
5184.00	3.82	131.71	5167.68	-93.99	242.74	111.17	260.30	-96.31	0.49
5249.00	3.30	128.37	5232.55	-96.59	245.82	111.45	264.12	-98.94	0.86
5362.00	2.73	120.29	5345.40	-99.96	250.70	111.74	269.89	-102.37	0.63
5455.00	3.52	141.03	5438.26	-103.30	254.41	112.10	274.58	-105.74	1.47
5549.00	6.42	140.59	5531.90	-109.61	259.56	112.89	281.75	-112.09	3.09
5645.00	7.34	141.64	5627.21	-118.56	266.77	113.96	291.93	-121.12	0.97
5739.00	7.12	136.46	5720.46	-127.49	274.51	114.91	302.67	-130.12	0.73
5835.00	6.90	137.42	5815.74	-136.05	282.51	115.71	313.56	-138.76	0.26
5929.00	7.78	121.34	5908.98	-143.52	291.77	116.19	325.16	-146.31	2.37
6024.00	8.40	114.31	6003.04	-149.72	303.58	116.25	338.50	-152.63	1.23
6120.00	6.95	119.93	6098.18	-155.51	315.01	116.27	351.30	-158.52	1.70
6214.00	6.73	114.22	6191.51	-160.60	324.96	116.30	362.48	-163.72	0.76
6308.00	6.24	112.90	6284.91	-164.85	334.69	116.22	373.08	-168.06	0.54
6403.00	5.89	111.15	6379.37	-168.62	343.99	116.11	383.10	-171.91	0.42
6498.00	6.86	119.58	6473.79	-173.18	353.47	116.10	393.61	-176.56	1.42
6592.00	7.30	126.61	6567.07	-179.51	363.15	116.30	405.09	-182.99	1.03
6686.00	7.25	124.24	6660.32	-186.41	372.84	116.56	416.85	-189.98	0.32
6781.00	7.34	123.80	6754.55	-193.16	382.84	116.77	428.81	-196.82	0.11
6875.00	7.34	121.34	6847.78	-199.62	392.96	116.93	440.76	-203.38	0.33
6969.00	7.34	119.32	6941.01	-205.69	403.33	117.02	452.74	-209.55	0.27
7064.00	7.08	117.39	7035.26	-211.35	413.81	117.06	464.66	-215.31	0.37
7158.00	6.37	117.56	7128.61	-216.43	423.58	117.06	475.67	-220.48	0.76
7252.00	7.34	116.68	7221.94	-221.54	433.57	117.07	486.89	-225.69	1.04
7346.00	9.27	117.56	7314.95	-227.74	445.65	117.07	500.47	-232.00	2.06
7440.00	9.10	115.45	7407.74	-234.43	459.07	117.05	515.47	-238.83	0.40
7534.00	8.79	115.72	7500.60	-240.75	472.25	117.01	530.08	-245.27	0.33
7629.00	8.09	113.43	7594.57	-246.55	484.93	116.95	544.01	-251.20	0.82
7723.00	7.60	114.05	7687.69	-251.72	496.67	116.88	556.82	-256.47	0.53
7817.00	6.15	115.19	7781.01	-256.39	506.91	116.83	568.06	-261.25	1.55
7911.00	5.14	113.52	7874.55	-260.22	515.32	116.79	577.30	-265.15	1.09
8005.00	5.67	109.48	7968.13	-263.45	523.56	116.71	586.11	-268.46	0.69
8099.00	6.77	117.03	8061.58	-267.51	532.88	116.66	596.26	-272.62	1.46
8193.00	5.80	117.91	8155.02	-272.25	542.01	116.67	606.54	-277.44	1.04
8287.00	5.98	108.07	8248.52	-276.00	550.86	116.61	616.13	-281.27	1.09
8381.00	5.23	106.93	8342.07	-278.76	559.62	116.48	625.20	-284.12	0.81
8474.00	4.62	106.75	8434.73	-281.08	567.26	116.36	633.08	-286.51	0.66

DigiDrill DataLogger

3/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8569.00	4.40	99.02	8529.43	-282.75	574.52	116.20	640.33	-288.25	0.68
8663.00	4.13	107.89	8623.17	-284.36	581.30	116.07	647.12	-289.92	0.76
8757.00	4.31	102.44	8716.92	-286.16	587.97	115.95	653.91	-291.79	0.47
8851.00	3.78	104.29	8810.69	-287.68	594.42	115.83	660.38	-293.37	0.58
8945.00	3.69	108.24	8904.49	-289.39	600.30	115.74	666.41	-295.14	0.29
9040.00	3.16	118.00	8999.32	-291.58	605.52	115.71	672.06	-297.38	0.83
9134.00	2.81	115.45	9093.19	-293.79	609.88	115.72	676.96	-299.63	0.40
9228.00	2.42	114.92	9187.09	-295.61	613.76	115.72	681.24	-301.49	0.42
9322.00	1.93	115.01	9281.02	-297.12	617.00	115.71	684.81	-303.03	0.52
9416.00	1.67	142.08	9374.98	-298.87	619.27	115.76	687.62	-304.80	0.94
9510.00	1.23	142.79	9468.95	-300.75	620.73	115.85	689.75	-306.70	0.47
9604.00	1.19	133.91	9562.93	-302.23	622.04	115.91	691.58	-308.19	0.20
9699.00	0.84	142.52	9657.91	-303.47	623.17	115.96	693.14	-309.44	0.40
9793.00	1.01	171.97	9751.90	-304.84	623.71	116.05	694.22	-310.81	0.53
9887.00	0.66	197.81	9845.89	-306.17	623.66	116.15	694.76	-312.14	0.54
9981.00	1.27	191.65	9939.88	-307.71	623.28	116.27	695.10	-313.68	0.66
10076.00	0.57	99.81	10034.87	-308.82	623.54	116.35	695.82	-314.79	1.48
10170.00	0.26	127.58	10128.87	-309.03	624.17	116.34	696.48	-315.01	0.38
10264.00	1.41	140.06	10222.85	-310.05	625.08	116.38	697.75	-316.03	1.23
10358.00	1.76	123.80	10316.82	-311.74	627.02	116.44	700.24	-317.74	0.60
10453.00	2.37	108.24	10411.76	-313.16	630.10	116.43	703.63	-319.20	0.87
10547.00	1.80	124.15	10505.69	-314.60	633.17	116.42	707.02	-320.66	0.86
10641.00	2.02	141.64	10599.64	-316.73	635.42	116.49	709.98	-322.81	0.66
10735.00	1.10	83.02	10693.61	-317.92	637.34	116.51	712.23	-324.02	1.84
10829.00	1.63	69.13	10787.59	-317.33	639.48	116.39	713.89	-323.45	0.66
10923.00	2.20	86.62	10881.53	-316.75	642.53	116.24	716.37	-322.90	0.86
11017.00	0.92	104.99	10975.50	-316.84	645.06	116.16	718.67	-323.01	1.44
11112.00	1.23	12.71	11070.49	-316.04	646.03	116.07	719.19	-322.23	1.65
11206.00	3.78	56.21	11164.39	-313.33	648.82	115.78	720.52	-319.54	3.20
11300.00	6.33	56.04	11258.02	-308.71	655.70	115.21	724.74	-314.99	2.71
11394.00	3.52	60.78	11351.67	-304.41	662.52	114.68	729.10	-310.75	3.02
11488.00	1.76	28.79	11445.57	-301.73	665.73	114.38	730.92	-308.11	2.37
11582.00	2.42	5.85	11539.51	-298.49	666.63	114.12	730.40	-304.88	1.12
11601.00	2.37	23.87	11558.49	-297.74	666.83	114.06	730.28	-304.12	3.96
11665.00	2.95	20.71	11622.42	-294.99	667.94	113.83	730.18	-301.38	0.93
11759.00	19.30	350.30	11714.38	-277.28	666.17	112.60	721.57	-283.67	17.89
11853.00	26.77	346.87	11800.82	-241.30	658.73	110.12	701.54	-247.62	8.07

DigiDrill DataLogger

4/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
11947.00	25.63	349.59	11885.17	-200.69	650.25	107.15	680.52	-206.92	1.76
12042.00	38.33	2.07	11965.67	-150.78	647.59	103.11	664.91	-156.99	15.01
12137.00	46.24	9.72	12035.95	-87.39	654.46	97.61	660.27	-93.66	9.92
12231.00	57.58	2.51	12093.89	-13.99	661.96	91.21	662.11	-20.35	13.48
12326.00	68.88	0.05	12136.61	70.66	663.76	83.92	667.51	64.29	12.12
12421.00	77.76	359.61	12163.85	161.57	663.48	76.31	682.87	155.20	9.36
12515.00	82.86	358.73	12179.67	254.19	662.13	69.00	709.25	247.82	5.50
12533.00	85.32	358.56	12181.52	272.09	661.71	67.65	715.47	265.72	13.70
12627.00	88.92	357.15	12186.24	365.88	658.20	60.93	753.06	359.55	4.11
12720.00	89.01	357.15	12187.92	458.75	653.57	54.93	798.51	452.46	0.10
12815.00	88.79	356.89	12189.75	553.61	648.63	49.52	852.77	547.36	0.36
12908.00	88.62	356.80	12191.85	646.44	643.52	44.87	912.14	640.24	0.21
13003.00	89.76	358.56	12193.19	741.35	639.67	40.79	979.17	735.18	2.21
13098.00	89.58	358.91	12193.74	836.33	637.58	37.32	1051.64	830.17	0.41
13193.00	89.01	358.47	12194.91	931.29	635.40	34.30	1127.41	925.15	0.76
13287.00	89.10	358.21	12196.46	1025.24	632.68	31.68	1204.74	1019.12	0.29
13381.00	89.05	357.68	12197.98	1119.17	629.31	29.35	1283.97	1113.08	0.57
13477.00	88.92	358.56	12199.68	1215.10	626.16	27.26	1366.95	1209.03	0.93
13570.00	88.48	358.29	12201.79	1308.04	623.61	25.49	1449.09	1301.99	0.56
13663.00	90.29	358.91	12202.79	1401.00	621.33	23.92	1532.60	1394.97	2.06
13759.00	88.75	357.94	12203.59	1496.96	618.70	22.46	1619.78	1490.95	1.90
13853.00	94.02	0.23	12201.32	1590.88	617.19	21.20	1706.41	1584.88	6.11
13949.00	93.76	0.31	12194.81	1686.66	617.65	20.11	1796.19	1680.65	0.28
14043.00	90.73	359.00	12191.12	1780.57	617.08	19.11	1884.47	1774.57	3.51
14137.00	91.16	359.17	12189.57	1874.55	615.58	18.18	1973.03	1868.55	0.49
14231.00	89.93	358.82	12188.68	1968.53	613.93	17.32	2062.04	1962.54	1.36
14326.00	89.49	359.17	12189.16	2063.51	612.26	16.53	2152.43	2057.54	0.59
14421.00	87.12	358.38	12191.97	2158.44	610.23	15.79	2243.04	2152.48	2.63
14515.00	86.73	358.12	12197.01	2252.26	607.37	15.09	2332.72	2246.33	0.50
14610.00	87.12	358.12	12202.11	2347.07	604.26	14.44	2423.61	2341.16	0.41
14704.00	89.49	359.00	12204.89	2440.99	601.89	13.85	2514.11	2435.10	2.69
14799.00	90.29	358.29	12205.07	2535.97	599.65	13.30	2605.90	2530.09	1.13
14893.00	92.57	0.23	12202.72	2629.92	598.43	12.82	2697.14	2624.05	3.18
14987.00	91.43	359.52	12199.44	2723.86	598.23	12.39	2788.78	2717.99	1.43
15082.00	91.25	0.58	12197.22	2818.83	598.31	11.98	2881.63	2812.96	1.13
15177.00	92.70	2.42	12193.95	2913.73	600.80	11.65	2975.03	2907.83	2.47
15272.00	94.33	359.88	12188.12	3008.53	602.70	11.33	3068.30	3002.60	3.17

DigiDrill DataLogger

5/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15367.00	92.57	0.23	12182.41	3103.35	602.79	10.99	3161.35	3097.42	1.89
15462.00	91.21	359.17	12179.27	3198.29	602.29	10.66	3254.51	3192.36	1.81
15556.00	92.88	359.26	12175.92	3292.22	601.01	10.35	3346.63	3286.30	1.78
15651.00	93.49	359.17	12170.64	3387.07	599.71	10.04	3439.75	3381.15	0.65
15747.00	91.78	358.73	12166.23	3482.94	597.95	9.74	3533.90	3477.04	1.84
15841.00	92.09	358.73	12163.05	3576.87	595.87	9.46	3626.16	3570.98	0.33
15936.00	91.21	358.47	12160.32	3671.80	593.55	9.18	3719.46	3665.93	0.97
16030.00	93.05	358.56	12156.82	3765.70	591.11	8.92	3811.81	3759.85	1.96
16124.00	92.70	357.68	12152.11	3859.53	588.03	8.66	3904.07	3853.71	1.01
16217.00	93.01	357.94	12147.48	3952.34	584.48	8.41	3995.33	3946.55	0.43
16312.00	92.66	357.33	12142.78	4047.15	580.57	8.16	4088.58	4041.39	0.74
16406.00	93.32	359.00	12137.88	4140.97	577.56	7.94	4181.05	4135.23	1.91
16501.00	93.63	0.23	12132.12	4235.79	576.93	7.76	4274.90	4230.05	1.33
16595.00	92.79	1.28	12126.85	4329.63	578.16	7.61	4368.06	4323.88	1.43
16690.00	88.18	0.84	12126.05	4424.58	579.92	7.47	4462.43	4418.81	4.87
16784.00	91.38	359.96	12126.41	4518.57	580.58	7.32	4555.71	4512.79	3.53
16878.00	91.56	359.96	12124.00	4612.54	580.51	7.17	4648.92	4606.75	0.19
16972.00	90.95	0.14	12121.94	4706.51	580.59	7.03	4742.19	4700.72	0.68
17067.00	90.95	359.52	12120.36	4801.50	580.31	6.89	4836.44	4795.71	0.65
17162.00	90.77	358.29	12118.94	4896.47	578.49	6.74	4930.53	4890.69	1.31
17256.00	89.93	358.82	12118.36	4990.44	576.12	6.59	5023.58	4984.68	1.06
17350.00	90.07	358.91	12118.36	5084.42	574.26	6.44	5116.75	5078.67	0.18
17444.00	87.43	356.98	12120.42	5178.32	570.89	6.29	5209.70	5172.60	3.48
17540.00	88.62	357.68	12123.72	5274.16	566.42	6.13	5304.49	5268.48	1.44
17634.00	88.09	357.06	12126.42	5368.02	562.11	5.98	5397.37	5362.38	0.87
17728.00	91.30	355.74	12126.92	5461.82	556.21	5.81	5490.07	5456.23	3.69
17823.00	91.12	357.85	12124.92	5556.65	550.90	5.66	5583.89	5551.10	2.23
17917.00	93.71	1.28	12120.95	5650.54	550.19	5.56	5677.26	5645.00	4.57
18011.00	92.75	1.37	12115.66	5744.36	552.36	5.49	5770.86	5738.79	1.03
18106.00	89.89	0.93	12113.47	5839.31	554.26	5.42	5865.55	5833.72	3.05
18200.00	87.38	0.23	12115.71	5933.27	555.21	5.35	5959.19	5927.66	2.77
18294.00	91.30	2.34	12116.79	6027.21	557.32	5.28	6052.93	6021.59	4.74
18388.00	88.88	1.37	12116.64	6121.16	560.36	5.23	6146.75	6115.50	2.77
18483.00	88.57	0.75	12118.76	6216.12	562.12	5.17	6241.48	6210.43	0.73
18578.00	92.66	0.31	12117.74	6311.09	563.00	5.10	6336.15	6305.39	4.33
18672.00	94.15	0.14	12112.16	6404.92	563.37	5.03	6429.65	6399.21	1.60
18767.00	92.88	1.19	12106.33	6499.73	564.47	4.96	6524.19	6494.01	1.73

DigiDrill DataLogger

6/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
18861.00	93.19	0.67	12101.35	6593.58	565.99	4.91	6617.83	6587.85	0.64
18956.00	90.07	2.86	12098.65	6688.48	568.92	4.86	6712.64	6682.71	4.01
19049.00	89.45	2.42	12099.04	6781.38	573.20	4.83	6805.56	6775.57	0.82
19144.00	91.78	2.51	12098.02	6876.28	577.29	4.80	6900.47	6870.42	2.45
19236.00	85.98	2.60	12099.82	6968.13	581.39	4.77	6992.35	6962.23	6.31
19330.00	86.42	1.46	12106.05	7061.87	584.71	4.73	7086.03	7055.93	1.30
19425.00	88.13	359.79	12110.57	7156.75	585.74	4.68	7180.68	7150.79	2.51
19517.00	89.32	357.94	12112.61	7248.70	583.92	4.61	7272.18	7242.76	2.39
19612.00	91.96	357.15	12111.55	7343.60	579.85	4.51	7366.46	7337.69	2.90
19707.00	92.31	357.59	12108.01	7438.43	575.50	4.42	7460.66	7432.57	0.59
19801.00	92.70	358.03	12103.90	7532.27	571.91	4.34	7553.95	7526.44	0.63
19895.00	91.16	359.96	12100.74	7626.20	570.26	4.28	7647.49	7620.37	2.63
19991.00	91.78	0.14	12098.28	7722.17	570.34	4.22	7743.20	7716.34	0.67
20084.00	91.03	0.49	12096.00	7815.14	570.86	4.18	7835.96	7809.30	0.89
20179.00	88.57	359.61	12096.33	7910.13	570.94	4.13	7930.70	7904.28	2.75
20274.00	87.52	359.00	12099.57	8005.06	569.79	4.07	8025.32	7999.22	1.28
20368.00	86.51	357.94	12104.46	8098.90	567.28	4.01	8118.74	8093.08	1.56
20463.00	88.66	357.68	12108.47	8193.74	563.65	3.94	8213.10	8187.95	2.28
20557.00	89.58	357.85	12109.91	8287.66	559.99	3.87	8306.55	8281.90	1.00
20652.00	91.30	357.94	12109.18	8382.59	556.50	3.80	8401.04	8376.86	1.81
20746.00	92.62	357.68	12105.97	8476.46	552.91	3.73	8494.47	8470.76	1.43
20841.00	91.03	357.24	12102.94	8571.32	548.70	3.66	8588.86	8565.65	1.74
20934.00	91.30	357.94	12101.05	8664.21	544.79	3.60	8681.32	8658.58	0.81
21027.00	90.95	357.06	12099.22	8757.11	540.74	3.53	8773.78	8751.51	1.02
21122.00	93.89	357.06	12095.21	8851.89	535.87	3.46	8868.09	8846.33	3.09
21216.00	94.07	358.29	12088.69	8945.58	532.06	3.40	8961.39	8940.06	1.32
21311.00	90.99	358.56	12084.49	9040.44	529.46	3.35	9055.93	9034.94	3.25
21405.00	91.21	0.67	12082.69	9134.42	528.82	3.31	9149.71	9128.92	2.26
21499.00	88.44	3.13	12082.98	9228.35	531.94	3.30	9243.67	9222.82	3.94
21594.00	91.12	2.51	12083.34	9323.22	536.61	3.29	9338.65	9317.64	2.90
21689.00	89.76	0.23	12082.61	9418.18	538.88	3.27	9433.59	9412.58	2.79
21783.00	88.57	359.00	12083.98	9512.17	538.25	3.24	9527.38	9506.56	1.82
21876.00	95.03	358.38	12081.06	9605.05	536.13	3.19	9620.00	9599.46	6.98
21971.00	95.74	358.82	12072.15	9699.60	533.82	3.15	9714.28	9694.03	0.88
22065.00	93.93	358.12	12064.22	9793.23	531.32	3.11	9807.63	9787.68	2.06
22159.00	94.59	358.82	12057.24	9886.93	528.81	3.06	9901.07	9881.40	1.02
22254.00	93.76	358.56	12050.33	9981.66	526.65	3.02	9995.54	9976.14	0.92

DigiDrill DataLogger

7/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22348.00	93.45	359.08	12044.41	10075.45	524.72	2.98	10089.10	10069.95	0.64
22442.00	93.98	359.35	12038.32	10169.24	523.43	2.95	10182.70	10163.75	0.63
22536.00	92.88	358.47	12032.70	10263.05	521.65	2.91	10276.30	10257.57	1.50
22630.00	94.15	358.65	12026.94	10356.85	519.29	2.87	10369.86	10351.38	1.36
22724.00	90.90	357.15	12022.80	10450.68	515.85	2.83	10463.40	10445.24	3.81

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22795.00	90.90	357.15	12021.68	10521.58	512.32	2.79	10534.05	10516.18	0.00

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 27 / SWSW / 32.1812779 / -103.3617236	County or Parish/State: LEA / NM
Well Number: 135H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547290	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 07/28/2021	Time Sundry Submitted: 03:09
Date Operation Actually Began: 05/25/2021	

Actual Procedure: 4/24/2021: TD Reached at 22795 ft MD, 12015 ft TVD. Plug Back Measured depth at 22725ft MD, 12016 ft TVD. Rig Release on 4/27/2021 at 18:00. 5/25/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 5/25/2021 to 6/21/2021: Perforate from 12612 ft to 22655 ft, 1 SPF, .6 inch holes with 520 total shots. 40 stage frac with 30,306,995lbs of 100 mesh sand. 7/12/2021 to 7/14/2021: Drill out plugs. 7/15/2021: Ready to produce. Formation Tops (True Vertical Depth): Formation TVD Rustler 673 Top of Salt 1,267 Base of Salt 4,978 Delaware 5,214 Lamar 5,260 Bell 5,292 Ramsey 5,335 Cherry 6,164 Brushy 7,737 Bone Spring 9,008 Upper Avalon 9,039 Middle Avalon 9,302 Lower Avalon 9,849 1st Bone Spring Sand 10,254 2nd Bone Spring Sand 10,840 3rd Bone Spring Sand 11,908 Request for OCD extension of time to file BLM approved Form 3160-4.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 27 / SWSW / 32.1812779 / -103.3617236	County or Parish/State: LEA / NM
Well Number: 135H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547290	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: JUL 28, 2021 03:09 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
1. WELL API NO. 30-025-47290																		
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN																		
3. State Oil & Gas Lease No.																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Man Hands Fed Com										
								6. Well Number: 135H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	B	34	24-S	35-E	-	13'	S	680'	W	LEA								
BH:	B	22	24-S	35-E	-	31'	N	1293'	W	LEA								
13. Date Spudded 1/4/2021	14. Date T.D. Reached 4/24/2021		15. Date Rig Released 4/27/2021			16. Date Completed (Ready to Produce) 7/15/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3277 GR										
18. Total Measured Depth of Well 22795'			19. Plug Back Measured Depth 22725'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 12612' - 22655'							WOLFBONE											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1014'		17.5"		1145 SKS										
9.625"		40		5300'		12.25"		1603 SKS										
7.625"		29.7		11550'		8.75"		570 SKS										
5.5"		23		22772'		6.75"		1377 SKS										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) 12612 ft to 22655 ft, 1 SPF, .6 inch holes with 520 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12612' - 22655'</td> <td>40 stage frac with 30,306,995lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12612' - 22655'	40 stage frac with 30,306,995lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12612' - 22655'	40 stage frac with 30,306,995lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 7/17/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 8/1/2021	Hours Tested 24	Choke Size 32/64	Prod'n For Test Period	Oil - Bbl 1997	Gas - MCF 2202	Water - Bbl. 4682	Gas - Oil Ratio 1102											
Flow Tubing Press. 0	Casing Pressure 3100	Calculated 24-Hour Rate	Oil - Bbl. 1997	Gas - MCF 2202	Water - Bbl. 4682	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments Directional Survey, C-102																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 			Printed Name Bill Ramsey		Title Regulatory Analyst			Date 8/18/2021										
E-mail Address bramsey@t+																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	675		Quaternary					
675	1269		Rustler					
1269	4984		Top of Salt					
4984	5266		Base of Salt					
5266	5298		Lamar					
5298	6187		Bell Canyon					
6187	7772		Cherry Canyon					
7772	9049		Brushy Canyon					
9049	9343		Bonespring Lime					
9343	10295		Avalon Sand					
10295	10881		Bone Spring 1st					
10881	11974		Bone Spring 2nd					
11974			Bone Spring 3rd					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 43327

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43327
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 43327

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43327
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/6/2021