

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401				² OGRID Number 372043		
				³ Reason for Filing Code/ Effective Date NW		
⁴ API Number 30 - 0 25-47291		⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE			⁶ Pool Code 98098	
⁷ Property Code 328107		⁸ Property Name MAN HANDS FED COM			⁹ Well Number 211H	

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	34	24-S	35-E	-	12'	NORTH	655'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	22	24-S	35-E	-	34'	NORTH	310'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 7/18/2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 12/30/2020	²² Ready Date 7/8/2021	²³ TD 23029'	²⁴ PBTD 22968'	²⁵ Perforations 12581' - 22871'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17.5"		13.375"	1011'		1145 SKS
12.25"		9.625"	5333'		1558 SKS
8.75"		7.625"	11675'		605 SKS
6.75"		5.5"	23015'		1247 SKS

V. Well Test Data

³¹ Date New Oil 7/18/2021	³² Gas Delivery Date 7/18/2021	³³ Test Date 8/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 3050
³⁷ Choke Size 28/64	³⁸ Oil 1796	³⁹ Water 5686	⁴⁰ Gas 2006		⁴¹ Test Method FLOWING
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Bill Ramsey			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: bramsey@taprk.com			Approval Date: 10/06/2021		
Date: 8/11/2021		Phone: 720-238-2787			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47291	² Pool Code 98098	³ Pool Name WC-025 G-09 S243532M:WOLFBONE
⁴ Property Code 328107	⁵ Property Name MAN HANDS FED COM	⁶ Well Number 211H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3278'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	34	24-S	35-E	-	12'	NORTH	655'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	22	24-S	35-E	-	34'	NORTH	310'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







Operator: Taprock Resources LLC
Well Name: Man Hands Fed Com #211H
County: Lea
State: New Mexico
Rig Name: H&P 466
API: 30-025-47291

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 200' MD – 22,985' MD
Projection to Bit: 23,029' MD
Dates Performed: 12/30/2020 – 03/22/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in blue ink, appearing to read "James Burleson".

James Burleson
Vice President of MWD Operations
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid-DDS

Location: Sec-27_T-24-S_R-35-E

Well: Man Hands Fed Com #211H

Rig: H&P 466

API or UWI:

Job Number: ID-2764

State: New Mexico

Operating Company: Tap Rock Resources

County: Lee

Magnetic Declination: 5.94

Country: U.S.A.

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.181208333333

Longitude: -103.361805555556

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
146.00	0.35	288.86	146.00	0.14	-0.42	288.86	0.45	0.15	0.24
237.00	0.75	118.44	237.00	-0.05	-0.16	252.89	0.17	-0.05	1.21
328.00	0.79	114.84	327.99	-0.60	0.93	122.64	1.11	-0.61	0.07
418.00	0.40	139.01	417.98	-1.09	1.70	122.76	2.02	-1.11	0.51
508.00	0.31	154.74	507.98	-1.55	2.01	127.66	2.54	-1.57	0.15
599.00	0.40	146.21	598.98	-2.04	2.29	131.64	3.07	-2.06	0.11
693.00	0.66	163.44	692.98	-2.83	2.63	137.11	3.86	-2.86	0.32
788.00	0.35	189.98	787.97	-3.64	2.73	143.08	4.55	-3.67	0.40
882.00	0.04	44.17	881.97	-3.90	2.71	145.22	4.75	-3.93	0.41
1048.00	1.01	81.35	1047.96	-3.64	4.19	130.93	5.55	-3.68	0.59
1139.00	1.05	91.46	1138.95	-3.54	5.82	121.29	6.81	-3.59	0.20
1230.00	0.79	92.34	1229.94	-3.59	7.28	116.22	8.12	-3.66	0.29
1324.00	0.79	100.51	1323.93	-3.73	8.57	113.53	9.34	-3.81	0.12
1418.00	0.75	100.07	1417.92	-3.96	9.81	111.96	10.58	-4.05	0.04
1512.00	0.79	100.07	1511.91	-4.18	11.05	110.70	11.82	-4.28	0.04
1606.00	0.31	1.63	1605.91	-4.04	11.70	109.03	12.37	-4.15	0.95

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1700.00	1.32	311.01	1699.90	-3.07	10.89	105.75	11.31	-3.18	1.22
1794.00	0.92	326.39	1793.88	-1.73	9.65	100.17	9.81	-1.82	0.53
1888.00	0.66	329.11	1887.87	-0.64	8.96	94.08	8.98	-0.73	0.28
1984.00	0.70	340.72	1983.86	0.39	8.48	87.37	8.49	0.31	0.15
2079.00	1.27	240.96	2078.85	0.43	7.37	86.69	7.38	0.35	1.63
2175.00	3.60	234.98	2174.76	-1.82	3.97	114.64	4.37	-1.86	2.44
2271.00	6.15	234.72	2270.41	-6.52	-2.70	202.47	7.06	-6.50	2.66
2366.00	7.25	236.83	2364.76	-12.74	-11.87	222.97	17.41	-12.63	1.19
2460.00	6.07	237.44	2458.12	-18.66	-21.02	228.41	28.11	-18.46	1.26
2555.00	5.05	236.65	2552.67	-23.66	-28.75	230.54	37.24	-23.39	1.08
2649.00	5.23	230.94	2646.29	-28.64	-35.53	231.13	45.64	-28.29	0.58
2743.00	5.76	231.47	2739.86	-34.27	-42.55	231.15	54.64	-33.86	0.57
2837.00	4.48	230.50	2833.49	-39.55	-49.07	231.13	63.03	-39.08	1.36
2932.00	5.93	228.13	2928.09	-45.18	-55.59	230.90	71.64	-44.65	1.54
3026.00	6.86	229.71	3021.51	-52.06	-63.49	230.65	82.10	-51.44	1.01
3120.00	5.27	229.71	3114.98	-58.48	-71.06	230.55	92.03	-57.79	1.69
3214.00	6.77	224.70	3208.46	-65.21	-78.25	230.20	101.86	-64.45	1.69
3309.00	8.13	227.86	3302.65	-73.70	-87.17	229.79	114.15	-72.86	1.49
3402.00	7.25	228.74	3394.81	-81.98	-96.46	229.64	126.59	-81.05	0.95
3497.00	6.99	231.91	3489.08	-89.50	-105.52	229.70	138.36	-88.48	0.50
3591.00	6.37	233.31	3582.44	-96.14	-114.20	229.91	149.28	-95.04	0.68
3685.00	4.84	229.80	3675.99	-101.82	-121.41	230.02	158.45	-100.65	1.67
3779.00	6.07	217.58	3769.57	-108.32	-127.47	229.64	167.28	-107.09	1.79
3873.00	7.43	213.54	3862.91	-117.32	-133.86	228.77	178.00	-116.03	1.53
3967.00	6.42	207.30	3956.23	-127.06	-139.63	227.70	188.79	-125.71	1.34
4061.00	5.27	211.43	4049.74	-135.41	-144.29	226.82	197.88	-134.02	1.30
4155.00	6.11	231.29	4143.28	-142.22	-150.45	226.61	207.03	-140.77	2.26
4249.00	8.09	241.22	4236.56	-148.54	-160.15	227.15	218.43	-146.99	2.47
4342.00	7.03	243.77	4328.75	-154.20	-170.99	227.96	230.25	-152.55	1.20
4437.00	5.89	243.86	4423.15	-158.92	-180.58	228.65	240.55	-157.18	1.20
4531.00	6.15	239.64	4516.63	-163.59	-189.26	229.16	250.16	-161.77	0.55
4625.00	6.20	236.21	4610.08	-168.96	-197.82	229.50	260.15	-167.05	0.40
4719.00	4.62	232.17	4703.66	-174.10	-205.03	229.66	268.98	-172.13	1.73
4813.00	4.22	226.11	4797.38	-178.82	-210.51	229.65	276.21	-176.79	0.65
4908.00	6.11	225.40	4891.99	-184.80	-216.63	229.53	284.74	-182.71	1.99
5002.00	5.27	227.34	4985.53	-191.23	-223.37	229.43	294.05	-189.08	0.92
5096.00	4.70	232.52	5079.17	-196.50	-229.60	229.44	302.21	-194.29	0.77

DigiDrill DataLogger

2/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5190.00	4.44	237.44	5172.88	-200.80	-235.72	229.57	309.66	-198.53	0.50
5284.00	3.82	237.62	5266.63	-204.44	-241.43	229.74	316.36	-202.11	0.66
5367.00	3.43	239.99	5349.47	-207.16	-245.92	229.89	321.55	-204.79	0.50
5461.00	4.66	227.69	5443.23	-211.14	-251.18	229.95	328.13	-208.72	1.59
5555.00	5.89	220.22	5536.83	-217.39	-257.11	229.79	336.70	-214.91	1.50
5650.00	6.15	219.25	5631.31	-225.06	-263.48	229.50	346.51	-222.52	0.29
5744.00	5.93	221.54	5724.79	-232.59	-269.89	229.25	356.28	-229.99	0.35
5838.00	5.89	214.68	5818.29	-240.19	-275.85	228.95	365.77	-237.53	0.75
5933.00	5.67	214.86	5912.81	-248.05	-281.31	228.60	375.05	-245.34	0.23
6027.00	5.49	210.37	6006.36	-255.74	-286.24	228.22	383.84	-252.98	0.50
6121.00	4.88	212.92	6099.98	-262.97	-290.68	227.86	391.98	-260.17	0.69
6216.00	5.76	228.30	6194.57	-269.54	-296.44	227.72	400.66	-266.68	1.76
6309.00	6.55	226.02	6287.03	-276.33	-303.74	227.71	410.63	-273.40	0.89
6403.00	6.64	227.69	6380.41	-283.71	-311.62	227.68	421.42	-280.70	0.23
6497.00	6.81	225.23	6473.76	-291.29	-319.59	227.65	432.42	-288.21	0.36
6591.00	5.49	224.44	6567.22	-298.43	-326.70	227.59	442.48	-295.28	1.41
6686.00	4.22	230.32	6661.88	-303.90	-332.57	227.58	450.51	-300.70	1.43
6780.00	3.47	243.42	6755.67	-307.38	-337.77	227.70	456.70	-304.13	1.22
6874.00	2.59	245.00	6849.54	-309.56	-342.24	227.87	461.47	-306.26	0.94
6968.00	1.58	244.65	6943.47	-311.01	-345.34	227.99	464.74	-307.68	1.07
7062.00	1.80	247.29	7037.43	-312.13	-347.87	228.10	467.38	-308.78	0.25
7156.00	1.14	296.24	7131.40	-312.29	-350.07	228.26	469.12	-308.91	1.44
7251.00	1.58	321.82	7226.38	-310.84	-351.73	228.53	469.40	-307.45	0.78
7345.00	1.27	325.25	7320.35	-308.97	-353.13	228.82	469.21	-305.56	0.34
7440.00	1.32	295.10	7415.33	-307.64	-354.72	229.07	469.54	-304.22	0.71
7534.00	1.23	315.84	7509.30	-306.45	-356.40	229.31	470.04	-303.02	0.50
7628.00	0.97	320.06	7603.29	-305.12	-357.61	229.53	470.09	-301.67	0.29
7723.00	0.88	328.67	7698.27	-303.88	-358.51	229.71	469.97	-300.43	0.17
7816.00	0.84	292.46	7791.26	-303.01	-359.51	229.87	470.17	-299.55	0.58
7910.00	0.31	38.64	7885.26	-302.55	-359.99	229.95	470.24	-299.08	1.04
8004.00	0.57	85.22	7979.26	-302.31	-359.36	229.93	469.61	-298.85	0.45
8099.00	0.48	101.74	8074.25	-302.35	-358.50	229.86	468.98	-298.90	0.18
8193.00	0.44	40.92	8168.25	-302.16	-357.88	229.83	468.38	-298.71	0.50
8287.00	0.84	75.99	8262.25	-301.72	-356.98	229.80	467.41	-298.28	0.58
8382.00	1.14	73.26	8357.23	-301.28	-355.40	229.71	465.91	-297.85	0.32
8476.00	0.79	65.97	8451.22	-300.75	-353.91	229.64	464.43	-297.34	0.39
8570.00	1.10	91.55	8545.21	-300.51	-352.41	229.55	463.14	-297.11	0.55

DigiDrill DataLogger

3/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8665.00	1.27	91.28	8640.18	-300.56	-350.45	229.38	461.68	-297.18	0.18
8759.00	0.70	96.73	8734.17	-300.65	-348.84	229.24	460.52	-297.28	0.61
8853.00	1.10	93.65	8828.16	-300.77	-347.37	229.11	459.49	-297.42	0.43
8947.00	0.97	123.63	8922.14	-301.27	-345.81	228.94	458.63	-297.94	0.59
9042.00	1.05	114.75	9017.13	-302.08	-344.35	228.74	458.07	-298.76	0.18
9135.00	0.70	175.22	9110.12	-303.00	-343.52	228.59	458.06	-299.69	1.00
9230.00	0.53	147.62	9205.11	-303.95	-343.24	228.47	458.48	-300.64	0.35
9324.00	0.88	193.23	9299.11	-305.02	-343.17	228.37	459.14	-301.71	0.68
9418.00	1.19	158.87	9393.09	-306.63	-342.99	228.20	460.07	-303.33	0.72
9512.00	1.54	170.03	9487.07	-308.79	-342.42	227.96	461.08	-305.49	0.47
9606.00	1.01	149.90	9581.04	-310.75	-341.78	227.72	461.93	-307.45	0.73
9701.00	1.36	158.08	9676.02	-312.52	-340.94	227.49	462.50	-309.23	0.41
9795.00	1.27	166.52	9770.00	-314.57	-340.28	227.25	463.40	-311.29	0.23
9889.00	1.49	196.31	9863.97	-316.75	-340.38	227.06	464.96	-313.47	0.79
9983.00	1.41	199.12	9957.94	-319.02	-341.10	226.92	467.04	-315.73	0.11
10078.00	1.67	212.04	10052.91	-321.30	-342.22	226.81	469.41	-318.00	0.45
10172.00	1.63	220.13	10146.87	-323.48	-343.81	226.74	472.06	-320.16	0.25
10266.00	2.77	260.82	10240.80	-324.86	-346.91	226.88	475.27	-321.52	1.99
10360.00	2.73	273.92	10334.70	-325.07	-351.39	227.23	478.69	-321.69	0.67
10454.00	1.19	284.20	10428.64	-324.68	-354.57	227.52	480.77	-321.26	1.67
10548.00	1.23	295.80	10522.62	-324.00	-356.42	227.73	481.68	-320.57	0.26
10643.00	1.32	297.74	10617.59	-323.05	-358.31	227.96	482.44	-319.60	0.11
10737.00	2.24	295.36	10711.55	-321.76	-360.93	228.28	483.53	-318.28	0.98
10831.00	2.51	293.34	10805.47	-320.16	-364.48	228.70	485.12	-316.64	0.30
10925.00	3.08	320.68	10899.36	-317.39	-367.97	229.22	485.94	-313.84	1.52
11020.00	3.78	335.44	10994.19	-312.56	-370.89	229.88	485.03	-308.99	1.18
11114.00	3.91	349.07	11087.98	-306.60	-372.78	230.56	482.67	-303.01	0.98
11208.00	2.86	20.27	11181.82	-301.25	-372.58	231.04	479.13	-297.66	2.21
11302.00	2.33	53.05	11275.73	-297.90	-370.24	231.18	475.21	-294.34	1.65
11396.00	2.29	53.75	11369.66	-295.64	-367.20	231.16	471.42	-292.11	0.05
11490.00	1.93	60.96	11463.59	-293.77	-364.30	231.12	467.99	-290.26	0.48
11584.00	1.63	81.53	11557.55	-292.80	-361.59	231.00	465.28	-289.32	0.75
11625.00	1.24	83.18	11598.53	-292.66	-360.57	230.94	464.40	-289.19	0.96
11759.00	0.97	73.00	11732.51	-292.16	-358.05	230.79	462.12	-288.71	0.25
11854.00	1.63	24.84	11827.49	-290.70	-356.71	230.82	460.16	-287.26	1.28
11948.00	11.12	1.81	11920.81	-280.40	-355.86	231.76	453.06	-276.97	10.26
12042.00	24.79	2.42	12010.02	-251.51	-354.74	234.66	434.86	-248.10	14.54

DigiDrill DataLogger

4/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12138.00	31.47	6.56	12094.64	-206.45	-351.02	239.54	407.24	-203.08	7.25
12231.00	36.31	4.62	12171.82	-154.86	-346.03	245.89	379.10	-151.53	5.33
12326.00	46.24	2.25	12243.13	-92.38	-342.41	254.90	354.65	-89.09	10.58
12421.00	54.68	0.93	12303.55	-19.22	-340.43	266.77	340.97	-15.95	8.95
12515.00	59.38	0.05	12354.70	59.62	-339.77	279.95	344.96	62.88	5.06
12609.00	65.49	1.37	12398.17	142.90	-338.71	292.87	367.62	146.14	6.62
12702.00	69.54	0.23	12433.74	228.80	-337.52	304.13	407.76	232.03	4.50
12797.00	80.88	352.49	12457.98	320.23	-343.50	312.99	469.62	323.51	14.29
12890.00	91.96	351.79	12463.78	412.03	-356.18	319.16	544.64	415.43	11.94
12985.00	94.99	0.75	12458.01	506.55	-362.35	324.42	622.81	510.00	9.94
13080.00	93.19	2.69	12451.23	601.25	-359.51	329.12	700.54	604.68	2.78
13175.00	86.86	4.97	12451.19	695.99	-353.17	333.10	780.46	699.35	7.08
13269.00	87.96	2.78	12455.44	789.67	-346.82	336.29	862.47	792.96	2.61
13363.00	88.40	2.51	12458.43	883.52	-342.49	338.81	947.58	886.77	0.55
13459.00	88.48	1.90	12461.04	979.41	-338.79	340.92	1036.36	982.62	0.64
13552.00	87.65	1.19	12464.18	1072.33	-336.29	342.59	1123.82	1075.51	1.17
13645.00	90.33	0.93	12465.82	1165.29	-334.57	343.98	1212.37	1168.45	2.90
13740.00	89.98	0.14	12465.56	1260.28	-333.68	345.17	1303.71	1263.43	0.91
13835.00	90.90	1.28	12464.83	1355.27	-332.50	346.22	1395.46	1358.40	1.54
13931.00	93.23	3.48	12461.37	1451.11	-328.52	347.24	1487.83	1454.20	3.34
14025.00	88.97	0.05	12459.57	1545.01	-325.63	348.10	1578.96	1548.07	5.82
14119.00	90.73	1.63	12459.82	1639.00	-324.25	348.81	1670.76	1642.03	2.52
14212.00	88.44	358.12	12460.49	1731.97	-324.45	349.39	1762.10	1735.01	4.51
14308.00	87.34	357.94	12464.02	1827.85	-327.75	349.83	1857.00	1830.91	1.16
14403.00	89.63	357.77	12466.53	1922.74	-331.31	350.22	1951.08	1925.84	2.42
14496.00	88.62	356.80	12467.96	2015.63	-335.71	350.54	2043.39	2018.76	1.51
14591.00	91.38	357.85	12467.96	2110.51	-340.14	350.84	2137.75	2113.68	3.11
14685.00	93.93	0.58	12463.60	2204.39	-341.43	351.20	2230.67	2207.56	3.97
14781.00	92.92	3.92	12457.86	2300.13	-337.67	351.65	2324.78	2303.26	3.63
14875.00	93.98	5.41	12452.21	2393.64	-330.04	352.15	2416.29	2396.70	1.94
14969.00	91.25	1.55	12447.92	2487.34	-324.34	352.57	2508.40	2490.34	5.03
14991.00	90.95	1.11	12447.49	2509.33	-323.83	352.65	2530.14	2512.33	2.42
15086.00	93.80	2.51	12443.56	2604.19	-320.84	352.98	2623.88	2607.15	3.34
15181.00	92.48	2.07	12438.35	2698.97	-317.05	353.30	2717.53	2701.89	1.46
15276.00	90.68	0.84	12435.73	2793.90	-314.64	353.57	2811.56	2796.79	2.29
15371.00	88.92	358.65	12436.07	2888.89	-315.06	353.78	2906.02	2891.78	2.96
15466.00	89.58	358.38	12437.31	2983.85	-317.52	353.93	3000.69	2986.76	0.75

DigiDrill DataLogger

5/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15560.00	90.51	357.33	12437.24	3077.78	-321.04	354.05	3094.48	3080.72	1.49
15655.00	93.71	356.62	12433.74	3172.57	-326.05	354.13	3189.28	3175.55	3.45
15751.00	93.85	356.45	12427.41	3268.19	-331.84	354.20	3284.99	3271.22	0.23
15845.00	93.71	356.54	12421.21	3361.81	-337.57	354.27	3378.71	3364.89	0.18
15940.00	93.23	357.59	12415.46	3456.51	-342.43	354.34	3473.43	3459.63	1.21
16034.00	92.18	357.68	12411.03	3550.32	-346.30	354.43	3567.17	3553.48	1.12
16128.00	92.48	358.12	12407.21	3644.18	-349.74	354.52	3660.92	3647.37	0.57
16221.00	91.38	358.73	12404.07	3737.09	-352.30	354.61	3753.66	3740.30	1.35
16316.00	91.21	357.68	12401.93	3832.02	-355.27	354.70	3848.45	3835.25	1.12
16410.00	89.05	356.36	12401.71	3925.88	-360.16	354.76	3942.37	3929.16	2.69
16505.00	90.81	357.41	12401.83	4020.74	-365.32	354.81	4037.30	4024.06	2.16
16599.00	91.34	357.94	12400.07	4114.64	-369.13	354.87	4131.17	4118.00	0.80
16694.00	93.71	358.29	12395.88	4209.49	-372.25	354.95	4225.92	4212.87	2.52
16788.00	94.64	358.47	12389.04	4303.20	-374.91	355.02	4319.50	4306.60	1.01
16882.00	92.66	359.26	12383.05	4396.99	-376.76	355.10	4413.10	4400.40	2.27
16976.00	87.12	357.59	12383.23	4490.91	-379.35	355.17	4506.91	4494.35	6.16
17071.00	85.89	357.68	12389.02	4585.65	-383.26	355.22	4601.64	4589.12	1.30
17166.00	86.11	357.68	12395.65	4680.34	-387.09	355.27	4696.32	4683.84	0.23
17260.00	85.71	358.12	12402.36	4774.04	-390.53	355.32	4789.99	4777.57	0.63
17354.00	87.52	359.17	12407.91	4867.85	-392.75	355.39	4883.66	4871.39	2.23
17448.00	90.81	0.75	12409.28	4961.82	-392.81	355.47	4977.35	4965.36	3.88
17544.00	93.23	359.88	12405.89	5057.75	-392.29	355.56	5072.94	5061.28	2.68
17638.00	93.01	359.61	12400.78	5151.61	-392.70	355.64	5166.56	5155.14	0.37
17732.00	92.22	359.00	12396.49	5245.50	-393.84	355.71	5260.27	5249.04	1.06
17827.00	91.91	359.08	12393.06	5340.43	-395.43	355.77	5355.05	5343.98	0.34
17921.00	91.38	359.88	12390.37	5434.39	-396.29	355.83	5448.82	5437.94	1.02
18015.00	91.34	359.96	12388.13	5528.36	-396.42	355.90	5542.55	5531.91	0.10
18110.00	91.43	359.96	12385.84	5623.33	-396.48	355.97	5637.29	5626.88	0.09
18204.00	91.52	359.52	12383.42	5717.30	-396.91	356.03	5731.06	5720.85	0.48
18298.00	93.89	359.17	12378.98	5811.18	-397.98	356.08	5824.79	5814.73	2.55
18392.00	93.71	358.56	12372.75	5904.96	-399.84	356.13	5918.48	5908.52	0.68
18487.00	93.01	356.98	12367.18	5999.72	-403.53	356.15	6013.27	6003.31	1.82
18582.00	92.53	357.77	12362.59	6094.51	-407.88	356.17	6108.14	6098.14	0.97
18676.00	92.88	359.61	12358.16	6188.37	-410.02	356.21	6201.94	6192.02	1.99
18771.00	96.48	2.16	12350.41	6283.02	-408.57	356.28	6296.29	6286.65	4.64
18865.00	96.44	1.98	12339.83	6376.36	-405.19	356.36	6389.22	6379.96	0.19
18959.00	93.36	0.93	12331.80	6469.98	-402.82	356.44	6482.50	6473.55	3.46

DigiDrill DataLogger

6/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
19053.00	94.64	3.04	12325.24	6563.68	-399.57	356.52	6575.84	6567.22	2.62
19148.00	90.24	1.81	12321.20	6658.49	-395.56	356.60	6670.23	6661.98	4.81
19240.00	89.67	1.98	12321.27	6750.44	-392.51	356.67	6761.84	6753.89	0.65
19334.00	88.79	1.02	12322.54	6844.39	-390.05	356.74	6855.50	6847.82	1.39
19429.00	88.26	1.11	12324.98	6939.35	-388.29	356.80	6950.20	6942.75	0.57
19521.00	89.98	1.19	12326.39	7031.31	-386.44	356.85	7041.93	7034.70	1.87
19616.00	90.90	0.84	12325.66	7126.29	-384.76	356.91	7136.67	7129.66	1.04
19711.00	91.96	0.67	12323.29	7221.26	-383.51	356.96	7231.43	7224.60	1.13
19804.00	94.24	0.31	12318.26	7314.11	-382.71	357.00	7324.12	7317.45	2.48
19899.00	91.21	0.05	12313.75	7408.99	-382.42	357.05	7418.85	7412.32	3.20
19994.00	91.78	359.96	12311.27	7503.96	-382.41	357.08	7513.70	7507.28	0.61
20088.00	91.69	359.96	12308.42	7597.91	-382.47	357.12	7607.54	7601.24	0.10
20182.00	91.12	359.88	12306.12	7691.89	-382.61	357.15	7701.40	7695.20	0.61
20277.00	90.95	359.26	12304.40	7786.87	-383.32	357.18	7796.30	7790.19	0.68
20372.00	93.49	359.44	12300.72	7881.78	-384.40	357.21	7891.15	7885.11	2.68
20467.00	93.32	359.00	12295.08	7976.61	-385.69	357.23	7985.92	7979.94	0.50
20561.00	92.26	358.82	12290.51	8070.48	-387.47	357.25	8079.77	8073.82	1.14
20655.00	93.80	358.56	12285.54	8164.32	-389.62	357.27	8173.61	8167.68	1.66
20749.00	92.92	358.56	12280.03	8258.12	-391.98	357.28	8267.42	8261.51	0.94
20844.00	92.92	358.73	12275.19	8352.97	-394.22	357.30	8362.27	8356.37	0.18
20938.00	91.25	359.70	12271.77	8446.90	-395.51	357.32	8456.15	8450.31	2.05
21031.00	90.68	359.26	12270.20	8539.88	-396.35	357.34	8549.07	8543.29	0.77
21126.00	90.20	359.35	12269.47	8634.87	-397.50	357.36	8644.02	8638.29	0.51
21220.00	90.29	359.35	12269.07	8728.86	-398.57	357.39	8737.96	8732.29	0.10
21314.00	90.33	358.65	12268.56	8822.85	-400.21	357.40	8831.92	8826.28	0.75
21408.00	90.33	358.56	12268.02	8916.82	-402.50	357.42	8925.90	8920.27	0.10
21503.00	91.12	358.82	12266.82	9011.79	-404.67	357.43	9020.87	9015.25	0.88
21598.00	89.85	357.94	12266.01	9106.74	-407.35	357.44	9115.85	9110.23	1.63
21692.00	92.18	357.85	12264.35	9200.66	-410.81	357.44	9209.82	9204.18	2.48
21786.00	94.59	357.85	12258.80	9294.42	-414.33	357.45	9303.65	9297.97	2.56
21880.00	94.33	358.47	12251.49	9388.09	-417.34	357.45	9397.36	9391.66	0.71
21974.00	93.19	358.73	12245.33	9481.85	-419.63	357.47	9491.14	9485.45	1.24
22068.00	92.04	358.65	12241.04	9575.73	-421.77	357.48	9585.01	9579.34	1.23
22163.00	92.62	358.65	12237.18	9670.62	-424.01	357.49	9679.92	9674.25	0.61
22257.00	92.84	358.65	12232.70	9764.49	-426.22	357.50	9773.79	9768.13	0.23
22351.00	92.18	358.56	12228.58	9858.37	-428.51	357.51	9867.68	9862.03	0.71
22445.00	91.65	358.73	12225.44	9952.29	-430.73	357.52	9961.61	9955.97	0.59

DigiDrill DataLogger

7/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22539.00	91.56	358.82	12222.81	10046.24	-432.74	357.53	10055.55	10049.93	0.14
22633.00	91.52	358.56	12220.28	10140.18	-434.89	357.54	10149.50	10143.88	0.28
22728.00	90.42	358.73	12218.67	10235.14	-437.13	357.55	10244.47	10238.86	1.17
22821.00	89.23	358.47	12218.96	10328.11	-439.41	357.56	10337.45	10331.85	1.31
22916.00	88.88	358.29	12220.52	10423.05	-442.09	357.57	10432.43	10426.82	0.41
22958.00	88.44	357.77	12221.51	10465.02	-443.53	357.57	10474.41	10468.79	1.62

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
23029.00	88.44	357.77	12223.44	10535.94	-446.30	357.57	10545.39	10539.74	0.00

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNW / 32.1812092 / -103.3618044	County or Parish/State: LEA / NM
Well Number: 211H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547291	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 07/28/2021	Time Sundry Submitted: 02:50
Date Operation Actually Began: 05/25/2021	

Actual Procedure: 3/21/2021: TD Reached at 23029 ft MD, 12223 ft TVD. Plug Back Measured depth at 22968 ft MD, 12222 ft TVD. Rig Release on 3/24/2021 at 9:00. 5/25/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 5/26/2021 to 6/21/2021: Perforate from 12581 ft to 22871 ft, 1 SPF, .6 inch holes with 637 total shots. 49 stage frac with 24,211,455 lbs of 100 mesh sand. 7/4/2021 to 7/7/2021: Drill out plugs 7/8/2021: Ready to produce Formation Tops (True Vertical Depth): Formation TVD Rustler 644 Top of Salt 1,238 Base of Salt 4,949 Delaware 5,185 Lamar 5,231 Bell 5,263 Ramsey 5,306 Cherry 6,135 Brushy 7,747 Bone Spring 9,034 Upper Avalon 9,067 Middle Avalon 9,284 Lower Avalon 9,835 1st Bone Spring Sand 10,298 2nd Bone Spring Sand 10,895 3rd Bone Spring Sand 11,942 Bone Spring W 12,233 Wolf Camp A X 12,298 Wolf Camp A Y 12,362 Wolfcamp A Lower 12,408 Request for OCD extension of time to file BLM approved Form 3160-4.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNW / 32.1812092 / -103.3618044	County or Parish/State: LEA / NM
Well Number: 211H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547291	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: JUL 28, 2021 02:50 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
		1. WELL API NO. 30-025-47291								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Man Hands Fed Com				
						6. Well Number: 211H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC						9. OGRID 372043				
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO						11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	34	24-S	35-E	-	12'	N	655'	W	LEA
BH:	B	22	24-S	35-E	-	34'	N	310'	W	LEA
13. Date Spudded 12/30/2020	14. Date T.D. Reached 3/21/2021		15. Date Rig Released 3/24/2021		16. Date Completed (Ready to Produce) 7/8/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3278 GR		
18. Total Measured Depth of Well 23029'			19. Plug Back Measured Depth 22968'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12581' - 22871'						WOLFBONE				
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1011'		17.5"		1145 SKS		
9.625"		40		5333'		12.25"		1558 SKS		
7.625"		29.7		11675'		8.75"		605 SKS		
5.5"		23		23015'		6.75"		1247 SKS		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number) 12581 ft to 22871 ft, 1 SPF, .6 inch holes with 637 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12581' - 22871 49 stage frac with 24,211,455 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 7/18/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 8/1/2021	Hours Tested 24	Choke Size 28/64	Prod'n For Test Period	Oil - Bbl 1796	Gas - MCF 2006	Water - Bbl. 5686	Gas - Oil Ratio 1116			
Flow Tubing Press. 0	Casing Pressure 3050	Calculated 24-Hour Rate	Oil - Bbl. 1796	Gas - MCF 2006	Water - Bbl. 5686	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, C-102										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey		Title Regulatory Analyst		Date 8/18/2021			
E-mail Address bramsey@t+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology
0	644		Quaternary
644	1238		Rustler
1238	4953		Top of Salt
4953	5235		Base of Salt
5235	5267		Lamar
5267	6156		Bell Canyon
6156	7772		Cherry Canyon
7772	9059		Brushy Canyon
9059	9309		Bonespring Lime
9309	10324		Avalon Sand
10324	10920		Bone Spring 1st
10920	11971		Bone Spring 2nd
11971	12412		Bone Spring 3rd
12412	12635		Wolfcamp
12635			Wolfcamp A Lower

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 43315

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43315
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 43315

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43315
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/6/2021