

Well Name: BELL LAKE UNIT NORTH	Well Location: T23S / R34E / SEC 5 / SENE / 32.3348336 / -103.4863305	County or Parish/State: LEA / NM
Well Number: 218H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0001244A	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM68292X
US Well Number: 3002548522	Well Status: Drilling Well	Operator: KAISER FRANCIS OIL COMPANY

Subsequent Report

Sundry ID: 2632814

Type of Submission: Subsequent Report

Date Sundry Submitted: 09/07/2021

Date Operation Actually Began: 08/06/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 10:20

Actual Procedure: 8-6-2021 Spud BLUN 218H Contacted BLM spoke to Steven Bailey Drill Surface casing. "Pick up shoe track and install 13-3/8" casing f/ 0'-1,455', 13-3/8" Weatherford 54.5ppf J-55 BTC float shoe, Joint 13-3/8" 54.5ppf J-55 BTC casing. 13-3/8" Weatherford 54.5ppf J-55 BTC float collar, 33 Joints 13-3/8" 54.5ppf J-55 BTC casing, Pick up casing hanger, wellhead & landing jnt & land casing as per Cameron rep. Install valves on wellhead. Cemented surface casing with 252 BBL of cement to surface Class C. Test casing to 1500psi for 30 min good test. 8-8-2021 PU and run 9-5/8 40# BTC casing to 5,082 DV tool and ECP @ 2700' Cement first stage with 109bbls with no returns. Open DV tool and inflate packer gained full returns. Pump second stage with 170 bbls with 10bbls of cement to surface. Test casing 1500 for 30 min good test. 8-14-2021 Drill 6-3/4" production lateral to 18318. Run 5-1/2 20ppf HCP-110 GBCD casing from 0-18283'. Cement with 1022 bbls of class H Cement. 188 bbls of cement to surface test casing to 1500 psi for 15min good test.

Well Name: BELL LAKE UNIT NORTH	Well Location: T23S / R34E / SEC 5 / SENE / 32.3348336 / -103.4863305	County or Parish/State: LEA / NM
Well Number: 218H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0001244A	Unit or CA Name: BELL LAKE	Unit or CA Number: NMNM68292X
US Well Number: 3002548522	Well Status: Drilling Well	Operator: KAISER FRANCIS OIL COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: ERIC HANSEN	Signed on: SEP 07, 2021 10:20 AM
Name: KAISER FRANCIS OIL COMPANY	
Title: Drilling Engineer	
Street Address: 6733 S. Yale Ave.	
City: Tulsa	State: OK
Phone: (918) 491-4339	
Email address: EricH@kfoc.net	

Field Representative

Representative Name: Jeremy Parent		
Street Address: 88 Shell Road		
City: Jal	State: NM	Zip: 88252
Phone: (580)504-2593		
Email address: JeremyP@kfoc.net		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/01/2021
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 55569

CONDITIONS

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK 74121	OGRID: 12361
	Action Number: 55569
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Missing Hole size and total sacks of cement for each casing string, also include grade and weight.	10/22/2021