

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

10/21/2021

Well Name: SEAWOLF 12-1 FED	Well Location: T26S / R33E / SEC 12 / SESW / 32.051752 / -103.527295	County or Parish/State: LEA / NM
Well Number: 3H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM114988	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547762	Well Status: Approved Application for Permit to Drill	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Notice of Intent

Sundry ID: 2627507

Type of Submission: Notice of Intent

Type of Action: Other

Date Sundry Submitted: 08/05/2021

Time Sundry Submitted: 03:20

Date proposed operation will begin: 08/04/2021

Procedure Description: Devon Energy Production Company, L. P. respectfully requests a BHL move to shorten the lateral, from 20 FNL & 1766 FWL to 550 FSL & 1680 FWL, both 1-26S-33E. Please see attached revised C-102 and drilling & directional plans.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Seawolf_12_1_Fed_3H_C_102_NOI_20210805151855.pdf

Seawolf_12_1_Fed_3H_Directional_Plan_08_05_21_20210805151849.pdf

Seawolf_12_1_Fed_3H_20210805151849.pdf

Well Name: SEAWOLF 12-1 FED**Well Location:** T26S / R33E / SEC 12 /
SESW / 32.051752 / -103.527295**County or Parish/State:** LEA /
NM**Well Number:** 3H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM114988**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3002547762**Well Status:** Approved Application for
Permit to Drill**Operator:** DEVON ENERGY
PRODUCTION COMPANY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: REBECCA DEAL**Signed on:** AUG 05, 2021 03:19 PM**Name:** DEVON ENERGY PRODUCTION COMPANY LP**Title:** Regulatory Compliance Professional**Street Address:** 333 West Sheridan Avenue**City:** Oklahoma City**State:** OK**Phone:** (405) 228-8429**Email address:** Rebecca.Deal@dvn.com

Field Representative

Representative Name:**Street Address:****City:****State:****Zip:****Phone:****Email address:**

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5752342234**BLM POC Email Address:** cwalls@blm.gov**Disposition:** Approved**Disposition Date:** 10/21/2021**Signature:** Chris Walls

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-47762	Pool Code 98347	Pool Name WC-025 G-10 S263418C; LWR WOLFCAMP
Property Code 315247	Property Name SEAWOLF 12-1 FED	Well Number 3H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3346.5'


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	26-S	33-E		382	SOUTH	2261	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	1	26-S	33-E		550	SOUTH	1680	WEST	LEA
Dedicated Acres 200	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rebecca Deal 8/5/2021
Signature Date

Rebecca Deal, Regulatory Analyst
Printed Name

rebecca.deal@dmn.com

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

05/22/2020

Date of Survey

Signature & Seal of Professional Surveyor



REV: 07/05/2021

Certificate No. 22404 B.L. LAMAN

DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, LP.	Property Name: SEAWOLF 12-1 FED	Well Number 3H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
	12	26S	33E		51	FSL	1680	FWL	LEA
Latitude 32.0508					Longitude -103.5293				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	12	26-S	33-E		100	SOUTH	1680	WEST	LEA
Latitude 32.050979					Longitude 103.529170				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	1	26-S	33-E		470	SOUTH	1680	WEST	LEA
Latitude 32.066513					Longitude 103.529166				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐ N


If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

SEAWOLF 12 WELLPAD 2

DEVON ENERGY PRODUCTION COMPANY, L.P. THE SOUTHWEST QUARTER OF SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, NEW MEXICO



BEING A SURFACE SITE EASEMENT LYING IN THE SOUTHWEST QUARTER OF SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST N.M.P.M., LEA COUNTY, NEW MEXICO.

BEGINNING AT THE SOUTHEAST CORNER OF SAID SITE EASEMENT, WHERE A 1" IRON PIPE W/BC FOR THE SOUTH QUARTER CORNER OF SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST N.M.P.M. BEARS S 30°13'48" E, A DISTANCE 313.68';

THENCE S 89°39'15" W, A DISTANCE 420.00 FEET TO THE SOUTHWEST CORNER OF THIS EASEMENT;
THENCE N 00°20'45" W, A DISTANCE 400.00 FEET TO THE NORTHWEST CORNER OF THIS EASEMENT;
THENCE N 89°39'15" E, A DISTANCE 420.00 FEET TO THE NORTHEAST CORNER OF THIS EASEMENT;
THENCE S 00°20'45" E, A DISTANCE 400.00 FEET TO THE SOUTHEAST CORNER OF THIS EASEMENT,
TO THE POINT OF BEGINNING; CONTAINING 3.86 ACRES.

GENERAL NOTES:

1.) THE INTENT OF THIS SURVEY IS TO ACQUIRE A BUSINESS LEASE FOR THE PURPOSE OF BUILDING A WELLPAD.


2.) All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF PIPELINE RD AND DINWIDDIE RD, HEAD SOUTHEAST ON DINWIDDIE RD FOR 0.81 MILES. TURN LEFT HEADING SOUTHEAST ONTO EXISTING ACCESS FOR 1.07 MILES. TURN LEFT HEADING NORTH ONTO A PROPOSED ACCESS ROAD FOR 524' TO THE NORTHWEST CORNER OF SEAWOLF 12 WELLPAD 2.

B.L. Laman
Horizonrow, LLC
Date Signed: 06-07-2020
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizonrow, LLC



HORIZON ROW LLC

Drawn for:

Drawn by:
BRETT ANTILL

Date: 05/28/2020

DEVON ENERGY PRODUCTION COMPANY, L.P.

SEAWOLF 12
WELLPAD 2

SURVEY PLAT SHOWING A WELLPAD
ON THE PROPERTY OF THE
BUREAU OF LAND
MANAGEMENT

SITE NUMBER:
AA000147601


WBS NUMBER:
XX-137780

SCALE:
1" = 250'

REVISIONS:

DATE OF SURVEY:
05/2020

SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO SITE MAP

SEAWOLF 12-1 FED 2H

382' FSL 2231' FWL SEC. 12
EL: 3346.4'
N: 383497.55
E: 791033.10

SEAWOLF 12-1 FED 3H

382' FSL 2261' FWL SEC. 12
EL: 3346.5'
N: 383497.74
E: 791063.09

SEAWOLF 12-1 FED 11H

562' FSL 2271' FWL SEC. 12
EL: 3349.0'
N: 383677.80
E: 791071.76

SEAWOLF 12-1 FED 14H

562' FSL 2301' FWL SEC. 12
EL: 3349.3'
N: 383677.98
E: 791101.76

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

DEVON ENERGY PRODUCTION COMPANY, L.P.

SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

**HORIZON ROW LLC**

Drawn for:


DEVON ENERGY PRODUCTION CO., L.P.

Drawn by:
CHRIS MAAS

Date: 05/29/2020

DIRECTIONS TO LOCATION
FROM THE INTERSECTION OF PIPELINE RD AND DINWIDDIE RD, HEAD
SOUTHEAST ON DINWIDDIE RD FOR 0.81 MILES. TURN LEFT HEADING
SOUTHEAST ONTO EXISTING ACCESS FOR 1.08 MILES. TURN LEFT HEADING
NORTH ONTO SEAWOLF 12 WELLPAD 2 ACCESS ROAD FOR 524' TO THE
NORTHWEST CORNER OF SEAWOLF 12 WELLPAD 2.

SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
INTERIM SITE BUILD PLAN



SEAWOLF 12-1 FED 2H
382' FSL 2231' FWL SEC. 12
EL: 3346.4'
N: 383497.55
E: 791033.10

SEAWOLF 12-1 FED 3H
382' FSL 2261' FWL SEC. 12
EL: 3346.5'
N: 383497.74
E: 791063.09

SEAWOLF 12-1 FED 11H
562' FSL 2271' FWL SEC. 12
EL: 3349.0'
N: 383677.80
E: 791071.76

SEAWOLF 12-1 FED 14H
562' FSL 2301' FWL SEC. 12
EL: 3349.3'
N: 383677.98
E: 791101.76

 DENOTES INTERIM PAD RECLAMATION AREA

2.144± ACRES INTERIM PAD RECLAMATION AREA

1.713± ACRES NON-RECLAIMED AREA

3.857± ACRES GRADING SITE RECLAMATION AREA

DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.

Drawn by:
CHRIS MAAS


Date: 06/11/2020

Drawn for:


devon



SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
VICINITY MAP



DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

NOT TO SCALE

DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF PIPELINE RD AND DINWIDDIE RD, HEAD SOUTHEAST ON DINWIDDIE RD FOR 0.81 MILES. TURN LEFT HEADING SOUTHEAST ONTO EXISTING ACCESS FOR 1.08 MILES. TURN LEFT HEADING NORTH ONTO SEAWOLF 12 WELLPAD 2 ACCESS ROAD FOR 524' TO THE NORTHWEST CORNER OF SEAWOLF 12 WELLPAD 2.

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.

Drawn by:
CHRIS MAAS

Date: 05/27/2020

Drawn for:

devon

SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
LOCATION VERIFICATION MAP



DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

NOT TO SCALE

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 05/29/2020

Drawn for:

devon

SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL PHOTO



DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 05/29/2020
REV: 07/05/2021

Drawn for:

devon

SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL ACCESS ROUTE MAP



DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

NOT TO SCALE

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.


Drawn by:
CHRIS MAAS

Date: 05/29/2020

Drawn for:

devon

EXHIBIT "A"
ACCESS ROAD PLAT
SECTION 11, T26S-R33E, N.M.P.M.
LEA COUNTY, NEW MEXICO



30' EASEMENT AREA = 1.95 ACRE(S)
2831.69 FEET OR 171.62 RODS

0+00.0 P.O.B./EXISTING ACCESS ROAD
10+36.0 EXISTING PIPELINE
21+90.4 EXISTING POWERLINE
28+31.7 SECTION LINE

SEE THE ATTACHED LEGAL DESCRIPTION


Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico Professional Surveyor No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

0 1000 2000



B.L. Laman
Date Signed: 06-02-2020
Horizonrow, LLC
P.O. Box 548, Dry Creek, LA.
(903) 388-3045 70637
Employee of Horizonrow, LLC



HORIZON ROW LLC

Drawn for:



Drawn by:
JEANNIE PERRY

Date: 05/24/2020

DEVON ENERGY PRODUCTION COMPANY, L.P.

SEAWOLF 12 PRIMARY
ACCESS ROAD

PROPOSED 30' EASEMENT
ON THE PROPERTY OF
BUREAU OF LAND MANAGEMENT
SECTION 11, T26S-R33E, N.M.P.M.

LINE NUMBER:
7640369R

WBS NUMBER:
XX-137785.01.SLC

SCALE:
1" = 1000'

REVISIONS:

DATE SURVEY:
5/18/2020

**SECTION 11, T26S-R33E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of southeast quarter (SE ¼) of Section 11, Township 26 South, Range 33 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/BC for the southwest corner of Section 11, T26S-R33E, N.M.P.M., Lea County, New Mexico;

Thence N 64°31'10" E a distance of 2918.14' to the **Point of Beginning** of this easement having coordinates of Northing=384323.51, Easting=786153.81 feet and continuing the following courses;

Thence S 63°05'35" E a distance of 637.84' to an angle point;

Thence S 62°42'40" E a distance of 1958.35' to an angle point;

Thence S 81°12'14" E a distance of 235.50' to the **Point of Ending** having coordinates of Northing=383101.00, Easting=788695.73 feet, in the south line of Section 11, from said point a 2" iron pipe w/BC for the southeast corner of Section 11, T26S-R33E bears N 89°38'10" E a distance of 109.23', covering **2831.69' or 171.62 rods** and having an area of **1.95 acres**.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.


I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.


B.L. Laman PLS 22404

Date Signed: 06/02/2020
Horizon Row, LLC
P.O. Box 548, Dry Creek, LA
(903) 388-3045 70637
Employee of Horizon Row, LLC



EXHIBIT "A"
ACCESS ROAD PLAT
SECTION 14, T26S-R33E, N.M.P.M.
LEA COUNTY, NEW MEXICO



30' EASEMENT AREA = 0.073 ACRE(S)
111.36 FEET OR 6.75 RODS

28+31.7 SECTION LINE
29+43.0 SECTION LINE

SEE THE ATTACHED LEGAL DESCRIPTION


Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are as shown.

I, B.L. Laman, New Mexico Professional Surveyor No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

0 1000 2000



B.L. Laman
Date Signed: 06-02-2020
Horizonrow, LLC
P.O. Box 548, Dry Creek, LA.
(903) 388-3045 70637
Employee of Horizonrow, LLC



HORIZON ROW LLC

Drawn for:



Drawn by:
JEANNIE PERRY

Date: 05/24/2020

DEVON ENERGY PRODUCTION COMPANY, L.P.

SEAWOLF 12 PRIMARY
ACCESS ROAD

PROPOSED 30' EASEMENT
ON THE PROPERTY OF
BUREAU OF LAND MANAGEMENT
SECTION 14, T26S-R33E, N.M.P.M.

LINE NUMBER:
7640369R

WBS NUMBER:
XX-137785.01.SLC

SCALE:
1" = 1000'

REVISIONS:

DATE SURVEY:
5/18/2020

**SECTION 14, T26S-R33E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of northeast quarter (NE ¼) of Section 14, Township 26 South, Range 33 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/BC for the northeast corner of Section 14, T26S-R33E, N.M.P.M., Lea County, New Mexico;

Thence S 89°38'10" W a distance of 109.23' to the **Point of Beginning** of this easement having coordinates of Northing=383101.00, Easting=788695.73 feet, in the north line of Section 14, and continuing the following courses;

Thence S 81°12'14" E a distance of 6.99' to an angle point;

Thence S 83°29'55" E a distance of 80.92' to an angle point;

Thence S 70°13'14" E a distance of 23.45' to the **Point of Ending** having coordinates of Northing=383082.83, Easting=788805.10 feet, in the east line of Section 14, from said point a 2" iron pipe w/BC for the northeast corner of Section 14, T26S-R33E bears N 00°25'06" W a distance of 18.86', covering **111.36' or 6.75 rods** and having an area of **0.073 acres**.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman PLS 22404

Date Signed: 06/02/2020

Horizon Row, LLC


P.O. Box 548, Dry Creek, LA

(903) 388-3045 70637

Employee of Horizon Row, LLC



EXHIBIT "A"
ACCESS ROAD PLAT
SECTION 13, T26S-R33E, N.M.P.M.
LEA COUNTY, NEW MEXICO




30' EASEMENT AREA = 0.589 ACRE(S)
855.60 FEET OR 51.85 RODS

SEE THE ATTACHED LEGAL DESCRIPTION

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico Professional Surveyor, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman
Date Signed: 06-02-2020
Horizonrow, LLC
P.O. Box 548, Dry Creek, LA.
(903) 388-3045 70637
Employee of Horizonrow, LLC

HORIZON ROW LLC

Drawn for:



Drawn by:
JEANNIE PERRY

Date: 05/24/2020

DEVON ENERGY PRODUCTION COMPANY, L.P.

SEAWOLF 12 PRIMARY
ACCESS ROAD

PROPOSED 30' EASEMENT
ON THE PROPERTY OF
BUREAU OF LAND MANAGEMENT
SECTION 13, T26S-R33E, N.M.P.M.

LINE NUMBER:
7640369R

WBS NUMBER:
XX-137785.01.SLC

SCALE:
1" = 1000'

REVISIONS:

DATE SURVEY:
5/18/2020

0 1000 2000



**SECTION 13, T26S-R33E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of northwest quarter (NW ¼) of Section 13, Township 26 South, Range 33 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/BC for the northwest corner of Section 13, T26S-R33E, N.M.P.M., Lea County, New Mexico;

Thence S 00°25'06" E a distance of 18.86' to the **Point of Beginning** of this easement having coordinates of Northing=383082.83, Easting=788805.10 feet, in the west line of Section 13, and continuing the following courses;

Thence S 70°13'14" E a distance of 62.52' to an angle point;

Thence S 65°03'41" E a distance of 94.84' to an angle point;

Thence S 74°29'49" E a distance of 54.94' to an angle point;

Thence S 85°46'38" E a distance of 56.33' to an angle point;

Thence N 88°28'44" E a distance of 194.81' to an angle point;

Thence N 78°31'30" E a distance of 66.28' to an angle point;

Thence N 74°45'55" E a distance of 325.88' to the **Point of Ending** having coordinates of Northing=383106.84, Easting=789633.18 feet, in the north line of Section 13, from said point a 1" iron pipe w/BC for the north quarter corner of Section 13, T26S-R33E bears N 89°38'37" E a distance of 1818.17', covering **855.60' or 51.85 rods** and having an area of **0.589 acres**.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.


I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.



B.L. Laman PLS 22404
Date Signed: 06/02/2020
Horizon Row, LLC
P.O. Box 548, Dry Creek, LA
(903) 388-3045 70637
Employee of Horizon Row, LLC



EXHIBIT "A"
ACCESS ROAD PLAT
SECTION 12, T26S-R33E, N.M.P.M.
LEA COUNTY, NEW MEXICO



**SECTION 12, T26S-R33E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the southwest quarter of Section 12, Township 26 South, Range 33 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/BC found for the southwest corner of Section 12;

Thence N 89°38'37" E a distance of 828.23' to the **Point of Beginning** of this easement, having coordinates of Northing=383106.84, Easting=789633.18 feet, in the south line of Section 12, and continuing the following course;

Thence N 74°45'55" E, a distance of 57.96' to an angle point;

Thence N 69°49'58" E, a distance of 199.29' to an angle point;

Thence N 77°06'08" E, a distance of 115.63' to an angle point;

Thence N 80°53'57" E, a distance of 136.82' to an angle point;

Thence N 82°22'52" E, a distance of 88.36' to an angle point;

Thence S 88°27'19" E, a distance of 80.92' to an angle point;

Thence S 84°08'55" E, a distance of 117.87' to an angle point;

Thence S 87°49'24" E, a distance of 68.79' to an angle point;

Thence N 86°48'57" E, a distance of 88.72' to an angle point;

Thence N 82°36'06" E, a distance of 209.58' to an angle point;

Thence N 74°39'10" E, a distance of 50.99' to an angle point;

Thence N 83°17'12" E, a distance of 79.45' to an angle point;

Thence N 87°45'05" E, a distance of 100.55' to an angle point;

Thence S 86°45'45" E, a distance of 218.09' to an angle point;

Thence N 88°12'51" E, a distance of 188.09' to an angle point;

Thence N 84°58'05" E, a distance of 40.89' to the **Point of Ending** having coordinates of Northing= 383288.91, Easting=791449.89 feet, in the east property line of land owned by Bureau of Land Management in Section 12, from

said point a 1" iron pipe w/BC for the south quarter corner of Section 12, T26S-R33E, bears S 00°28'35" E a distance of 170.77', covering **1842.00' or 111.64 rods** and having an area of **1.27 acre(s)**.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.




B.L. Laman PLS# 22404
Date Signed: 06-02-2020
Horizon Row, LLC
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizon Row, LLC



EXHIBIT "A"
ACCESS ROAD PLAT
SECTION 12, T26S-R33E, N.M.P.M.
LEA COUNTY, NEW MEXICO




SEE THE ATTACHED LEGAL DESCRIPTION

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico Professional Surveyor, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

B.L. Laman
Date Signed: 06-02-2020
Horizonrow, LLC
P.O. Box 548, Dry Creek, LA.
(903) 388-3045 70637
Employee of Horizonrow, LLC



HORIZON ROW LLC

Drawn for:



Drawn by:
JEANNIE PERRY

Date: 05/24/2020

DEVON ENERGY PRODUCTION COMPANY, L.P.

SEAWOLF 12 PRIMARY
ACCESS ROAD

PROPOSED 30' EASEMENT
ON THE PROPERTY OF
INTREPID POTASH-NEW MEXICO, LLC
SECTION 12, T26S-R33E, N.M.P.M.

LINE NUMBER:
7640369R

WBS NUMBER:
XX-137785.01.SLC

SCALE:
1" = 1000'

REVISIONS:

DATE SURVEY:
5/18/2020

**SECTION 12, T26S-R33E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

INTREPID POTASH-NEW MEXICO, LLC.

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the southeast quarter of Section 12, Township 26 South, Range 33 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Intrepid Potash-New Mexico, LLC, recorded in Book 2150, Page 23, deed records of Lea County, New Mexico. Said centerline of easement being more particularly described as follows:

Commencing from a 1" iron pipe w/BC found for the south quarter corner of Section 12;

Thence N 00°28'35" W a distance of 170.77' to the **Point of Beginning** of this easement, having coordinates of Northing=383288.91, Easting=791449.89 feet and continuing the following course;

Thence N 84°58'05" E, a distance of 105.65' to an angle point;

Thence N 83°33'10" E, a distance of 140.12' to an angle point;

Thence S 86°17'19" E, a distance of 247.36' to an angle point;

Thence N 80°58'24" E, a distance of 87.02' to an angle point;

Thence N 75°44'39" E, a distance of 327.31' to an angle point;

Thence N 78°24'11" E, a distance of 222.43' to an angle point;

Thence N 74°17'19" E, a distance of 35.53' to an angle point;

Thence N 62°20'08" E, a distance of 72.26' to an angle point;

Thence N 54°36'04" E, a distance of 39.93' to the **Point of Ending** having coordinates of Northing= 383503.16, Easting=792693.02 feet from said point a 3" iron pipe w/BC for the southeast corner of Section 12, T26S-R33E, bears S 75°13'22" E a distance of 1444.42', covering **1277.61' or 77.43 rods** and having an area of **0.880 acre(s)**.

NOTES:


Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.


B.L. Laman PLS# 22404
Date Signed: 06-02-2020
Horizon Row, LLC
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizon Row, LLC



EXHIBIT "A"
ACCESS ROAD PLAT
SECTION 12, T26S-R33E, N.M.P.M.
LEA COUNTY, NEW MEXICO



30' EASEMENT AREA = 0.361 ACRE(S)
523.96 FEET OR 31.76 RODS

0+00.0 P.O.B./SEAWOLF 12 PRIMARY ACCESS ROAD
5+24.0 P.O.E./SEAWOLF 12 WELLPAD 2

SEE THE ATTACHED LEGAL DESCRIPTION

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

0 1000 2000



B.L. Laman
Date Signed: 06-07-2020
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizonrow, LLC

HORIZON ROW LLC

Drawn for:

devon

Drawn by:
BRETT ANTILL

Date: 05/28/2020

DEVON ENERGY PRODUCTION COMPANY, LP

SEAWOLF 12 WELLPAD 2
(ACCESS ROAD)

PROPOSED 30' EASEMENT
ON THE PROPERTY OF
BUREAU OF LAND MANAGEMENT
SECTION 12, T26S-R33E, N.M.P.M.

LINE NUMBER:
7640371R

WBS NUMBER:
XX-137780.01.SLC

SCALE:
1" = 1000'

REVISIONS:

SURVEY DATE:
5/22/2020

**SECTION 12, T26S-R33E, N.M.P.M.,
LEA COUNTY, NEW MEXICO**

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the southwest quarter of Section 12, Township 26 South, Range 33 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 1" iron pipe w/BC found for the south quarter corner of Section 12;

Thence N 75°39'24" W, a distance of 647.45' to the **Point of Beginning** of this easement, having coordinates of Northing=383278.54, Easting=790824.04 feet and continuing the following course;

Thence N 00°20'45" W, a distance of 454.89' to an angle point;

Thence N 34°17'02" E, a distance of 44.05' to an angle point;

Thence N 85°51'47" E, a distance of 25.02' to the **Point of Ending** having coordinates of Northing= 383771.63, Easting=790871.07 feet from said point a 1" iron pipe w/BC for the west quarter corner of Section 12, T26S-R33E, bears N 45°38'02" W a distance of 2868.94', covering **523.96' or 31.76 rods** and having an area of **0.361 acre(s)**.

NOTES:


Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.


B.L. Laman PLS# 22404
Date Signed: 06-07-2020
Horizon Row, LLC
P.O. Box 548, Dry Creek, La.
(903) 388-3045 70637
Employee of Horizon Row, LLC



SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
PLAN VIEW



DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO



EARTHWORK QUANTITIES FOR
SEAWOLF 12 WELLPAD 2

CUT	FILL	NET
4,938 CY	4,395 CY	-3 CY

EARTHWORK QUANTITIES ARE ESTIMATED

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.




Drawn by:
CHRIS MAAS

Date: 05/29/2020

Drawn for:



SECTION 12, TOWNSHIP 26 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO CROSS SECTIONS



DEVON ENERGY PRODUCTION COMPANY, L.P.
SEAWOLF 12-1 FED 3H
LOCATED 382 FT. FROM THE SOUTH LINE
AND 2261 FT. FROM THE WEST LINE OF
SECTION 12, TOWNSHIP 26 SOUTH,
RANGE 33 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

SCALE 1" = 100' HORIZONTAL
SCALE 1" = 10' VERTICAL

EARTHWORK QUANTITIES FOR
SEAWOLF 12 WELLPAD 2

CUT	FILL	NET
4,938 CY	4,935 CY	-3 CY

EARTHWORK QUANTITIES ARE ESTIMATED

HORIZON ROW LLC

DEVON ENERGY PRODUCTION CO., L.P.

Drawn by:
CHRIS MAAS

Date: 05/29/2020

Drawn for:



Seawolf 12-1 Fed 3H

1. Geologic Formations

TVD of target	13335	Pilot hole depth	N/A
MD at TD:	18925	Deepest expected fresh water	

Basin

Formation	Depth (TVD) from KB	Water/Mineral Bearing/Target Zone?	Hazards*
Rustler	980		
Salt	1280		
Base of Salt	5000		
#REF!	#REF!		
Delaware	5135		
Cherry Canyon	6217		
Brushy Canyon	7815		
1st Bone Spring Lime	9290		
Bone Spring 1st	10245		
Bone Spring 2nd	10795		
3rd Bone Spring Lime	11266		
Bone Spring 3rd	11880		
Wolfcamp	12340		

*H2S, water flows, loss of circulation, abnormal pressures, etc.

Seawolf 12-1 Fed 3H

2. Casing Program (Primary Design)

Hole Size	Csg. Size	Wt (PPF)	Grade	Conn	Casing Interval		Casing Interval	
					From (MD)	To (MD)	From (TVD)	To (TVD)
17 1/2	13 3/8	48	H40	STC	0	1005	0	1005
9 7/8	8 5/8	32	P110	TLW	0	12340	0	12340
7 7/8	5 1/2	17	P110	BTC	0	18925	0	13335

• All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 IILB.1.h Must have table for contingency casing.

3. Cementing Program (Primary Design)

Casing	# Sks	TOC	Wt. ppg	Yld (ft3/sack)	Slurry Description
Surface	766	Surf	13.2	1.44	Lead: Class C Cement + additives
Int 1	514	Surf	9	3.27	Lead: Class C Cement + additives
	465	4000' above	13.2	1.44	Tail: Class H / C + additives
Int 1 Intermediate Squeeze	As Needed	Surf	13.2	1.44	Squeeze Lead: Class C Cement + additives
	514	Surf	9	3.27	Lead: Class C Cement + additives
	465	4000' above	13.2	1.44	Tail: Class H / C + additives
Production	117	10818	9	3.27	Lead: Class H / C + additives
	808	12818	13.2	1.44	Tail: Class H / C + additives

Casing String	% Excess
Surface	50%
Intermediate 1	30%
Intermediate 1 (Two Stage)	25%
Prod	10%

Seawolf 12-1 Fed 3H

4. Pressure Control Equipment (Three String Design)

BOP installed and tested before drilling which hole?		Size?	Min. Required WP	Type	✓	Tested to:	
Int 1		13-5/8"	5M	Annular		X	50% of rated working pressure
				Blind Ram		X	5M
				Pipe Ram			
				Double Ram		X	
				Other*			
Production		13-5/8"	10M	Annular (5M)		X	100% of rated working pressure
				Blind Ram		X	10M
				Pipe Ram			
				Double Ram		X	
				Other*			
				Annular (5M)			
				Blind Ram			
				Pipe Ram			
				Double Ram			
				Other*			
N	A variance is requested for the use of a diverter on the surface casing. See attached for schematic.						
Y	A variance is requested to run a 5 M annular on a 10M system						

Seawolf 12-1 Fed 3H

5. Mud Program (Three String Design)

Section	Type	Weight (ppg)
Surface	FW Gel	8.5-9
Intermediate	DBE / Cut Brine	10-10.5
Production	OBM	10-10.5

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	PVT/Pason/Visual Monitoring
---	-----------------------------

6. Logging and Testing Procedures

Logging, Coring and Testing	
X	Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the Completion Report and submitted to the BLM.
	No logs are planned based on well control or offset log information.
	Drill stem test? If yes, explain.
	Coring? If yes, explain.

Additional logs planned		Interval
	Resistivity	Int. shoe to KOP
	Density	Int. shoe to KOP
X	CBL	Production casing
X	Mud log	Intermediate shoe to TD
	PEX	

7. Drilling Conditions

Condition	Specify what type and where?
BH pressure at deepest TVD	7281
Abnormal temperature	No

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

Hydrogen Sulfide (H₂S) monitors will be installed prior to drilling out the surface shoe. If H₂S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of Onshore Oil and Gas Order #6. If Hydrogen Sulfide is encountered measured values and formations will be provided to the BLM.

N	H ₂ S is present
Y	H ₂ S plan attached.

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed

Seawolf 12-1 Fed 3H

from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).
- 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nipped up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

X Directional Plan
 Other, describe


Seawolf 12-1 Fed 3H



Well: Seawolf 12-1 Fed 3H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD (ft)	INC (°)	AZI (°)	TVD (ft)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)	Comment
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SHL
2000.00	0.00	240.00	2000.00	0.00	0.00	0.00	0.00	Start Tangent
2500.00	10.00	240.00	2497.47	-21.76	-37.69	-17.35	2.00	Hold Tangent
5849.11	10.00	240.00	5795.70	-312.55	-541.34	-249.26	0.00	Drop to Vertical
6349.11	0.00	240.00	6293.16	-334.31	-579.04	-266.61	2.00	Hold Vertical
12817.99	0.00	359.59	12762.04	-334.31	-579.04	-266.61	0.00	KOP
13717.99	90.00	359.59	13335.00	238.64	-583.14	303.11	10.00	Landing Point
18924.82	90.00	359.59	13335.00	5445.33	-620.39	5480.56	0.00	BHL



Key Depths	MD (ft)	TVD (ft)
Rustler	980.00	980.00
Salt	1280.00	1280.00
Base of Salt	5041.14	5000.00
Delaware	5178.22	5135.00
Cherry Canyon	6272.94	6217.00
Brushy Canyon	7870.95	7815.00
1st Bone Spring Lime	9345.95	9290.00
Bone Spring 1st	10300.95	10245.00
Bone Spring 2nd	10850.95	10795.00
3rd Bone Spring Lime	11321.95	11266.00
Bone Spring 3rd	11935.95	11880.00
Wolfcamp / Point of Penetration	12395.95	12340.00
EXIT	18844.82	13335.01

SHL
KOP
Point of Penetration
Exit
BHL

MD (ft)	TVD (ft)	Lat (°)	Long (°)	Section Footages
0.00	0.00	32.0517	-103.5274	382' FSL, 2261' FWL of Sec 12 in T26S, R33E
12817.99	12762.04	32.0508	-103.5293	51' FSL, 1680' FWL of Sec 12 in T26S, R33E
12395.95	12340.00	32.0510	-103.5292	100' FSL, 1680' FWL of Sec 12 in T26S, R33E
18844.82	13335.01	32.0665	-103.5292	470' FNL, 1680' FWL of Sec 01 in T26S, R33E
18924.82	13335.00	32.0666	-103.5292	550' FSL, 1680' FWL of Sec 01 in T26S, R33E

Seawolf 12-1 Fed 3H



Well: Seawolf 12-1 Fed 3H
 County: Lea
 Wellbore: Permit Plan
 Design: Permit Plan #1

Geodetic System: US State Plane 1983
 Datum: North American Datum 1927
 Ellipsoid: Clarke 1866
 Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SHL
100.00	0.00	240.00	100.00	0.00	0.00	0.00	0.00	
200.00	0.00	240.00	200.00	0.00	0.00	0.00	0.00	
300.00	0.00	240.00	300.00	0.00	0.00	0.00	0.00	
400.00	0.00	240.00	400.00	0.00	0.00	0.00	0.00	
500.00	0.00	240.00	500.00	0.00	0.00	0.00	0.00	
600.00	0.00	240.00	600.00	0.00	0.00	0.00	0.00	
700.00	0.00	240.00	700.00	0.00	0.00	0.00	0.00	
800.00	0.00	240.00	800.00	0.00	0.00	0.00	0.00	
900.00	0.00	240.00	900.00	0.00	0.00	0.00	0.00	
980.00	0.00	240.00	980.00	0.00	0.00	0.00	0.00	Rustler
1000.00	0.00	240.00	1000.00	0.00	0.00	0.00	0.00	
1100.00	0.00	240.00	1100.00	0.00	0.00	0.00	0.00	
1200.00	0.00	240.00	1200.00	0.00	0.00	0.00	0.00	
1280.00	0.00	240.00	1280.00	0.00	0.00	0.00	0.00	Salt
1300.00	0.00	240.00	1300.00	0.00	0.00	0.00	0.00	
1400.00	0.00	240.00	1400.00	0.00	0.00	0.00	0.00	
1500.00	0.00	240.00	1500.00	0.00	0.00	0.00	0.00	
1600.00	0.00	240.00	1600.00	0.00	0.00	0.00	0.00	
1700.00	0.00	240.00	1700.00	0.00	0.00	0.00	0.00	
1800.00	0.00	240.00	1800.00	0.00	0.00	0.00	0.00	
1900.00	0.00	240.00	1900.00	0.00	0.00	0.00	0.00	
2000.00	0.00	240.00	2000.00	0.00	0.00	0.00	0.00	Start Tangent
2100.00	2.00	240.00	2099.98	-0.87	-1.51	-0.70	2.00	
2200.00	4.00	240.00	2199.84	-3.49	-6.04	-2.78	2.00	
2300.00	6.00	240.00	2299.45	-7.85	-13.59	-6.26	2.00	
2400.00	8.00	240.00	2398.70	-13.94	-24.14	-11.12	2.00	
2500.00	10.00	240.00	2497.47	-21.76	-37.69	-17.35	2.00	Hold Tangent
2600.00	10.00	240.00	2595.95	-30.44	-52.73	-24.28	0.00	
2700.00	10.00	240.00	2694.43	-39.13	-67.77	-31.20	0.00	
2800.00	10.00	240.00	2792.91	-47.81	-82.81	-38.13	0.00	
2900.00	10.00	240.00	2891.39	-56.49	-97.84	-45.05	0.00	
3000.00	10.00	240.00	2989.87	-65.17	-112.88	-51.98	0.00	
3100.00	10.00	240.00	3088.35	-73.86	-127.92	-58.90	0.00	
3200.00	10.00	240.00	3186.83	-82.54	-142.96	-65.82	0.00	
3300.00	10.00	240.00	3285.31	-91.22	-158.00	-72.75	0.00	
3400.00	10.00	240.00	3383.79	-99.90	-173.04	-79.67	0.00	
3500.00	10.00	240.00	3482.27	-108.59	-188.07	-86.60	0.00	
3600.00	10.00	240.00	3580.75	-117.27	-203.11	-93.52	0.00	
3700.00	10.00	240.00	3679.23	-125.95	-218.15	-100.45	0.00	
3800.00	10.00	240.00	3777.72	-134.63	-233.19	-107.37	0.00	
3900.00	10.00	240.00	3876.20	-143.32	-248.23	-114.29	0.00	
4000.00	10.00	240.00	3974.68	-152.00	-263.27	-121.22	0.00	
4100.00	10.00	240.00	4073.16	-160.68	-278.30	-128.14	0.00	
4200.00	10.00	240.00	4171.64	-169.36	-293.34	-135.07	0.00	
4300.00	10.00	240.00	4270.12	-178.05	-308.38	-141.99	0.00	
4400.00	10.00	240.00	4368.60	-186.73	-323.42	-148.92	0.00	
4500.00	10.00	240.00	4467.08	-195.41	-338.46	-155.84	0.00	
4600.00	10.00	240.00	4565.56	-204.09	-353.50	-162.77	0.00	
4700.00	10.00	240.00	4664.04	-212.78	-368.53	-169.69	0.00	
4800.00	10.00	240.00	4762.52	-221.46	-383.57	-176.61	0.00	
4900.00	10.00	240.00	4861.00	-230.14	-398.61	-183.54	0.00	
5000.00	10.00	240.00	4959.48	-238.82	-413.65	-190.46	0.00	
5041.14	10.00	240.00	5000.00	-242.39	-419.84	-193.31	0.00	Base of Salt
5100.00	10.00	240.00	5057.97	-247.51	-428.69	-197.39	0.00	
5178.22	10.00	240.00	5135.00	-254.30	-440.45	-202.80	0.00	Delaware
5200.00	10.00	240.00	5156.45	-256.19	-443.73	-204.31	0.00	
5300.00	10.00	240.00	5254.93	-264.87	-458.76	-211.24	0.00	
5400.00	10.00	240.00	5353.41	-273.55	-473.80	-218.16	0.00	
5500.00	10.00	240.00	5451.89	-282.23	-488.84	-225.08	0.00	
5600.00	10.00	240.00	5550.37	-290.92	-503.88	-232.01	0.00	
5700.00	10.00	240.00	5648.85	-299.60	-518.92	-238.93	0.00	
5800.00	10.00	240.00	5747.33	-308.28	-533.96	-245.86	0.00	
5849.11	10.00	240.00	5795.70	-312.55	-541.34	-249.26	0.00	Drop to Vertical
5900.00	8.98	240.00	5845.89	-316.74	-548.61	-252.60	2.00	
6000.00	6.98	240.00	5944.91	-323.68	-560.64	-258.14	2.00	
6100.00	4.98	240.00	6044.36	-328.89	-569.66	-262.29	2.00	
6200.00	2.98	240.00	6144.12	-332.37	-575.68	-265.06	2.00	
6272.94	1.52	240.00	6217.00	-333.80	-578.16	-266.21	2.00	Cherry Canyon
6300.00	0.98	240.00	6244.05	-334.10	-578.67	-266.44	2.00	

Seawolf 12-1 Fed 3H



Well: Seawolf 12-1 Fed 3H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD (ft)	INC (")	AZI (")	TVD (ft)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)	Comment
6349.11	0.00	240.00	6293.16	-334.31	-579.04	-266.61	2.00	Hold Vertical
6400.00	0.00	359.59	6344.05	-334.31	-579.04	-266.61	0.00	
6500.00	0.00	359.59	6444.05	-334.31	-579.04	-266.61	0.00	
6600.00	0.00	359.59	6544.05	-334.31	-579.04	-266.61	0.00	
6700.00	0.00	359.59	6644.05	-334.31	-579.04	-266.61	0.00	
6800.00	0.00	359.59	6744.05	-334.31	-579.04	-266.61	0.00	
6900.00	0.00	359.59	6844.05	-334.31	-579.04	-266.61	0.00	
7000.00	0.00	359.59	6944.05	-334.31	-579.04	-266.61	0.00	
7100.00	0.00	359.59	7044.05	-334.31	-579.04	-266.61	0.00	
7200.00	0.00	359.59	7144.05	-334.31	-579.04	-266.61	0.00	
7300.00	0.00	359.59	7244.05	-334.31	-579.04	-266.61	0.00	
7400.00	0.00	359.59	7344.05	-334.31	-579.04	-266.61	0.00	
7500.00	0.00	359.59	7444.05	-334.31	-579.04	-266.61	0.00	
7600.00	0.00	359.59	7544.05	-334.31	-579.04	-266.61	0.00	
7700.00	0.00	359.59	7644.05	-334.31	-579.04	-266.61	0.00	
7800.00	0.00	359.59	7744.05	-334.31	-579.04	-266.61	0.00	
7870.95	0.00	359.59	7815.00	-334.31	-579.04	-266.61	0.00	Brushy Canyon
7900.00	0.00	359.59	7844.05	-334.31	-579.04	-266.61	0.00	
8000.00	0.00	359.59	7944.05	-334.31	-579.04	-266.61	0.00	
8100.00	0.00	359.59	8044.05	-334.31	-579.04	-266.61	0.00	
8200.00	0.00	359.59	8144.05	-334.31	-579.04	-266.61	0.00	
8300.00	0.00	359.59	8244.05	-334.31	-579.04	-266.61	0.00	
8400.00	0.00	359.59	8344.05	-334.31	-579.04	-266.61	0.00	
8500.00	0.00	359.59	8444.05	-334.31	-579.04	-266.61	0.00	
8600.00	0.00	359.59	8544.05	-334.31	-579.04	-266.61	0.00	
8700.00	0.00	359.59	8644.05	-334.31	-579.04	-266.61	0.00	
8800.00	0.00	359.59	8744.05	-334.31	-579.04	-266.61	0.00	
8900.00	0.00	359.59	8844.05	-334.31	-579.04	-266.61	0.00	
9000.00	0.00	359.59	8944.05	-334.31	-579.04	-266.61	0.00	
9100.00	0.00	359.59	9044.05	-334.31	-579.04	-266.61	0.00	
9200.00	0.00	359.59	9144.05	-334.31	-579.04	-266.61	0.00	
9300.00	0.00	359.59	9244.05	-334.31	-579.04	-266.61	0.00	
9345.95	0.00	359.59	9290.00	-334.31	-579.04	-266.61	0.00	1st Bone Spring Lime
9400.00	0.00	359.59	9344.05	-334.31	-579.04	-266.61	0.00	
9500.00	0.00	359.59	9444.05	-334.31	-579.04	-266.61	0.00	
9600.00	0.00	359.59	9544.05	-334.31	-579.04	-266.61	0.00	
9700.00	0.00	359.59	9644.05	-334.31	-579.04	-266.61	0.00	
9800.00	0.00	359.59	9744.05	-334.31	-579.04	-266.61	0.00	
9900.00	0.00	359.59	9844.05	-334.31	-579.04	-266.61	0.00	
10000.00	0.00	359.59	9944.05	-334.31	-579.04	-266.61	0.00	
10100.00	0.00	359.59	10044.05	-334.31	-579.04	-266.61	0.00	
10200.00	0.00	359.59	10144.05	-334.31	-579.04	-266.61	0.00	
10300.00	0.00	359.59	10244.05	-334.31	-579.04	-266.61	0.00	
10300.95	0.00	359.59	10245.00	-334.31	-579.04	-266.61	0.00	Bone Spring 1st
10400.00	0.00	359.59	10344.05	-334.31	-579.04	-266.61	0.00	
10500.00	0.00	359.59	10444.05	-334.31	-579.04	-266.61	0.00	
10600.00	0.00	359.59	10544.05	-334.31	-579.04	-266.61	0.00	
10700.00	0.00	359.59	10644.05	-334.31	-579.04	-266.61	0.00	
10800.00	0.00	359.59	10744.05	-334.31	-579.04	-266.61	0.00	
10850.95	0.00	359.59	10795.00	-334.31	-579.04	-266.61	0.00	Bone Spring 2nd
10900.00	0.00	359.59	10844.05	-334.31	-579.04	-266.61	0.00	
11000.00	0.00	359.59	10944.05	-334.31	-579.04	-266.61	0.00	
11100.00	0.00	359.59	11044.05	-334.31	-579.04	-266.61	0.00	
11200.00	0.00	359.59	11144.05	-334.31	-579.04	-266.61	0.00	
11300.00	0.00	359.59	11244.05	-334.31	-579.04	-266.61	0.00	
11321.95	0.00	359.59	11266.00	-334.31	-579.04	-266.61	0.00	3rd Bone Spring Lime
11400.00	0.00	359.59	11344.05	-334.31	-579.04	-266.61	0.00	
11500.00	0.00	359.59	11444.05	-334.31	-579.04	-266.61	0.00	
11600.00	0.00	359.59	11544.05	-334.31	-579.04	-266.61	0.00	
11700.00	0.00	359.59	11644.05	-334.31	-579.04	-266.61	0.00	
11800.00	0.00	359.59	11744.05	-334.31	-579.04	-266.61	0.00	
11900.00	0.00	359.59	11844.05	-334.31	-579.04	-266.61	0.00	
11935.95	0.00	359.59	11880.00	-334.31	-579.04	-266.61	0.00	Bone Spring 3rd
12000.00	0.00	359.59	11944.05	-334.31	-579.04	-266.61	0.00	
12100.00	0.00	359.59	12044.05	-334.31	-579.04	-266.61	0.00	
12200.00	0.00	359.59	12144.05	-334.31	-579.04	-266.61	0.00	
12300.00	0.00	359.59	12244.05	-334.31	-579.04	-266.61	0.00	
12395.95	0.00	359.59	12340.00	-334.31	-579.04	-266.61	0.00	Wolfcamp / Point of Penetration
12400.00	0.00	359.59	12344.05	-334.31	-579.04	-266.61	0.00	
12500.00	0.00	359.59	12444.05	-334.31	-579.04	-266.61	0.00	

Seawolf 12-1 Fed 3H



Well: Seawolf 12-1 Fed 3H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD (ft)	INC (°)	AZI (°)	TVD (ft)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)	Comment
12600.00	0.00	359.59	12544.05	-334.31	-579.04	-266.61	0.00	
12700.00	0.00	359.59	12644.05	-334.31	-579.04	-266.61	0.00	
12800.00	0.00	359.59	12744.05	-334.31	-579.04	-266.61	0.00	
12817.99	0.00	359.59	12762.04	-334.31	-579.04	-266.61	0.00	KOP
12900.00	8.20	359.59	12843.77	-328.45	-579.08	-260.78	10.00	
13000.00	18.20	359.59	12941.00	-305.64	-579.24	-238.11	10.00	
13100.00	28.20	359.59	13032.80	-266.30	-579.52	-198.98	10.00	
13200.00	38.20	359.59	13116.37	-211.61	-579.91	-144.60	10.00	
13300.00	48.20	359.59	13189.17	-143.24	-580.40	-76.62	10.00	
13400.00	58.20	359.59	13249.00	-63.27	-580.98	2.90	10.00	
13500.00	68.20	359.59	13294.03	25.87	-581.61	91.54	10.00	
13600.00	78.20	359.59	13322.89	121.48	-582.30	186.62	10.00	
13700.00	88.20	359.59	13334.72	220.65	-583.01	285.23	10.00	
13717.99	90.00	359.59	13335.00	238.64	-583.14	303.11	10.00	Landing Point
13800.00	90.00	359.59	13335.00	320.64	-583.72	384.66	0.00	
13900.00	90.00	359.59	13335.00	420.64	-584.44	484.10	0.00	
14000.00	90.00	359.59	13335.00	520.64	-585.15	583.53	0.00	
14100.00	90.00	359.59	13335.00	620.64	-585.87	682.97	0.00	
14200.00	90.00	359.59	13335.00	720.63	-586.59	782.40	0.00	
14300.00	90.00	359.59	13335.00	820.63	-587.30	881.84	0.00	
14400.00	90.00	359.59	13335.00	920.63	-588.02	981.27	0.00	
14500.00	90.00	359.59	13335.00	1020.63	-588.74	1080.71	0.00	
14600.00	90.00	359.59	13335.00	1120.62	-589.45	1180.15	0.00	
14700.00	90.00	359.59	13335.00	1220.62	-590.17	1279.58	0.00	
14800.00	90.00	359.59	13335.00	1320.62	-590.88	1379.02	0.00	
14900.00	90.00	359.59	13335.00	1420.62	-591.60	1478.45	0.00	
15000.00	90.00	359.59	13335.00	1520.61	-592.32	1577.89	0.00	
15100.00	90.00	359.59	13335.00	1620.61	-593.03	1677.32	0.00	
15200.00	90.00	359.59	13335.00	1720.61	-593.75	1776.76	0.00	
15300.00	90.00	359.59	13335.00	1820.61	-594.46	1876.20	0.00	
15400.00	90.00	359.59	13335.00	1920.60	-595.18	1975.63	0.00	
15500.00	90.00	359.59	13335.00	2020.60	-595.90	2075.07	0.00	
15600.00	90.00	359.59	13335.00	2120.60	-596.61	2174.50	0.00	
15700.00	90.00	359.59	13335.00	2220.59	-597.33	2273.94	0.00	
15800.00	90.00	359.59	13335.00	2320.59	-598.04	2373.37	0.00	
15900.00	90.00	359.59	13335.00	2420.59	-598.76	2472.81	0.00	
16000.00	90.00	359.59	13335.00	2520.59	-599.48	2572.25	0.00	
16100.00	90.00	359.59	13335.00	2620.58	-600.19	2671.68	0.00	
16200.00	90.00	359.59	13335.00	2720.58	-600.91	2771.12	0.00	
16300.00	90.00	359.59	13335.00	2820.58	-601.63	2870.55	0.00	
16400.00	90.00	359.59	13335.00	2920.58	-602.34	2969.99	0.00	
16500.00	90.00	359.59	13335.00	3020.57	-603.06	3069.42	0.00	
16600.00	90.00	359.59	13335.00	3120.57	-603.77	3168.86	0.00	
16700.00	90.00	359.59	13335.00	3220.57	-604.49	3268.30	0.00	
16800.00	90.00	359.59	13335.00	3320.57	-605.21	3367.73	0.00	
16900.00	90.00	359.59	13335.00	3420.56	-605.92	3467.17	0.00	
17000.00	90.00	359.59	13335.00	3520.56	-606.64	3566.60	0.00	
17100.00	90.00	359.59	13335.00	3620.56	-607.35	3666.04	0.00	
17200.00	90.00	359.59	13335.00	3720.56	-608.07	3765.48	0.00	
17300.00	90.00	359.59	13335.00	3820.55	-608.79	3864.91	0.00	
17400.00	90.00	359.59	13335.00	3920.55	-609.50	3964.35	0.00	
17500.00	90.00	359.59	13335.00	4020.55	-610.22	4063.78	0.00	
17600.00	90.00	359.59	13335.00	4120.55	-610.93	4163.22	0.00	
17700.00	90.00	359.59	13335.00	4220.54	-611.65	4262.65	0.00	
17800.00	90.00	359.59	13335.00	4320.54	-612.37	4362.09	0.00	
17900.00	90.00	359.59	13335.01	4420.54	-613.08	4461.53	0.00	
18000.00	90.00	359.59	13335.01	4520.54	-613.80	4560.96	0.00	
18100.00	90.00	359.59	13335.01	4620.53	-614.52	4660.40	0.00	
18200.00	90.00	359.59	13335.01	4720.53	-615.23	4759.83	0.00	
18300.00	90.00	359.59	13335.01	4820.53	-615.95	4859.27	0.00	
18400.00	90.00	359.59	13335.01	4920.53	-616.66	4958.70	0.00	
18500.00	90.00	359.59	13335.01	5020.52	-617.38	5058.14	0.00	
18600.00	90.00	359.59	13335.01	5120.52	-618.10	5157.58	0.00	
18700.00	90.00	359.59	13335.01	5220.52	-618.81	5257.01	0.00	
18800.00	90.00	359.59	13335.01	5320.52	-619.53	5356.45	0.00	
18844.82	90.00	359.59	13335.01	5365.34	-619.85	5401.01	0.00	EXIT
18900.00	90.00	359.59	13335.01	5420.51	-620.24	5455.88	0.00	
18924.82	90.00	359.59	13335.00	5445.33	-620.39	5480.56	0.00	BHL

devon

Well: Seawolf 12-1 Fed 3H

County: Lea

Wellbore: Permit Plan

Design: Permit Plan #1

Geodetic System: US State Plane 1983

Datum: North American Datum 1927

Ellipsoid: Clarke 1866

Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	("/100ft)	

Seawolf 12-1 Fed 3H

Well: Seawolf 12-1 Fed 3H
County: Lea
Wellbore: Permit Plan
Design: Permit Plan #1

Geodetic System: US State Plane 1983
Datum: North American Datum 1927
Ellipsoid: Clarke 1866
Zone: 3001 - NM East (NAD83)

MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 57303

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 57303
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	10/25/2021