
	ate of New Mexico	Form C-1031
Office <u>District I</u> – (575) 393-6161 Energy, Mi	inerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CON	ISERVATION DIVISION	30-025-00681 5. Indicate Type of Lease Federal
District III - (505) 334-6178 1220	South St. Francis Dr.	STATE FEE
	anta Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		Fed - NMLC058697B
87505 SUNDRY NOTICES AND REPO	RTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR	TO DEEPEN OR PLUG BACK TO A	7. Lease Paine of Chief rigidement Paine
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMI PROPOSALS.)	T" (FORM C-101) FOR SUCH	MCA Unit
1. Type of Well: Oil Well Gas Well X Oi	ther Injection	8. Well Number 139
2 Name of Operator		9. OGRID Number
ConocoPhillips Compa	ny	217817
3. Address of Operator		10. Pool name or Wildcat Maljamar; Grayburg, San Andres
600 West Illinois Avenue; Mi	dland, Texas 79701	Maljariar, Grayburg, Sari Ariures
4. Well Location		
		980 feet from the West line
	ship 17S Range 32E	NMPM Lea County
11. Elevation (S	Show whether DR, RKB, RT, GR, etc.)	
12 Charle Appropriate Por	y to Indicate Nature of Nation I	Panart or Other Data
12. Check Appropriate Bo.	x to Indicate Nature of Notice, F	Report of Other Data
NOTICE OF INTENTION TO	: SUBS	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK 🗵 PLUG AND ABA	ANDON 🗌 REMEDIAL WORK	☐ ALTERING CASING ☐
TEMPORARILY ABANDON CHANGE PLAN	IS COMMENCE DRIL	LING OPNS. P AND A
PULL OR ALTER CASING MULTIPLE COM	MPL ☐ CASING/CEMENT	JOB
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM		
OTHER:	OTHER:	
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE 1		
	19 1) / 14 NIVIAU - FOI WILLIDE COLL	pienons. Attach wendore diagram of
	is its in the second	
proposed completion or recompletion.	izinan i i i i i i i i i i i i i i i i i i	
proposed completion or recompletion.		ailed MIT test. The well was shut in
		ailed MIT test. The well was shut in
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21.		ailed MIT test. The well was shut in
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation:		ailed MIT test. The well was shut in
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU		ailed MIT test. The well was shut in
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: MIRU WSU POOH w/ 2-3/8" tbg and 4" packer	the proposal below to address a fa	ailed MIT test. The well was shut in
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: MIRU WSU POOH w/ 2-3/8" tbg and 4" packer Hydrotest 2-3/8" tbg in and set 4" retri	the proposal below to address a fa	ailed MIT test. The well was shut in
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w	the proposal below to address a fa evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak.	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak.	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak.	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement 8. RDMO WSU.	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak.	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement 8. RDMO WSU.	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after	ld for 30 minutes.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cemen 8. RDMO WSU. Spud Date:	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after	ld for 30 minutes. er location of leak has been determined.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement 8. RDMO WSU.	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after	ld for 30 minutes. er location of leak has been determined.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cemen 8. RDMO WSU. Spud Date:	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after	ld for 30 minutes. er location of leak has been determined.
proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cemen 8. RDMO WSU. Spud Date:	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after Rig Release Date:	ld for 30 minutes. er location of leak has been determined. and belief.
Proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement 8. RDMO WSU. Spud Date: I hereby certify that the information above is true and of significant sets and of significant sets and of significant sets as a set of significant set of significant set of significant	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak t proposal to BLM and NMOCD after Rig Release Date:	Id for 30 minutes. er location of leak has been determined. and belief. oordinator_DATE_11/23/2021
Proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cemen 8. RDMO WSU. Spud Date: I hereby certify that the information above is true and of the state of th	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak. t proposal to BLM and NMOCD after Rig Release Date:	Id for 30 minutes. er location of leak has been determined. and belief. oordinator_DATE_11/23/2021
Proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cement 8. RDMO WSU. Spud Date: I hereby certify that the information above is true and of significant sets and of significant sets and of significant sets as a set of significant set of significant set of significant	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak t proposal to BLM and NMOCD after Rig Release Date:	Id for 30 minutes. er location of leak has been determined. and belief. oordinator_DATE_11/23/2021
Proposed completion or recompletion. ConocoPhillips Company respectfully submits as requested by NMOCD 4/21/21. Proposed Operation: 1. MIRU WSU 2. POOH w/ 2-3/8" tbg and 4" packer 3. Hydrotest 2-3/8" tbg in and set 4" retri 4. Pressure test bridge plug to 500 psi 5. If pressure holds, notify NMOCD to w 6. If pressure does not hold, TOOH w/ 2 7. Submit casing repair/remedial cemen 8. RDMO WSU. Spud Date: I hereby certify that the information above is true and of the state of th	evable bridge plug @ 4,000' itness MIT. Run MIT to 500 psi, ho -8" tbg. PU packer and locate leak t proposal to BLM and NMOCD after Rig Release Date:	Id for 30 minutes. er location of leak has been determined. and belief. oordinator_DATE_11/23/2021

Actual vs. Proposed MCA 139



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 63398

CONDITIONS

Operator:	OGRID:
CONOCOPHILLIPS COMPANY	217817
600 W. Illinois Avenue	Action Number:
Midland, TX 79701	63398
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
pkautz	Notify Kerry Fortner and Gilbert Cordero 24 hours prior to running MIT	12/1/2021