

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-015-21721 |
| 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name Dayton FG |
| 8. Well Number 1 |
| 9. OGRID Number 7377 |
| 10. Pool name or Wildcat Atoka; San Andres |

| | |
|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | |
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A <input type="checkbox"/> | |
| 2. Name of Operator EOG Resources, Inc. | |
| 3. Address of Operator 104 South Fourth Street, Artesia, NM 88210 | |
| 4. Well Location Unit Letter <u>B</u> : <u>450</u> feet from the <u>North</u> line and <u>2310</u> feet from the <u>East</u> line Section <u>28</u> Township <u>18S</u> Range <u>26E</u> NMPM <u>Eddy</u> County | |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3405'GR | |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/15/21 – MIRU and NU BOP. RIH with GR/JB to 1500'. Set a CIBP at 1478', tagged. Pressure tested to 500 psi for 15 min, good. Perforated at 1275'. Spotted 30 sx Class "C" cement on top of CIBP to 1110', tagged. Spotted a 25 sx Class "C" cement plug from 936'-689' calc TOC. No tag.

10/18/21 – Perforated at 427'. Pressure tested to 500 psi, could not establish injection rate. Dropped down 50' and spotted 45 sx Class "C" cement from 477' and circulated up to surface. Topped off wellbore with cement. Visual cement to surface.

11/16/21 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:





Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE November 29, 2021

Type or print name Tina Huerta E-mail address: tina.huerta@eogresources.com PHONE: 575-748-4168
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 11/29/2021

| Dayton FG 1 | | | | Sec-TWN-RNG: Sec. 28-18S-26E | | API: 30-015-21721 | | | | | |
|-------------|---|----------------------|------------|--------------------------------|-----------|--|-----|-----------|-------------|-------------|-------------|
| | | | | FOOTAGES: 450' FNL & 2310' FEL | | GL: 3392 | | | | | |
| | | | | | | KB: 3405 | | | | | |
| Plug 3 |  | CASING DETAIL | | | | | | | | | |
| | | # | HOLE SIZE | SIZE | WGHT | GRADE | Top | Bottom | Sx Cmt | Circ/TOC | TOC Method |
| | | A | 15 | 10 3/4 | 32 | ? | 0 | 377 | 200 | Circ | |
| | | B | 9 1/2 | 7 | 20 & 23.6 | K-55 | 0 | 1,225 | 500 | Circ | |
| | | C | 6 1/4 | 4 1/2 & 5 1/2 | 10.5 & 14 | H-40/J-55 | 0 | 1,828 | 175 | Circ | |
| | | 695' 10.5#/1130' 14# | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Plug 2 |  | FORMATION TOPS | | | | | | | | | |
| | | | | Formation | Top | | | Formation | Top | | |
| | | | | San Andres | 886 | | | | | | |
| | | | | | | | | | | | |
| Plug 1 |  | TUBING DETAIL | | | | | | | | | |
| | | # | Joints | Description | Length | OD | ID | Grade | Wt (lb/ft): | Top (ftKB): | Btm (ftKB): |
| | | | | 2 3/8" Tubing | | | | | | | 1509 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| |  | Perforation Detail | | | | | | | | | |
| | | | Formation | Top | Bottom | Treatment | | | | | |
| | | A | San Andres | 1,528 | 1,670 | Acidized w/2000 gals 15% & 1500 gals 28% reg acid/60,000 gals treated water & 70,000# 20-40 sand | | | | | |
| | | B | | | | | | | | | |
| | | | | | | | | | | | |
| Plugs | | | | | | | | | | | |
| # | SX | Class | Top | Bottom | Tag | Notes | | | | | |
| 1 | 30 | C | 1,110 | 1,478 | Y | Perforated, CIBP | | | | | |
| 2 | 25 | C | 689 | 936 | N | | | | | | |
| 3 | 45 | C | 0 | 477 | N | Perforated. Visual cement to surface | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 11/29/2021 | | | | | | | | | | | |
| | | | | | | | | | | | |

A

B

C

PBTD: 1,828 MD

TD: 1,844 MD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 63884

CONDITIONS

| | |
|--|--|
| Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702 | OGRID: 7377 |
| | Action Number: 63884 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| | | |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| gcordero | None | 11/29/2021 |