

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30.025.06036
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name W. H. Laughlin
8. Well Number #003
9. OGRID Number 873
10. Pool name or Wildcat Eumont (Yates/7Rvrs/Qn)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Apache Corporation

3. Address of Operator

303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705

4. Well Location

Unit Letter G : 1980 feet from the S line and 1980 feet from the E line
 Section 9 Township 20S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
 3543' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐ PNR ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. 09/27/21 RIH to 3463'-3347'. Spot 10 sx class C cmt displace 12.0. 3463'-3347'
 2. 09/28/21 Set CIBP at 3050'. Spot 25 sx class C cmt at 3050' to 2750'. Spot 25 sx class C cmt at 2608' to 2307'.
 3. 09/29/21 Sqz 60 sx class C cmt at 1335' to 1135'.
 4. 09/30/21 Spot 33 sx class C cmt in 5 inch. 40 sx class C cmt circulate to 13 inch. Cut off wellhead and remove. Install dry hole marker. P&A complete.

PUH + Perf'd @ 300', No cure to surf on either string. PUH + Perf'd @ 150' est P.I.E.,
 Circ'd 9 5/8" x 13" to surf, closed valve + circ'd 7" x 9 5/8" to surf. RDMO, CO well head,
 Install Dry Hole marker, clean location + P&A complete 9/30/21.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jimmy Bagley TITLE Agent DATE 10/1/21

Type or print name Jimmy Bagley E-mail address: sunsetwellservice@yahoo.com PHONE: 432-561-8600

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 12/3/21

Conditions of Approval (if any):

Nicole Kemner Regulatory Tech to Guinn Brooks Sr. Reclamation Foreman - Apache Corp.



WELL BORE INFO.

LEASE NAME	W. H. Laughlin
WELL #	#003
API #	30.025.06036
COUNTY	LEA, NM

DEPTH SX/CMT

FINAL P&A WB DIAGRAM

0
160
321
481
642
802
963
1123
1283
1444
1604
1765
1925
2085
2246
2406
2567
2727
2888
3048
3208
3369
3529
3690
3850

15" Hole
13" 50# @ 135'
w/ 150 sx CIRC to surf

TOC Cal @ 817'

11" Hole
9 5/8" 36# @ 1229'
w/ 500 sx CIRC to surf


TOC Cal @ 2756'

PRIOR TO MIRU P&A RIG, A WO RIG
WILL MRU & POOH & LD PROD
EQUIPMENT, SET A CIBP @ 3050' W/
NO CMT TO PREP FOR P&A RIG.

8 3/4" Hole
7" 24# @ 3677'
w/ 400 sx Cal TOC @ 817'

5" Liner @ 3846'
w/ 275 sx Cal TOC @ 2756'

PBTD @ 3625'
TD @ 3850'



SURF

110 SX

300'

1108'

60 SX

1335'

2307'

25 SX

3608'

2750'

25 SX

3050'

Perfs @ 3104'-3522'

3347'

10 SX

3463'

Perfs @ 3747'-3818'

4. PUH & PERF'D @ 300', NO CIRC TO SURF ON EITHER STRING. PUH & PERF'D @ 150' EST PIR, CIRC'D 9 5/8" X 13" TO SURF, CLOSED VALVE & CIRC'D 7" X 9 5/8" TO SURF. RDMO, CUT OFF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A COMPLETE 9/30/2021.

WATER BOARD & SURF SHOE

3. PUH & PERF'D @ 1335' & SQZ'D 60 SX CLASS "C" CMT & DISPLACED TO 1135'. TAGGED TOC @ 1108' INSIDE 7" CSG.

TOP OF SALT & INTERM SHOE

2. PUH & PERF'D @ 2549', NO PIR, CALLED KERRY, APPROVED TO SPOT 25 SX CLASS "C" CMT FROM 2608' - 2307'.

BASE OF SALT

1. MIRU P&A RIG. RIH W/TBG TO TAG CIBP @ 3625', TAGGED FILL @ 3463', APPROVED BY KERRY FORTNER TO SPOT 10 SX CLASS "C" CMT @ 3463' - 3347'. PUH & SET CIBP @ 3050', CIRC'D MLF & SPOTTED 25 SX CLASS "C" CMT @ 3050' - 2750'.

CIBP @ 3625' w/ 2 sx cmt

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 56535

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 56535
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	12/3/2021