Submit 1 Copy To Appropriate District

1625 N. French Dr., Hobbs, NM 88240

1000 Rio Brazos Rd., Aztec, NM 87410

1. Type of Well: Oil Well

Legacy Reserves Operating LP

15 Smith Road, #3000; Midland, Tx 79705

811 S. First St., Artesia, NM 88210

District I - (575) 393-6161

District II - (575) 748-1283

District III - (505) 334-6178

<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM

2. Name of Operator

3. Address of Operator

4. Well Location

PROPOSALS.)

Section 24 Township 25S Range 37E NMPM County Lea 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3070 'CL 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CMANGE PLANS CMMENOE DRILLING OPNS PANDA ALTERING CASING CMMENOE DRILLING OPNS	Un	it Letter	M	:	660	feet from the	<u> </u>	line and _	990	feet fro	m the _	W	line
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	Sec	ction 24	1							MPM	C	County Lea	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:					11. Elev	ation (Show whe			etc.)				
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A SOWNHOLE COMMINGLE CASING/CEMENT JOB PAND A SOWNHOLE COMMINGLE COMMINGLE CASING/CEMENT JOB PAND A SOWNHOLE COMMINGLE CASING COMMINGLE COMMINGLE CASING COMMINGLE CAS							3070'	GL					
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A SOWNHOLE COMMINGLE CASING/CEMENT JOB PAND A SOWNHOLE COMMINGLE COMMINGLE CASING/CEMENT JOB PAND A SOWNHOLE COMMINGLE CASING COMMINGLE COMMINGLE CASING COMMINGLE CAS				u	-								
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A MULTIPLE COMPL COMMENCE DRILLING OPNS PAND A MULTIPLE COMPL CASING/CEMENT JOB PAND A MULTIPLE COMPL CASING/CEMENT JOB PNR DOWNHOLE COMMINGLE PNR DOWNHOLE COMMINGLE CASING/CEMENT JOB PNR DOWNHOLE COMMINGLE CASING/CEMENT JOB PNR DOWNHOLE COMMINGLE PNR D		12	2. Che	eck A	ppropria	ite Box to Ind	licate Na	iture of Noti	ice, Rep	ort or Oth	er Dat	a	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB PAND A CASING/CEMENT JOB		NOTI	CE O	E INT	TENTIO	N TO:		S	LIBSEC	LIENT E	REPO!	RT OF:	
THE MORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PANDA PNR CASING MULTIPLE COMPL CASING MULTIPLE COMPL CASING/CEMENT JOB PNR CASING/CEMENT JOB PN	PERFORM										_		SING 🖂
PULL OR ALTER CASING										G OPNS.	7		
OTHER: OTHER:	PULL OR A	LTER CAS	ING		MULTIP	LE COMPL		CASING/CEM	MENT JOE	3 🗆			PNR
DTHER: OTHER: OT	DOWNHOL	E COMMIN	IGLE										
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 08/16/21 MIRU Plugging equipment. Dug out cellar. ND well head, NU BOP. 08/17/21 RIH w/ tbg, tagged existing CIBP w/ cmt on top @ 4978*, 08/18/21 Circ'd hole w/ 120 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class C cmt @ 4700-4546'. WOC. Tagged plug @ 4478*. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950-800'. WOC. 08/20/21 Tagged plug @ 732'. Perf'd @ 547'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21		OOP SYST	EM				_	OTHER					
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 08/16/21 MIRU Plugging equipment. Dug out cellar. ND well head, NU BOP. 08/17/21 RIH w/ tbg, tagged existing CIBP w/ cmt on top @ 4978'. 08/18/21 Circ'd hole w/ 120 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class C cmt @ 4700-4546'. WOC. Tagged plug @ 4478'. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 200'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 Peroved BY: The first stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 Peroved BY: The first stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332		oribo propo	and or	comple	atad apara	tions (Closely)	state all n	CONTRACTOR STATE	and aiv	nortinont	datas in	aludina asti	mated data
proposed completion or recompletion. 08/16/21 MIRU Plugging equipment. Dug out cellar. ND well head, NU BOP. 08/17/21 RIH w/ tbg, tagged existing CIBP w/ cmt on top @ 4978'. 08/18/21 Circ'd hole w/ 120 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class C cmt @ 4700-4546'. WOC. Tagged plug @ 4478'. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 Perove DATE 12/14/21 Perove DATE 12/14/21													
08/16/21 MIRU Plugging equipment. Dug out cellar. ND well head, NU BOP. 08/17/21 RIH w/ tbg, tagged existing CIBP w/ cmt on top @ 4978', 08/18/21 Circ'd hole w/ 120 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class C cmt @ 4700-4546'. WOC. Tagged plug @ 4478'. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950-800'. WOC. 08/20/21 Tagged plug @ 732'. Perf'd @ 547'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off . 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PPROVED BY: TITLE Compliance Officer A DATE 12/14/21						(OLL 17.13.7.1	T THIND IC.	. Tor ividitiple	Complet	ions. Tittae	ii wene	ore diagram	OI .
cmt on top @ 4978' 08/18/21 Circ'd hole w/ 120 BBLS MLF. Pressure tested csg, held. Spotted 25 sx class C cmt @ 4700-4546'. WOC. Tagged plug @ 4478'. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950-800'. WOC. 08/20/21 Tagged plug @ 732'. Perf'd @ 547'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 Per or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PerROVED BY: TITLE Compliance Officer A DATE 12/14/21	1	1			1								
4546'. WOC. Tagged plug @ 4478'. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sq2'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sq2'd 50 sx class C cmt @ 950-800'. WOC. 08/20/21 Tagged plug @ 732'. Perf'd @ 547'. Sq2'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sq2'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 Per or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PerROVED BY: TITLE Compliance Officer A DATE 12/14/21	08/16/21	MIRU Ph	ugging	equip	ment. Du	g out cellar. NI	D well hea	ad, NU BOP.	08/17/21	RIH w/ tbg	, tagge	d existing C	IBP w/
3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950-800'. WOC. 08/20/21 Tagged plug @ 732'. Perf'd @ 547'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 Peroved By: The Compliance Officer A DATE 12/14/21	cmt on t	op @ 4978	°. 08/1	8/21 C	irc'd hole	e w/ 120 BBLS	MLF. Pro	essure tested	csg, held.	Spotted 25	sx clas	ss C cmt @	4700-
3216'. WOC. 08/19/21 Tagged plug @ 3157'. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950-800'. WOC. 08/20/21 Tagged plug @ 732'. Perf'd @ 547'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 Peroved By: The Compliance Officer A DATE 12/14/21	4546'. W	VOC. Tagg	ed plu	g @ 44	178'. Perf	'd @ 3320'. Pr	essured u	p on perfs to	1500 PSI	. Spotted 2	5 sx cla	ss C cmt @	3370-
cmt @ 547-400'. WOC. Tagged plug @ 404'. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface. ND wellhead, NU BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date: TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PPROVED BY: TITLE Compliance Officer A DATE 12/14/21													
BOP. Rigged down & moved off. 08/25/21 Moved in backhoe and welder, Cut off well head, Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Rig Release Date: Rig Release Date:	Perf'd @	950'. Sqz	'd 50 s	sx class	C cmt	950-800'. WC	C. 08/20/	21 Tagged pl	ug @ 732	.'. Perf'd @	547'.	Sqz'd 50 sx	class C
verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off. Marker Backfilled cellar, cut off deadmen, cleaned location, and moved off.													
deadmen, cleaned location, and moved off. ud Date: Rig Release Date: ereby certify that the information above is true and complete to the best of my knowledge and belief. GNATURE TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PPROVED BY: TITLE Compliance Officer A DATE 12/14/21													
rereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PPROVED BY: TITLE Compliance Officer A DATE 12/14/21							d on "Abo	ove Ground D	ry Hole	Marker". l	Backfill	ed cellar, ci	it off
ereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21	deadmei	n, cleaned	locatio	on, and	i moved o	oii.							
ereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21													
ereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21													
ereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21													
TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21	Spud Date:					Rig Re	elease Date	e:					
TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21													
TITLE Regulatory Compliance DATE 9-10-2021 pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21			Λ										
pe or print name Terri Stathem E-mail address: <u>tstathem@legacyreserves.com</u> PHONE: <u>432-221-6332</u> PROVED BY: TITLE Compliance Officer A DATE 12/14/21	hereby certi	fy that the i	inf <mark>o</mark> rma	ation at	bove is tru	e and complete	to the bes	t of my knowl	ledge and	belief.			
pe or print name Terri Stathem E-mail address: <u>tstathem@legacyreserves.com</u> PHONE: <u>432-221-6332</u> PROVED BY: TITLE Compliance Officer A DATE 12/14/21			A.	411	11.11	1							
pe or print name Terri Stathem E-mail address: tstathem@legacyreserves.com PHONE: 432-221-6332 PROVED BY: TITLE Compliance Officer A DATE 12/14/21			1//		VIIIL								
PROVED BY: Year TITLE Compliance Officer A DATE 12/14/21	SIGNATURE	3	111	MA	000	TITLE	EReg	ulatory Compl	liance	DAT	E9	<u>-10-2021</u>	
PROVED BY: Year TITLE Compliance Officer A DATE 12/14/21		9	$\nu_{_{_{\mathrm{Tr}}}}$		L	D 21 - J	J	4-4-41		т.	HONE.	. 422 221 6	222
nditions of Annioval (if on the	ype or print	name	<u>1e</u>	rri Stati	nem	E-mail add	aress:	tstatnem@leg	gacyreser	ves.com_ F	HONE:	432-221-63	<u> 332</u>
nditions of Annioval (if on the	PPROVED	BY:	Anal	, 4	MILL	TITLE	Compl	iance Office	r A	ī	DATE	12/14/21	
5/5-263-6633			if any	:	0000		<u>-</u>						
		-Fr	0	\$ 000			5/5-2	203-0033					

State of New Mexico

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS

Gas Well Other

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A

DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH

Form C-103 Revised July 18, 2013

FEE 🖂

WELL API NO.

5. Indicate Type of Lease

South Justis Unit E

9. OGRID Number

240974

8. Well Number #22

10. Pool name or Wildcat

Justis; Blinebry-Tubb-Drinkard

STATE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

30-025-11720

900

1966

4607

4680

4980 5850

6652

6700

Formation Top

T Salt

B Salt

Justis

Glorieta

Blinebry

Drinkard

B / Perm

Fuss

Legacy Res	serves	PLUGGED			
Author:	Abby BCM				
Well Name	South Justis Unit E	Well No.	#22		
Field/Pool	Justis; Blinebry-Tubb- Drinkard	API#:	30-025-11720		
County	Lea	Location:	Sec 24, T25S, R37E		
State	New Mexico		660 FSL & 990 FWL		
Spud Date	5/30/1958	GL:	3070		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		36#	497	17 1/2	400	0
Inter Csg	9 5/8	N80/J5 5	40 & 36#	3,269	12 1/4	1,500	1650 TS
Prod Csg	7	J55/N8 0	23#	6,828	8 3/4	465	3350 TS
Liner	5 1/2	J55/N8 0	15.5#	6730- 6996'		65	6730'

7. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface.

13 3/8 36# CSG @ 497

6. Perf'd @ 547'. Sqz'd 50 sx class C cmt @ 547-400'. WOC. Tagged plug @ 404'.

5. Perf'd @ 950'. Sqz'd 50 sx class C cmt @ 950-800'. WOC. Tagged plug @ 732'.

4. Perf'd @ 2020'. Sqz'd 50 sx class C cmt @ 2020-1870'. WOC. Tagged @ 1855'.

9 5/8 40 & 36# CSG @ 3,269

3. Perf'd @ 3320'. Pressured up on perfs to 1500 PSI. Spotted 25 sx class C cmt @ 3370-3216'. WOC & Tagged plug @ 3157'.

2. Spotted 25 sx class C cmt @ 4700-4546'. WOC. Tagged plug @ 4478'.

1. Tagged existing CIBP w/ cmt on top @ 4978'. Circ'd hole w/ 120 BBLS MLF. Pressure tested csg, held.

CIBP @ 4950' w/ 25' cmt

Perfs @ 4981-5584'

CIBP @ 5600' w/ 10' cmt

Perfs @ 5609, 5658-5672'

CIBP @ 5700' w/ 10' cmt

5719' TOC plug (no records of plug)

Perfs @ 5886-5942'

CICR @ 6050'. Sqz'd w/ 55 sx class C cmt

Bad casing @ 6202-6361'

5 1/2" 15.5# Liner @ 6730-6996'. Cmt w/ 65 sx

7 23# CSG @ 6,828Perfs @ 6830-6996'. Sqz'd w/ cmt @ 6900'.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 47568

CONDITIONS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road	Action Number:
Midland, TX 79705	47568
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	12/14/2021