

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-37982
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VO-6325
7. Lease Name or Unit Agreement Name Raitt BID State
8. Well Number 1
9. OGRID Number 7377
10. Pool name or Wildcat Cuerno Largo; Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>P</u> : <u>990</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>East</u> line Section <u>35</u> Township <u>10S</u> Range <u>32E</u> NMPM <u>Lea</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4308'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

EOG Resources, Inc. plans to plug and abandon this well as follows:

- MIRU all safety equipment as needed. NU BOP. POOH with production equipment.
- Set a CIBP at 10,042'. Dump bail 4 sx Class "H" cement on top of CIBP to 10,002'. WOC and tag. This will cover Strawn perfs and top.
- Set a CIBP at 9920'. Pressure test. Spot 25 sx Class "H" cement on top of CIBP to 9694'. WOC and tag only if pressure test fails. This will cover Canyon perfs.
- Spot a 25 sx Class "H" cement plug from 8663'-8437'. This will cover Wolfcamp top.
- Spot a 25 sx Class "C" cement plug from 7452'-7200'. This will cover Abo top.
- Spot a 25 sx Class "C" cement plug from 5204'-4952'. This will cover Glorieta top.
- Perforate at 3881'. Attempt injection rate. Squeeze with 25 sx Class "C" cement from 3881'-3629'. WOC and tag. This will cover casing shoe and San Andres top.
- Perforate at 2650'. Attempt injection rate. Squeeze with 65 sx Class "C" cement from 2650'-2447'. WOC and tag. This will cover TOC and Yates top.
P&S 50 sx Class C 1600' Top of Salt and Rustler
- Perforate at 478'. Attempt injection rate. Squeeze with 145 sx Class "C" cement from 478' and circulate up to surface. Back fill as needed.
- Cut off wellhead and install dry hole marker. Clean location as per regulated.

Wellbore schematics attached

4" Diameter 4' tall above ground marker

See attached conditions of approval

Spud Date:

Rig Release Date:

Note changes to procedure

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE December 10, 2021

Type or print name Tina Huerta E-mail address: tina.huerta@eogresources.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 1/11/22

575-263-6633

Raft BID State 1 Current		Sec-TWN-RNG: Surface	35-10S-32E 990 FSL & 660 FEL	API: GL: KB:	30-025-37982 4308 4328																																																				
COMMENTS		CASING DETAIL <table border="1"> <thead> <tr> <th>#</th> <th>HOLE SIZE</th> <th>SIZE</th> <th>WGHT</th> <th>GRADE</th> <th>Top</th> <th>Bottom</th> <th>Sx Cmt</th> <th>Circ/TOC</th> <th>TOC by</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>17 1/2</td> <td>13 3/8</td> <td>48</td> <td>H40</td> <td>0</td> <td>428</td> <td>420</td> <td>CIRC</td> <td></td> </tr> <tr> <td>B</td> <td>12 1/4</td> <td>9 5/8</td> <td>36/40</td> <td>J55</td> <td>0</td> <td>3781</td> <td>1600</td> <td>CIRC</td> <td></td> </tr> <tr> <td>C</td> <td>8 3/4</td> <td>5 1/2</td> <td>17</td> <td>J55/N80/P110</td> <td>2600</td> <td>11212</td> <td>2330</td> <td>Didn't Circ</td> <td>Calc</td> </tr> </tbody> </table>				#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC by	A	17 1/2	13 3/8	48	H40	0	428	420	CIRC		B	12 1/4	9 5/8	36/40	J55	0	3781	1600	CIRC		C	8 3/4	5 1/2	17	J55/N80/P110	2600	11212	2330	Didn't Circ	Calc												
		#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC by																																														
A	17 1/2	13 3/8	48	H40	0	428	420	CIRC																																																	
B	12 1/4	9 5/8	36/40	J55	0	3781	1600	CIRC																																																	
C	8 3/4	5 1/2	17	J55/N80/P110	2600	11212	2330	Didn't Circ	Calc																																																
FORMATION TOPS <table border="1"> <thead> <tr> <th></th> <th>FORMATION</th> <th>TOP</th> <th></th> <th>Formation</th> <th>TOP</th> </tr> </thead> <tbody> <tr> <td></td> <td>Rustler</td> <td>1796</td> <td></td> <td>Atoka</td> <td>10751</td> </tr> <tr> <td></td> <td>Yates</td> <td>2497</td> <td></td> <td>L. Miss Lm</td> <td>11204</td> </tr> <tr> <td></td> <td>SA</td> <td>3730</td> <td></td> <td>Chester Lm</td> <td>11151</td> </tr> <tr> <td></td> <td>Glorieta</td> <td>5154</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>Tubb</td> <td>6600</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>Abo</td> <td>7402</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>WC</td> <td>8613</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>Stawn</td> <td>10054</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>					FORMATION	TOP		Formation	TOP		Rustler	1796		Atoka	10751		Yates	2497		L. Miss Lm	11204		SA	3730		Chester Lm	11151		Glorieta	5154					Tubb	6600					Abo	7402					WC	8613					Stawn	10054			
	FORMATION	TOP		Formation	TOP																																																				
	Rustler	1796		Atoka	10751																																																				
	Yates	2497		L. Miss Lm	11204																																																				
	SA	3730		Chester Lm	11151																																																				
	Glorieta	5154																																																							
	Tubb	6600																																																							
	Abo	7402																																																							
	WC	8613																																																							
	Stawn	10054																																																							
TOC @ 2600' by Calc		Tubing <table border="1"> <tbody> <tr> <td>2 7/8" tbg @ 10,232</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				2 7/8" tbg @ 10,232																																																			
2 7/8" tbg @ 10,232																																																									
		Perforation Detail <table border="1"> <thead> <tr> <th></th> <th>Formation</th> <th>Top</th> <th>Bottom</th> <th>Treatment</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td>Sqz</td> <td>Penn Lm</td> <td>9,234</td> <td>9,402</td> <td>Acidized w/2500g 15% NEFE w/100 balls</td> <td></td> </tr> <tr> <td></td> <td>Canyon</td> <td>9,970</td> <td>9,978</td> <td>Acidized w/1000g 15% NEFE w/ 25 balls</td> <td></td> </tr> <tr> <td>Sqz</td> <td>Strawn</td> <td>10062</td> <td>10071</td> <td>Acidized w/1000g 15% NEFE acid w/25 balls</td> <td></td> </tr> <tr> <td></td> <td>Strawn</td> <td>10142</td> <td>10149</td> <td>Acidized with 3000g 15% NEFE w/25 balls</td> <td></td> </tr> <tr> <td></td> <td>Strawn</td> <td>10339</td> <td>10348</td> <td>Acidized w/1000g 15% NEFE acid w/25 balls</td> <td></td> </tr> <tr> <td></td> <td>Atoka</td> <td>11011</td> <td>11020</td> <td>Acidized w/500g 7 1/2% Morrow acid w/50 balls</td> <td></td> </tr> </tbody> </table>					Formation	Top	Bottom	Treatment	Notes	Sqz	Penn Lm	9,234	9,402	Acidized w/2500g 15% NEFE w/100 balls			Canyon	9,970	9,978	Acidized w/1000g 15% NEFE w/ 25 balls		Sqz	Strawn	10062	10071	Acidized w/1000g 15% NEFE acid w/25 balls			Strawn	10142	10149	Acidized with 3000g 15% NEFE w/25 balls			Strawn	10339	10348	Acidized w/1000g 15% NEFE acid w/25 balls			Atoka	11011	11020	Acidized w/500g 7 1/2% Morrow acid w/50 balls											
	Formation	Top	Bottom	Treatment	Notes																																																				
Sqz	Penn Lm	9,234	9,402	Acidized w/2500g 15% NEFE w/100 balls																																																					
	Canyon	9,970	9,978	Acidized w/1000g 15% NEFE w/ 25 balls																																																					
Sqz	Strawn	10062	10071	Acidized w/1000g 15% NEFE acid w/25 balls																																																					
	Strawn	10142	10149	Acidized with 3000g 15% NEFE w/25 balls																																																					
	Strawn	10339	10348	Acidized w/1000g 15% NEFE acid w/25 balls																																																					
	Atoka	11011	11020	Acidized w/500g 7 1/2% Morrow acid w/50 balls																																																					
Sqz'd Pen Lm Perfs: 9234-9402' Canyon: 9970-9978' Sqz'd Perfs 10,062-10,071 Strawn: 10,142-10,149' CIBP w/35' cmt @ 10,300 Strawn: 10,339-10,348' CIBP w/35' cmt @ 11,000' Atoka: 11,011-11,020'																																																									
PBTD: 10,300' TD: 11,212 MD		ADDITIONAL DETAIL <table border="1"> <tbody> <tr> <td>3/21/2007</td> <td>Set CIBP @ 11,000' w/35' cmt.</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4/2/2007</td> <td>Set CIBP @ 10,300' w/35' cmt.</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4/3/2007</td> <td>Squeeze perfs 10,062-10,071 w/50 sx Class H Neat & 50 sx Class H w/fluid loss. Perfed Canyon 9970-9978 w/18 .40 holes</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4/12/2007</td> <td>Squeezed Penn perfs 9234-9402, w/200 sx H Neat to 5000# w/120 sx in formation</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				3/21/2007	Set CIBP @ 11,000' w/35' cmt.					4/2/2007	Set CIBP @ 10,300' w/35' cmt.					4/3/2007	Squeeze perfs 10,062-10,071 w/50 sx Class H Neat & 50 sx Class H w/fluid loss. Perfed Canyon 9970-9978 w/18 .40 holes					4/12/2007	Squeezed Penn perfs 9234-9402, w/200 sx H Neat to 5000# w/120 sx in formation																																
3/21/2007	Set CIBP @ 11,000' w/35' cmt.																																																								
4/2/2007	Set CIBP @ 10,300' w/35' cmt.																																																								
4/3/2007	Squeeze perfs 10,062-10,071 w/50 sx Class H Neat & 50 sx Class H w/fluid loss. Perfed Canyon 9970-9978 w/18 .40 holes																																																								
4/12/2007	Squeezed Penn perfs 9234-9402, w/200 sx H Neat to 5000# w/120 sx in formation																																																								
		Prepared by: DKC																																																							
		12/1/21																																																							

Raitt BID State 1 - Proposed			Sec-TWN-RNG: S35-T10S-R32E FOOTAGES: 990' FSL & 660' FEL			API: 30-025-37982 GL: 4308' KB: 4328'																																																																																																																	
Plug 8: Perf at 478'. 0-478. WOC & Tag. Sur. Csg. + Surface plug Plug 7: Perf at 2650' WOC & Tag. TOC & Yates Top Plug 6: Perf at 3881' WOC & Tag. Int. Csg. Shoe & SA Plug 5: 4952' - 5204' Glorieta Top Plug 4: 7200' - 7452'. Abo Top Plug 3: 8437' - 8663'. Wolfcamp Top Sqz'd Penn Lm Perfs: 9,324' - 9,402' Plug 2: CIBP at 9920' w/25sx. 9694-9920 Canyon perfs Existing Canyon Perfs: 9,970' - 9,978' Plug 1: CIBP at 10042' w/ 40' cmt. Strawn top + Strawn perfs Sqz'd Strawn Perfs: 10,062' - 10,071' Existing Strawn Perfs: 10,142' - 10,149' Existing CIBP + 35' cmt - 10,300' Existing Strawn Perfs: 10,339' - 10,348' Existing CIBP + 35' cmt - 11000' Existing Atoka Perfs: 11020' - 10929'			<table><tr><th colspan="10">CASING DETAIL</th></tr><tr><th></th><th>Hole Size</th><th>Csg. Size</th><th>Wt.</th><th>Grade</th><th>Top</th><th>Bottom</th><th>Sx Cmt</th><th>Circ/TOC</th><th>TOC by</th></tr><tr><td>A</td><td>17 1/2</td><td>13 3/8</td><td>48</td><td>H-40</td><td>0</td><td>428</td><td>420</td><td>Surface</td><td>Circ</td></tr><tr><td>B</td><td>12 1/4</td><td>9 5/8</td><td>36/40</td><td>J-55</td><td>0</td><td>3781</td><td>1600</td><td>Surface</td><td>Circ</td></tr><tr><td>C</td><td>8 3/4</td><td>5 1/2</td><td>17</td><td>J-55/N-80/P-110</td><td>0</td><td>11212</td><td>2330</td><td>2600</td><td>Calc</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						CASING DETAIL											Hole Size	Csg. Size	Wt.	Grade	Top	Bottom	Sx Cmt	Circ/TOC	TOC by	A	17 1/2	13 3/8	48	H-40	0	428	420	Surface	Circ	B	12 1/4	9 5/8	36/40	J-55	0	3781	1600	Surface	Circ	C	8 3/4	5 1/2	17	J-55/N-80/P-110	0	11212	2330	2600	Calc																																																													
			CASING DETAIL																																																																																																																				
	Hole Size	Csg. Size	Wt.	Grade	Top	Bottom	Sx Cmt	Circ/TOC	TOC by																																																																																																														
A	17 1/2	13 3/8	48	H-40	0	428	420	Surface	Circ																																																																																																														
B	12 1/4	9 5/8	36/40	J-55	0	3781	1600	Surface	Circ																																																																																																														
C	8 3/4	5 1/2	17	J-55/N-80/P-110	0	11212	2330	2600	Calc																																																																																																														
<table><tr><th colspan="10">FORMATION TOPS</th></tr><tr><th></th><th>Formation</th><th>Top (MD)</th><th></th><th>Formation</th><th>Top (MD)</th><th></th><th>Formation</th><th>Top (MD)</th><th></th></tr><tr><td></td><td>Rustler</td><td>1796</td><td></td><td>Abo</td><td>7402</td><td></td><td>L Miss Lm</td><td>11204</td><td></td></tr><tr><td></td><td>Yates</td><td>2497</td><td></td><td>Wolfcamp</td><td>8613</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>San Andres</td><td>3730</td><td></td><td>Strawn</td><td>10054</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>Glorieta</td><td>5154</td><td></td><td>Atoka</td><td>10751</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>Tubb</td><td>6600</td><td></td><td>Chester Lm.</td><td>11151</td><td></td><td></td><td></td><td></td></tr></table>						FORMATION TOPS											Formation	Top (MD)		Formation	Top (MD)		Formation	Top (MD)			Rustler	1796		Abo	7402		L Miss Lm	11204			Yates	2497		Wolfcamp	8613						San Andres	3730		Strawn	10054						Glorieta	5154		Atoka	10751						Tubb	6600		Chester Lm.	11151																																																
FORMATION TOPS																																																																																																																							
	Formation	Top (MD)		Formation	Top (MD)		Formation	Top (MD)																																																																																																															
	Rustler	1796		Abo	7402		L Miss Lm	11204																																																																																																															
	Yates	2497		Wolfcamp	8613																																																																																																																		
	San Andres	3730		Strawn	10054																																																																																																																		
	Glorieta	5154		Atoka	10751																																																																																																																		
	Tubb	6600		Chester Lm.	11151																																																																																																																		
<table><tr><th colspan="10">PLUGS</th></tr><tr><th>#</th><th>SX</th><th>Class</th><th>Top</th><th>Bottom</th><th>Δ</th><th>Notes</th><th>Tag</th></tr><tr><td>1</td><td>4</td><td>H</td><td>10002</td><td>10042</td><td>40</td><td>CIBP at 10042'. Dump bail 40'. WOC & tag. Strawn perfs + Strawn top</td><td>Y</td></tr><tr><td>2</td><td>25</td><td>H</td><td>9694</td><td>9920</td><td>226</td><td>CIBP at 9920'. Pressure test. Spot 25 sx. WOC & tag only if PT fails. Canyon Perfs.</td><td>Y</td></tr><tr><td>3</td><td>25</td><td>H</td><td>8437</td><td>8663</td><td>226</td><td>Spot 25 sx. Wolfcamp Top.</td><td>N</td></tr><tr><td>4</td><td>25</td><td>C</td><td>7200</td><td>7452</td><td>252</td><td>Spot 25 sx. Abo Top.</td><td>N</td></tr><tr><td>5</td><td>25</td><td>C</td><td>4952</td><td>5204</td><td>252</td><td>Spot 25 sx. Glorieta Top.</td><td>N</td></tr><tr><td>6</td><td>25</td><td>C</td><td>3629</td><td>3881</td><td>252</td><td>Perf at 3881. Attempt Inj. Sqz 25 sx at 3881. WOC & Tag. Int. Csg. Shoe & San Andres</td><td>Y</td></tr><tr><td>7</td><td>65</td><td>C</td><td>2447</td><td>2650</td><td>203</td><td>Perf at 2650'. Attempt Inj. Sqz 65 sx at 2650'. WOC & Tag. TOC & Yates Top.</td><td>Y</td></tr><tr><td>8</td><td>145</td><td>C</td><td>0</td><td>478</td><td>478</td><td>Perf at 478'. Attempt Inj. Sqz 145sx. WOC & Tag. Sur. Csg. Shoe + Surface plug</td><td>Y</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						PLUGS										#	SX	Class	Top	Bottom	Δ	Notes	Tag	1	4	H	10002	10042	40	CIBP at 10042'. Dump bail 40'. WOC & tag. Strawn perfs + Strawn top	Y	2	25	H	9694	9920	226	CIBP at 9920'. Pressure test. Spot 25 sx. WOC & tag only if PT fails. Canyon Perfs.	Y	3	25	H	8437	8663	226	Spot 25 sx. Wolfcamp Top.	N	4	25	C	7200	7452	252	Spot 25 sx. Abo Top.	N	5	25	C	4952	5204	252	Spot 25 sx. Glorieta Top.	N	6	25	C	3629	3881	252	Perf at 3881. Attempt Inj. Sqz 25 sx at 3881. WOC & Tag. Int. Csg. Shoe & San Andres	Y	7	65	C	2447	2650	203	Perf at 2650'. Attempt Inj. Sqz 65 sx at 2650'. WOC & Tag. TOC & Yates Top.	Y	8	145	C	0	478	478	Perf at 478'. Attempt Inj. Sqz 145sx. WOC & Tag. Sur. Csg. Shoe + Surface plug	Y																																
PLUGS																																																																																																																							
#	SX	Class	Top	Bottom	Δ	Notes	Tag																																																																																																																
1	4	H	10002	10042	40	CIBP at 10042'. Dump bail 40'. WOC & tag. Strawn perfs + Strawn top	Y																																																																																																																
2	25	H	9694	9920	226	CIBP at 9920'. Pressure test. Spot 25 sx. WOC & tag only if PT fails. Canyon Perfs.	Y																																																																																																																
3	25	H	8437	8663	226	Spot 25 sx. Wolfcamp Top.	N																																																																																																																
4	25	C	7200	7452	252	Spot 25 sx. Abo Top.	N																																																																																																																
5	25	C	4952	5204	252	Spot 25 sx. Glorieta Top.	N																																																																																																																
6	25	C	3629	3881	252	Perf at 3881. Attempt Inj. Sqz 25 sx at 3881. WOC & Tag. Int. Csg. Shoe & San Andres	Y																																																																																																																
7	65	C	2447	2650	203	Perf at 2650'. Attempt Inj. Sqz 65 sx at 2650'. WOC & Tag. TOC & Yates Top.	Y																																																																																																																
8	145	C	0	478	478	Perf at 478'. Attempt Inj. Sqz 145sx. WOC & Tag. Sur. Csg. Shoe + Surface plug	Y																																																																																																																
<table><tr><th colspan="10">PERFORATION DETAIL</th></tr><tr><th></th><th>Formation</th><th>Top</th><th>Bottom</th><th></th><th>Formation</th><th>Top</th><th>Bottom</th><th></th><th></th></tr><tr><td></td><td>Atoka</td><td>11,010</td><td>11,020</td><td></td><td>Strawn [Sqz]</td><td>10,062</td><td>10,071</td><td></td><td></td></tr><tr><td></td><td>Strawn (I)</td><td>10,339</td><td>10,348</td><td></td><td>Canyon</td><td>9,970</td><td>9,978</td><td></td><td></td></tr><tr><td></td><td>Strawn (II)</td><td>10,142</td><td>10,149</td><td></td><td>Penn [Sqz]</td><td>9,324</td><td>9,402</td><td></td><td></td></tr></table>						PERFORATION DETAIL											Formation	Top	Bottom		Formation	Top	Bottom				Atoka	11,010	11,020		Strawn [Sqz]	10,062	10,071				Strawn (I)	10,339	10,348		Canyon	9,970	9,978				Strawn (II)	10,142	10,149		Penn [Sqz]	9,324	9,402																																																																		
PERFORATION DETAIL																																																																																																																							
	Formation	Top	Bottom		Formation	Top	Bottom																																																																																																																
	Atoka	11,010	11,020		Strawn [Sqz]	10,062	10,071																																																																																																																
	Strawn (I)	10,339	10,348		Canyon	9,970	9,978																																																																																																																
	Strawn (II)	10,142	10,149		Penn [Sqz]	9,324	9,402																																																																																																																
<table><tr><th colspan="10">ADDITIONAL DETAIL</th></tr><tr><td colspan="10">Previously approved P&A procedure in NMOCD file, written 2/24/15 by BAL. Procedure received for record by OCD April 27, 2015. Procedure listed here deviates from previously approved version.</td></tr></table>						ADDITIONAL DETAIL										Previously approved P&A procedure in NMOCD file, written 2/24/15 by BAL. Procedure received for record by OCD April 27, 2015. Procedure listed here deviates from previously approved version.																																																																																																							
ADDITIONAL DETAIL																																																																																																																							
Previously approved P&A procedure in NMOCD file, written 2/24/15 by BAL. Procedure received for record by OCD April 27, 2015. Procedure listed here deviates from previously approved version.																																																																																																																							
PBTD: 10,265 MD			KJP 12.2.21																																																																																																																				
TD: 11,212 MD																																																																																																																							

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 66436

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 66436
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	See attached conditions of approval	1/11/2022