

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

10/20/2021

<b>Well Name:</b> POKER LAKE UNIT	<b>Well Location:</b> T24S / R31E / SEC 33 / NWSE / 32.172808 / -103.779675	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 356H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM030457	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001539675	<b>Well Status:</b> Abandoned	<b>Operator:</b> XTO PERMIAN OPERATING LLC

Accepted for record – NMOCD gc 1/7/2022

### Subsequent Report

**Sundry ID:** 2636443**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 09/28/2021**Time Sundry Submitted:** 05:12**Date Operation Actually Began:** 01/21/2020

**Actual Procedure:** Well Cleanup XTO Permian operating respectfully submit the subsequent PA Sundry for the following well. 01/22/2020: Tag Plug @ 7455' Tst csg to 500psi - tested gd. Spot 25 sx f/ 7455 - 7312 WOC 01/23/2020: Tag Plug @ 4465, Spotted 80 sx cmt f/ 4465 - 3974, WOC. 01/24/2020: Tag plug @ 4007, Perf @ 1270, est inj rate no rate. 01/27/2020: Spot 30sx f/ 1322 - 1138, WOC. Tag plug @ 1149, tag ok'd by Joe Sosito w/ BLM . 01/28/2020: Perf @ 60', est inj rate, circ 35 sx f/ 60 - suf inside & out 7" & 9-5/8", WOC. cut off WH, Dry hole marker installed 02.20.20.

### SR Attachments

#### Actual Procedure

Subsequent\_WBD\_submitted\_20210928171151.pdf

**Well Name:** POKER LAKE UNIT**Well Location:** T24S / R31E / SEC 33 /  
NWSE / 32.172808 / -103.779675**County or Parish/State:** EDDY /  
NM**Well Number:** 356H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM030457**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3001539675**Well Status:** Abandoned**Operator:** XTO PERMIAN  
OPERATING LLC

### Operator Certification

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.*

**Operator Electronic Signature:** CASSIE EVANS**Signed on:** SEP 28, 2021 05:11 PM**Name:** XTO PERMIAN OPERATING LLC**Title:** Regulatory Analyst**Street Address:** 6401 Holiday Hill Road, Bldg 5**City:** Midland**State:** TX**Phone:** (432) 218-3671**Email address:** CASSIE.EVANS@EXXONMOBIL.COM

### Field Representative

**Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:**

### BLM Point of Contact

**BLM POC Name:** JAMES A AMOS**BLM POC Title:** Acting Assistant Field Manager**BLM POC Phone:** 5752345927**BLM POC Email Address:** jamos@blm.gov**Disposition:** Accepted**Disposition Date:** 10/17/2021**Signature:** James A. Amos



# Schematic - Wellbore - Vertical

Well Name: **POKER LAKE UNIT 356H**

API/UWI 3001539675	SAP Cost Center ID 1139731001	Permit Number	State/Province New Mexico	County Eddy
Surface Location T24S-R31E-S33	Spud Date 7/12/2012 02:45	Original KB Elevation (ft) 3,476.05	Ground Elevation (ft) 3,454.53	KB-Ground Distance (ft) 21.52

Cmt plug; 0 - 60

Cmt plug; 1322 - 1149

Cmt plug; 4465 - 4007

Cmt's Bridge plug; 7465 - 7503

Frac Port 8,261 - 8,265

Frac Port 8,529 - 8,533

Frac Port 8,883 - 8,886

Frac Port 9,173 - 9,177

Frac Port 9,510 - 9,513

Frac Port 9,844 - 9,848

Frac Port 10,226 - 10,230

Frac Port 10,519 - 10,523

Frac Port 10,855 - 10,859

Frac Port 11,193 - 11,197

Frac Port 11,485 - 11,489

Frac Port 11,911 - 11,915

Frac Port 12,203 - 12,207

Frac Port 12,584 - 12,588

Frac Port 12,920 - 12,924

Frac Port 13,213 - 13,217

Frac Port 13,460 - 13,463

Conductor; 24 in; 120.0 ftKB

Casing; Conductor; 20 in; 90.00 lb/ft; F-25; 21.5-120.0 ftKB

Surface; 17 1/2 in; 955.0 ftKB

Casing; Surface; 13 3/8 in; 48.00 lb/ft; H-40; 21.5-955.0 ftKB

Intermediate; 12 1/4 in; 4,322.0 ftKB

TOC @; 3,322.0

Casing; Intermediate 1; 9 5/8 in; 40.00 lb/ft; J-55; 21.5-4,322.0 ftKB

DVT @; 5,018.3

Intermediate; 8 3/4 in; 8,236.0 ftKB

Cemented Bridge Plug; 7,465.0-7,503.0 ftKB

TOL @; 8,080.3

Casing; Intermediate 2; 7 in; 26.00 lb/ft; N-80; 21.5-8,236.0 ftKB

Production; 6 1/8 in; 13,540.0 ftKB

Casing; Production; 4 1/2 in; 11.60 lb/ft; HCP-110; 8,080.3-13,470.0 ftKB

PBTD; 13,540.0 ftKB; 10/26/2012

TD - Original Hole; 13,540.0 ftKB

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 70451

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 70451
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	1/7/2022