

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

| | | |
|---|---|--|
| ¹ Operator name and Address SPUR ENERGY PARTNERS LLC 9655 KATY FREEWAY, SUITE 500 HOUSTON, TX 77024 | | ² OGRID Number 328947 |
| | | ³ Reason for Filing Code/ Effective Date NW 08/26/2021 |
| ⁴ API Number 331000 30 - 0 15-47695 | ⁵ Pool Name FREN; GLORIETA-YESO | ⁶ Pool Code 26770 |
| ⁷ Property Code 329804 | ⁸ Property Name BIG N TASTY STATE COM | ⁹ Well Number 70H |

II. ¹⁰ Surface Location

| | | | | | | | | | |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|---------------------|------------------------|----------------|
| UL or lot no. M | Section 02 | Township 17S | Range 31E | Lot Idn | Feet from the 1188 | North/South Line SOUTH | Feet from the 60 | East/West line WEST | County EDDY |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|---------------------|------------------------|----------------|

¹¹ Bottom Hole Location FTP: 1290' FSL 105' FWL LTP: 1308' FSL 108' FEL

| | | | | | | | | | |
|-----------------------------|--|---|-----------------------------------|------------------------------------|-------------------------------------|---------------------------|---------------------|------------------------|----------------|
| UL or lot no. P | Section 02 | Township 17S | Range 31E | Lot Idn | Feet from the 1307 | North/South line SOUTH | Feet from the 54 | East/West line EAST | County EDDY |
| ¹² Lse Code S | ¹³ Producing Method Code P | ¹⁴ Gas Connection Date 05/28/2021 | ¹⁵ C-129 Permit Number | ¹⁶ C-129 Effective Date | ¹⁷ C-129 Expiration Date | | | | |

III. Oil and Gas Transporters

| | | |
|---------------------------------|---|---------------------|
| ¹⁸ Transporter OGRID | ¹⁹ Transporter Name and Address | ²⁰ O/G/W |
| 221115 | FRONTIER FIELD SERVICES, LLC 4200 EAST SKELLY DRIVE, SUITE 700, TULSA, OK 74135 | G |
| 33479 | HOLLYFRONTIER REFINING & MARKETING 2828 N. HARWOOD, SUITE 1300, DALLAS, TX 75201 | O |
| | | |
| | | |
| | | |

IV. Well Completion Data

| | | | | | |
|---------------------------------------|--|------------------------------------|-------------------------------------|--|-----------------------|
| ²¹ Spud Date 01/28/2021 | ²² Ready Date 05/26/2021 | ²³ TD 5979'V/11540'M | ²⁴ PBDT 5979'V11540'M | ²⁵ Perforations 6414'-11451' | ²⁶ DHC, MC |
| ²⁷ Hole Size | ²⁸ Casing & Tubing Size | ²⁹ Depth Set | ³⁰ Sacks Cement | | |
| 17-1/2" | 13-3/8" 54.5# J-55 BTC | 710' | 560 SXS (CIRC TO SURFACE) | | |
| 12-1/4" | 9-5/8" 36# L-80 BTC | 1890' | 465 SXS (CIRC TO SURFACE) | | |
| 8-3/4" | 7" 32# L-80 BK-HT 5-1/2" 20# L-80 BK-HT | 6197' 11540' | 1590 SXS (CIRC TO SURFACE) | | |
| | 3-1/2" J-55 | 6084' | | | |

V. Well Test Data

| | | | | | |
|--|---|---------------------------------------|---------------------------------------|------------------------------------|---|
| ³¹ Date New Oil 06/24/2021 | ³² Gas Delivery Date 06/26/2021 | ³³ Test Date 08/13/2021 | ³⁴ Test Length 24-HOURS | ³⁵ Tbg. Pressure 280 | ³⁶ Csg. Pressure 124 |
| ³⁷ Choke Size N/A | ³⁸ Oil 662 | ³⁹ Water 2692 | ⁴⁰ Gas 628 | | ⁴¹ Test Method PUMPING ON ESP |

| | |
|--|---|
| ⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Sarah Chapman | OIL CONSERVATION DIVISION Approved by: PATRICIA MARTINEZ |
| Printed name: SARAH CHAPMAN | Title: PETROLEUM SPECIALIST |
| Title: REGULATORY DIRECTOR | Approval Date: 2/7/2022 |
| E-mail Address: SCHAPMAN@SPUREPLLC.COM | |
| Date: 08/25/2021 | Phone: 832-930-8613 |

| | | | | | | | | | | |
|---|-------------------------------------|---|--|------------------|---|---|-----------------------------|---|----------|---------------|
| Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 | | State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 | | | Form C-105 Revised April 3, 2017 | | | | | |
| WELL COMPLETION OR RECOMPLETION REPORT AND LOG | | | | | | | | | | |
| 4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) | | | | | | | | 5. Lease Name or Unit Agreement Name BIG N TASTY STATE COM | | |
| 7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER _____ | | | | | | | | 6. Well Number: <div style="text-align: center; font-size: 1.2em;">70H</div> | | |
| 8. Name of Operator <div style="text-align: center; font-weight: bold;">SPUR ENERGY PARTNERS LLC</div> | | | | | | 9. OGRID <div style="text-align: center; font-weight: bold;">328947</div> | | | | |
| 10. Address of Operator <div style="text-align: center; font-weight: bold;">9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024</div> | | | | | | 11. Pool name or Wildcat <div style="text-align: center; font-weight: bold;">FREN; GLORIETA-YESO</div> | | | | |
| 12. Location | Unit Ltr | Section | Township | Range | Lot | Feet from the | N/S Line | Feet from the | E/W Line | County |
| Surface: | M | 02 | 17S | 31E | | 1188 | SOUTH | 60 | WEST | EDDY |
| BH: | P | 02 | 17S | 31E | | 1307 | SOUTH | 54 | WEST | EDDY |
| 13. Date Spudded 01/28/2021 | 14. Date T.D. Reached 02/25/2021 | | 15. Date Rig Released 02/27/2021 | | 16. Date Completed (Ready to Produce) 05/26/2021 | | | 17. Elevations (DF and RKB, RT, GR, etc.) 3969' GR | | |
| 18. Total Measured Depth of Well 5979'V/11540'M | | | 19. Plug Back Measured Depth 5979'V/11540'M | | 20. Was Directional Survey Made? YES | | | 21. Type Electric and Other Logs Run MUDLOG | | |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name 6414'-11451' YESO | | | | | | | | | | |
| 23. CASING RECORD (Report all strings set in well) | | | | | | | | | | |
| CASING SIZE | | WEIGHT LB./FT. | | DEPTH SET | | HOLE SIZE | | CEMENTING RECORD | | AMOUNT PULLED |
| 13-3/8" | | 54# J-55 BTC | | 710' | | 17-1/2" | | 560 SXS (CIRC TO SURF) | | 0 |
| 9-5/8" | | 36# L-80 BTC | | 1890' | | 12-1/4" | | 465 SXS (CIRC TO SURF) | | 0 |
| 7" | | 32# L-80 BK-HT | | 6197' | | 8-3/4" | | 1590 SXS (CIRC TO SURF) | | 0 |
| 7" | | 20# L-80 BK-HT | | 11540' | | 8-3/4" | | 1590 SXS (CIRC TO SURF) | | 0 |
| | | | | | | | | | | |
| 24. LINER RECORD | | | | | | 25. TUBING RECORD | | | | |
| SIZE | TOP | BOTTOM | SACKS CEMENT | SCREEN | SIZE | DEPTH SET | | PACKER SET | | |
| | | | | | 3-1/2" | 6084' | | | | |
| 26. Perforation record (interval, size, and number) | | | | | | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. | | | | |
| 25 STAGES @ 900 SHOTS/FOOT @ 0.42 HOLE SIZE | | | | | | DEPTH INTERVAL | | AMOUNT AND KIND MATERIAL USED | | |
| | | | | | | 6414'-11451' | | 12928566gal slickwater and 4997711# sand | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 28. PRODUCTION | | | | | | | | | | |
| Date First Production 06/24/2021 | | Production Method (Flowing, gas lift, pumping - Size and type pump) <div style="text-align: center; font-weight: bold;">PUMPING ON ESP</div> | | | | Well Status (Prod. or Shut-in) <div style="text-align: center; font-weight: bold;">PRODUCING</div> | | | | |
| Date of Test 08/13/2021 | Hours Tested 24-HOURS | Choke Size N/A | Prod'n For Test Period | Oil - Bbl 662 | Gas - MCF 628 | Water - Bbl. 2692 | | Gas - Oil Ratio | | |
| Flow Tubing Press. 280 | Casing Pressure 124 | Calculated 24-Hour Rate | Oil - Bbl. 662 | Gas - MCF 628 | Water - Bbl. 2692 | | Oil Gravity - API - (Corr.) | | | |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD | | | | | | | | 30. Test Witnessed By JERRY MATHEWS | | |
| 31. List Attachments | | | | | | | | | | |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. | | | | | | | | 33. Rig Release Date: | | |
| 34. If an on-site burial was used at the well, report the exact location of the on-site burial: | | | | | | | | | | |
| Latitude _____ Longitude _____ NAD83 | | | | | | | | | | |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed _____ Signature <i>Sarah Chapman</i> Name SARAH CHAPMAN Title REGULATORY DIRECTOR Date 08/25/2021 E-mail Address SCHAPMAN@SPUREPLLC.COM | | | | | | | | | | |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico | | Northwestern New Mexico | |
|-------------------------|------------------|-------------------------|------------------|
| T. Anhy | T. Canyon | T. Ojo Alamo | T. Penn A " |
| T. Salt | T. Strawn | T. Kirtland | T. Penn. "B" |
| B. Salt | T. Atoka | T. Fruitland | T. Penn. "C" |
| T. Yates | T. Miss | T. Pictured Cliffs | T. Penn. "D" |
| T. 7 Rivers | T. Devonian | T. Cliff House | T. Leadville |
| T. Queen | T. Silurian | T. Menefee | T. Madison |
| T. Grayburg | T. Montoya | T. Point Lookout | T. Elbert |
| T. San Andres 3616' | T. Simpson | T. Mancos | T. McCracken |
| T. Glorieta 5113' | T. McKee | T. Gallup | T. Ignacio Otzte |
| T. Paddock | T. Ellenburger | Base Greenhorn | T. Granite |
| T. Blinebry | T. Gr. Wash | T. Dakota | T. YESO 5208' |
| T. Tubb | T. Delaware Sand | T. Morrison | |
| T. Drinkard | T. Bone Springs | T. Todilto | |
| T. Abo | T. | T. Entrada | |
| T. Wolfcamp | T. | T. Wingate | |
| T. Penn | T. | T. Chinle | |
| T. Cisco (Bough C) | T. | T. Permian | |

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

| From | To | Thickness In Feet | Lithology |
|----------------|----------------|----------------------|----------------------|
| 3616' 5113' | 5112' 5208' | | DOLOMITE DOLOMITE |

Big N Tasty #70H
Eddy County, NM
API# 30-015-47695

SPUD DATE: 1/27/2021
ELEV: 3969' GL, 20' KB

CURRENT WBD

13-3/8" 54.5# J-55 BTC Csg @ 710'
CMT W/ 305 SX LEAD & 255 SX TAIL
CLASS C PREMIUM PLUS
CIRC 100 BBLS TO SURF, TOC @ SURF

TUBING DETAIL
3-½" 9.3# J-55 EUE 8RD POLY-LINED TUBING
ESP ASSEMBLY
INTAKE @ 6,084'
PIP SENSOR @ 6,126'
EOT @ 6,132'

9-5/8" 36# J-55 BTC Csg @ 1,890'
CMT W/ 345 SX LEAD & 115 SX TAIL
CLASS C PREMIUM PLUS
CIRC 56 BBLS, TOC @ SURF


CROSS OVER FROM 7" TO
5-½" CSG @ 6,197'

7" 32# L-80 BK-HT Csg @ 6,194'
5-½" 20# L-80 BK-HT Csg @ 11,540'
CMT W/ 385 SX LEAD & 1205 SX TAIL
50/50 CLASS C PREMIUM PLUS / POZ
CIRC 5 BBLS TO SURF, TOC @ SURF

TOP PERF @ 6,414'

UPPER BLINE COMPLETION
PERF & FRAC IN 25 STAGES F/ 6,414'-11,451',
3-1/8" GUNS, 0.42 EHD, 60 DEG, 6 CLUSTERS/STG,
6 SHOTS/CLUSTER, 900 TOTAL HOLES,
19,000 GALS ACID, 4,997,711# PROPPANT (100
MESH + 40/70), 307,823 BBLS SLICKWATER

BOTTOM PERF @ 11,451'



TD (MD) @ 11,540'
TD (TVD) @ 5,979'

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 44534

ACKNOWLEDGMENTS

| | |
|---|--|
| Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024 | OGRID: 328947 |
| | Action Number: 44534 |
| | Action Type: [C-104] Completion Packet (C-104C) |

ACKNOWLEDGMENTS

| | |
|-------------------------------------|--|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion. |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44534

CONDITIONS

| | |
|---|--|
| Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024 | OGRID: 328947 |
| | Action Number: 44534 |
| | Action Type: [C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None | 2/7/2022 |