Well Name: EAGLE 33 B FED

Well Location: T17S / R27E / SEC 33 /

NWNE /

County or Parish/State: EDDY /

01/26/2022

NM

Well Number: 3

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM025528

Unit or CA Name:

Unit or CA Number:

US Well Number: 300152921100X1

Well Status: Abandoned

Operator: REDWOOD OPERATING LLC

Accepted for record - NMOCD gc 2/9/2022

Operator Copy

# **Subsequent Report**

Sundry ID: 2654040

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/25/2022

Time Sundry Submitted: 10:24

Date Operation Actually Began: 12/22/2021

Actual Procedure: 12/22/21 MIRU plugging equipment. 12/27/21 Bled off gas. LD horse head. POH w/ rods & pump. ND well head, NU flange & BOP. 12/28/21 POH w/ tbg. Set 5 1/2" CIBP @ 1730'. Depth change approved by George Barda & Terry Cartwright w/ BLM. Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt @ 1730-1483'. Spotted 40 sx class c cmt w/ 2% CACL @ 1132-737'. Depth approved by BLM. WOC. 12/29/21 Tagged plug @ 692'. ND BOP. Spotted 25 sx class C cmt @ 200' to surface. 12/30/21 Moved in backhoe & welder, cut off well head. Stopped job, needs more cement. 01/05/22 Spotted 20 sx class C cmt @ 120' to surface on 5 1/2 X 8 5/8" annulus. 01/19/22 Moved in backhoe and welder. Cut off well head & anchors. Installed 2' concrete form w/ 8 sx cmt. David Alvadero w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

# **SR Attachments**

#### **Actual Procedure**

Eagle\_33\_B\_Fed\_3\_\_\_Plugged\_WBD\_20220125102332.pdf

Eagle\_33\_B\_Fed\_3\_\_\_Current\_WBD\_20220125102332.pdf

RECLAMATION DUE 7-5-22



Received by OCD: 2/8/2022 2:37:57 PM

NWNE /

NM

Page 2 of 5

Well Number: 3

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM025528

Unit or CA Name:

Unit or CA Number:

US Well Number: 300152921100X1

Well Status: Abandoned

Operator: REDWOOD OPERATING LLC

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DELILAH FLORES Signed on: JAN 25, 2022 10:23 AM

Name: REDWOOD OPERATING LLC

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA

State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

#### Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

## **BLM Point of Contact**

**BLM POC Name: JAMES A AMOS** 

**BLM POC Phone:** 5752345927

Disposition: Accepted


Signature: James A. Amos

**BLM POC Title:** Acting Assistant Field Manager

BLM POC Email Address: jamos@blm.gov

Disposition Date: 01/26/2022

Redwood		CURRENT	
Author: Well Name	Abby @ BCM Eagle 33 B Fed	Well No.	#3
Field/Pool	Red Lake; Qn-GRBG-SA	API #:	30-015-29211
County	Eddy	Location:	Sec 33 T17S, R27E
State	New Mexico		1030 FNL & 2310 FEL
Spud Date	4/11/1997	GL:	3466'



Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	1,070	12 1/4	500	0
Prod Csg	5 1/2	J55	15.5#	2,549	7 7/8	475	0

Formation	Тор
Bowers	628
Queen	838
Grbg	1214
Premier	1430
San Andres	1454

Redwood	Carace on a	PLUGGED	
Author: Well Name	Abby @ BCM Eagle 33 B Fed	Well No.	#3
Field/Pool	Red Lake;Qn-GRBG-SA	API#:	30-015-29211
County	Eddy	Location:	Sec 33 T17S, R27E
State	New Mexico	_	1030 FNL & 2310 FEL
Spud Date	4/11/1997	GL:	3466'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	1,070	12 1/4	500	0
Prod Csg	5 1/2	J55	15.5#	2,549	7 7/8	475	0

Formation	Top
Bowers	628
Queen	838
Grbg	1214
Premier	1430
San Andres	1454

3. Spotted 25 sx class C cmt @ 200' to surface.

CSG @ 1,070

Hole Size: 12 1/4

8 5/8 24#

2. Spotted 40 sx class c cmt w/ 2% CACL @ 1132-737'. Depth approved by BLM. WOC. Tagged plug @ 692'.

1. Set 5 1/2" CIBP @ 1730'. Depth change approved by George Barda & Terry Cartwright w/ BLM. Pressured up on perfs to 500 PSI. Spotted 25 sx class C cmt @ 1730-1483'. Perfs @ 1796-2278

5 1/2 15.5#

CSG @ 2,549

Hole Size:

7 7/8

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 79777

### **CONDITIONS**

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	79777
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/9/2022