

<b>Well Name:</b> EAGLE 34 FEDERAL	<b>Well Location:</b> T17S / R27E / SEC 34 / SESW /	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 34	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMLC067849	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300153284000X1	<b>Well Status:</b> Abandoned	<b>Operator:</b> REDWOOD OPERATING LLC

Accepted for record – NMOCD gc 2/21/2022

Sundry ID: 2655856

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/07/2022

Time Sundry Submitted: 10:16

Date Operation Actually Began: 01/25/2022

**Actual Procedure:** 01/25/22 MIRU plugging equipment. POH w/ rods & pump. 01/27/22 Pump'd 200 bbls Brine H2O to kill well. ND well head, NU BOP. POH w/ tbg & anchor. RU Rotary wireline, set 5 1/2" CIBP @ 2942'. Dumped bail 35' cement on top. WOC. 01/28/22 Tagged plug @ 2919'. Tag approved by Jim Amos w/ BLM. Set 5 1/2" CIBP @ 1850'. Pump'd 45 bbls salt gel mud @ 500 PSI. Spotted 25 sx class C cmt @ 1850-1597'. ND BOP. Spotted 55 sx class C cmt @ 507' & circ'd to surface. 01/31/22 Rigged down & moved off. 02/01/22 Moved in backhoe and welder. Cut off well head & anchors. George Barta w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

**Actual Procedure**

Eagle\_34\_Fed\_34\_\_Current\_WBD\_20220207101512.pdf

Eagle\_34\_Fed\_34\_\_Plugged\_WBD\_20220207101513.pdf

Eagle\_34\_Fed\_34\_\_BLM\_20220207101512.pdf

Reclamation Due 8-1-22RECEIVED  
FEB 17 2022  
MAILROOM

<b>Well Name:</b> EAGLE 34 FEDERAL	<b>Well Location:</b> T17S / R27E / SEC 34 / SESW /	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 34	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMLC067849	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300153284000X1	<b>Well Status:</b> Abandoned	<b>Operator:</b> REDWOOD OPERATING LLC

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.*

**Operator Electronic Signature:** DELILAH FLORES

**Signed on:** FEB 07, 2022 10:15 AM

**Name:** REDWOOD OPERATING LLC

**Title:** Regulatory Technician 1

**Street Address:** 11344 LOVINGTON HWY

**City:** ARTESIA

**State:** NM

**Phone:** (575) 748-1288

**Email address:** DELILAH@MEC.COM

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

**BLM POC Name:** JAMES A AMOS

**BLM POC Title:** Acting Assistant Field Manager

**BLM POC Phone:** 5752345927

**BLM POC Email Address:** jamos@blm.gov

**Disposition:** Accepted

**Disposition Date:** 02/07/2022

**Signature:** James A. Amos

**Plug Abandonment  
Subsequent Report**


<b>OPERATOR NAME:</b>	Redwood Operating, LLC
<b>LEASE NO.:</b>	NMLC067849
<b>WELL NAME &amp; NO.:</b>	Eagle 34 Federal #34
<b>US WELL NUMBER:</b>	30-015-32840-00-S1
<b>LOCATION:</b>	Sec 34, T17S, R27E NESE
<b>COUNTY:</b>	Eddy, New Mexico

01/25/22 MIRU plugging equipment. POH w/ rods & pump. 01/27/22 Pump'd 200 bbls Brine H2O to kill well. ND well head, NU BOP. POH w/ tbg & anchor. RU Rotary wireline, set 5 1/2" CIBP @ 2942'. Dumped bail 35' cement on top. WOC. 01/28/22 Tagged plug @ 2919'. Tag approved by Jim Amos w/ BLM. Set 5 1/2" CIBP @ 1850'. Pump'd 45 bbls salt gel mud @ 500 PSI. Spotted 25 sx class C cmt @ 1850-1597'. ND BOP. Spotted 55 sx class C cmt @ 507' & circ'd to surface. 01/31/22 Rigged down & moved off. 02/01/22 Moved in backhoe and welder. Cut off well head & anchors. George Barta w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

<b>Redwood</b>		<b>PLUGGED</b>	
Author:	<b>Abby @ BCM</b>		
Well Name	<b>Eagle 34 Fed</b>	Well No.	<b>#34</b>
Field/Pool	<b>Red lake; Glorieta-Yeso</b>	API #:	<b>30-015-32840</b>
County	<b>Eddy</b>	Location:	<b>Sec 34, T17S, R27E</b>
State	<b>New Mexico</b>		<b>990 FSL &amp; 2310 FWL</b>
Spud Date	<b>7/14/2003</b>	GL:	<b>3588</b>

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	456	12 1/4	400	0
Prod Csg	5 1/2	J55	17#	3,500	7 7/8	820	75

Formation	Top
Bowers	652
Queen	837
SA	1549
Glorieta	2913



8 5/8 24# CSG @ 456  
Hole Size: 12 1/4

3. Spotted 55 sx class C cmt @ 507' & circ'd to surface.

2. Set 5 1/2" CIBP @ 1850'. Pump'd 45 bbls salt gel mud @ 500 PSI. Spotted 25 sx class C cmt @ 1850-1597'.

Perfs @ 1896-2367

1. Set 5 1/2" CIBP @ 2942'. Dumped bail 35' cement on top. WOC & Tagged plug @ 2919'. Tag approved by Jim Amos w/ BLM.

Perfs @ 2992-3201


5 1/2 17# CSG @ 3,500  
Hole Size: 7 7/8



<b>Redwood</b>		<b>CURRENT</b>	
Author:	<b>Abby @ BCM</b>		
Well Name	<b>Eagle 34 Fed</b>	Well No.	<b>#34</b>
Field/Pool	<b>Red lake; Glorieta-Yeso</b>	API #:	<b>30-015-32840</b>
County	<b>Eddy</b>	Location:	<b>Sec 34, T17S, R27E</b>
State	<b>New Mexico</b>		<b>990 FSL &amp; 2310 FWL</b>
Spud Date	<b>7/14/2003</b>	GL:	<b>3588</b>

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	456	12 1/4	400	0
Prod Csg	5 1/2	J55	17#	3,500	7 7/8	820	75

Formation	Top
Bowers	652
Queen	837
SA	1549
Glorieta	2913



8 5/8 24# CSG @ 456  
Hole Size: 12 1/4

Perfs @ 1896-2367

Perfs @ 2992-3201

5 1/2 17# CSG @ 3,500  
Hole Size: 7 7/8

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 82734

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 88210	OGRID: 330211
	Action Number: 82734
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/21/2022