

Well Name: SOUTH BISTI 21H	Well Location: T25N / R12W / SEC 21 / SENE / 36.388519 / -108.110657	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078065	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004527784	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2654975
Type of Submission: Subsequent Report **Type of Action:** Plug and Abandonment
Date Sundry Submitted: 01/31/2022 **Time Sundry Submitted:** 02:01
Date Operation Actually Began: 01/25/2022

Actual Procedure: The subject well was Plugged & Abandoned on 01/25/2022 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

- Actual Procedure**
- PA_Marker_20220131140107.pdf
 - As_Plugged_WBD_South_Bisti_21_H_1_20220131140107.pdf
 - EOW_Summary__South_Bisti_21_H_1_20220131140108.pdf

Well Name: SOUTH BIST 21H

Well Location: T25N / R12W / SEC 21 / SENE / 36.388519 / -108.110657

County or Parish/State: SAN JUAN / NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMSF078065

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004527784

Well Status: Abandoned

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: JAN 31, 2022 02:01 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 02/01/2022

Signature: Kenneth Rennick

DJR Operating, LLC

P&A End of Well Report

South Bisti 21 H 1

API # 30-045-27784

SE/NE, Unit H, Sec 21, T25N, R12W

San Juan County, NM

Spud Date: 6/7/1990

Plug Date: 1/25/2022

12-01 to 02-2020:

MIRU rig and equipment. SITP = 0, SICP = 0, BH = 0.

Pull rods. TOO H with 2 3/8" production string.

Release rig.

1-19-2022:

MIRU rig and equipment.

TIH with bit and string mill to 4738'. TOO H.

1-21-2022:

TIH with CR, set CR at 4684'. PT casing, casing did not test.

P&A Plug 1&2: Gallup perfs and Gallup formation top: Mix and pump 25 sx cement under CR into Gallup perfs. Sting out of CR, place 25 sx cement above CR. WOC. Tagged Plug 2 at 4480'.

P&A Plug 3: Mancos formation top: TIH to 3742', mix and pump balanced plug of 20 sx from 3742'. WOC.

11-24-2022:

TIH, tagged Plug 3 at 3595'.

P&A Plug 4: Mesa Verde and Chacra formation tops: Pull up to 2210'. Mix and pump a balanced plug of 101 sx cement from 2210'. WOC. Tagged Plug 4 at 1323'.

Pressure test casing, good test.

P&A Plug 5: Pictured Cliffs formation top: Pull up to 1165'. Mix and pump balanced plug of 20 sx cement from 1165' to 993'.

P&A Plug 6: Fruitland, Kirtland and Ojo Alamo formation tops: Pull up to 847'. Mix and pump balanced plug of 106 sx cement from 8475' surface, good cement returns. TOO, top off casing with Plug 7 of 12 sx.

1-25-2022:

TOO, cut off WH, TOC in annulus at 27'. Install P&A marker, top off annulus and cellar with 15 sx.

RD, Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Jimmy Dobson, BLM

GPS Coordinates: Lat; 36.38869N, Long; 108.11128W

End of Well Report
DJR Operating, LLC
South Bisti 21 H 1
 API # 30-045-27784
 SE/NE, Unit H, Sec 21, T25N, R12W
 San Juan County, NM

GL 6278'
 KB 6291'
 Spud Date 6/7/1990

SURF CSG


Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: J-55
 ID: 8.097"
 Depth 320'
 Csg cap ft³: 0.3576
 TOC: Surface
 Circulated cement
 to surface.

FORMATION TOPS

Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	531'
Fruitland	797'
Pictured Cliffs	1104'
Chacra	1440'
Mesa Verde	2160'
Mancos	3692'
Gallup	4604'

PROD CSG

Hole size 7.875"
 Csg Size: 5.5"
 Wt: 15.5#
 Grade: J-55
 ID: 4.95"
 Depth 4918'
 Csg cap ft³: 0.1336
 Csg/Csg Ann ft³: 0.1926
 Csg/OH cap ft³: 0.1732
 TOC: Surface
 Circulated cement
 to surface.



All cement used was Class G mixed 15.8 ppq, yield 1.15 ft³
 Regulatory Representative: Jimmy Dobson, BLM
 GPS Coordinates: 36.38869N, 108.11128W

DJR Operating, LLC
P&A Marker
South Bisti 21H #001
API # 30-045-27784
SE/NE, Unit H, Sec 21, T25N, R12W
San Juan County, NM
Spud Date: 6/7/1990
Plug Date: 1/25/2022



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 77231

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 77231
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	3/1/2022