

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-48271	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 329930	⁸ Property Name YADA FED COM		⁹ Well Number 212H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	35	24-S	35-E	-	213'	SOUTH	2203'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	26	24-S	35-E	-	42'	NORTH	1701'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 8/15/2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/31/2021	²² Ready Date 8/12/2021	²³ TD 22360'	²⁴ PBTD 22305'	²⁵ Perforations 12179' - 21879'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5"		13.375"		681'	895 SKS
12.25"		9.625"		5288'	1317 SKS
8.75"		7.625"		11473'	574 SKS
6.75"		5.5"		22350'	913 SKS

V. Well Test Data

³¹ Date New Oil 8/15/2021	³² Gas Delivery Date 8/15/2021	³³ Test Date 8/25/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2412
³⁷ Choke Size 36/64	³⁸ Oil 1886	³⁹ Water 4337	⁴⁰ Gas 1935		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION
Printed name: Bill Ramsey	Approved by: PATRICIA MARTINEZ
Title: Regulatory Analyst	Title: PETROLEUM SPECIALIST
E-mail Address: bramsey@taprk.com	Approval Date: 3/15/2022
Date: 9/28/2021	
Phone: 720-238-2787	



Operator: TapRock Resources LLC
Well Name: Yada Fed Com #212H
County: Lea
State: New Mexico
Rig Name: H&P 264
API: 30-025-48271

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 200' MD – 22,172' MD
Projection to Bit: 22,360' MD
Dates Performed: 03/31/2021 – 04/25/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid DDS

Location: Sec-35_T-24-S_R-35-E

Well: Yada Fed Com #212H

Rig: H&P 264

API or UWI: 30-025-48271

Job Number: ID2852

State: New Mexico

Operating Company: TapRock Resources, LLC

County: Lea

Magnetic Declination: 5.90

Country: USA

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.1673055555556

Longitude: -103.339725

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
200.00	0.48	229.14	200.00	-0.55	-0.63	229.14	0.84	-0.54	0.24
235.00	0.26	202.34	235.00	-0.72	-0.77	227.20	1.06	-0.71	0.78
332.00	0.48	296.82	332.00	-0.74	-1.22	238.86	1.43	-0.73	0.58
424.00	0.92	293.83	423.99	-0.27	-2.24	263.24	2.26	-0.24	0.48
515.00	1.41	288.20	514.97	0.38	-3.97	275.46	3.99	0.42	0.55
633.00	2.11	293.65	632.91	1.70	-7.34	283.07	7.54	1.77	0.61
709.00	2.20	275.28	708.86	2.40	-10.08	283.40	10.36	2.50	0.91
804.00	1.85	281.26	803.80	2.87	-13.40	282.08	13.70	3.00	0.43
897.00	1.19	234.42	896.77	2.60	-15.65	279.42	15.87	2.75	1.45
992.00	0.75	210.33	991.76	1.49	-16.77	275.07	16.84	1.65	0.62
1086.00	1.27	235.29	1085.74	0.36	-17.94	271.16	17.94	0.54	0.71
1181.00	0.70	259.29	1180.73	-0.34	-19.37	268.98	19.37	-0.16	0.73
1276.00	0.79	178.69	1275.72	-1.11	-19.93	266.82	19.96	-0.92	1.02
1340.00	0.92	167.79	1339.72	-2.05	-19.81	264.09	19.91	-1.86	0.32
1434.00	0.79	207.61	1433.71	-3.36	-19.95	260.44	20.23	-3.17	0.63
1529.00	0.57	217.63	1528.70	-4.32	-20.54	258.13	20.99	-4.12	0.26

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1624.00	0.22	161.55	1623.70	-4.86	-20.77	256.82	21.33	-4.66	0.51
1717.00	0.75	190.65	1716.69	-5.63	-20.83	254.87	21.58	-5.43	0.61
1811.00	2.24	210.33	1810.66	-7.82	-21.87	250.32	23.23	-7.61	1.65
1906.00	3.30	235.65	1905.55	-10.97	-25.06	246.37	27.36	-10.73	1.68
2001.00	4.75	246.28	2000.32	-14.09	-30.92	245.50	33.98	-13.79	1.71
2096.00	6.68	256.21	2094.84	-16.99	-39.89	246.93	43.36	-16.61	2.28
2189.00	7.21	258.06	2187.16	-19.49	-50.85	249.03	54.46	-19.00	0.62
2283.00	7.96	259.38	2280.34	-21.91	-63.02	250.83	66.72	-21.30	0.82
2377.00	7.52	257.18	2373.48	-24.47	-75.42	252.02	79.29	-23.75	0.56
2472.00	7.78	255.69	2467.63	-27.44	-87.71	252.63	91.90	-26.60	0.34
2565.00	8.79	251.82	2559.66	-31.21	-100.56	252.76	105.29	-30.25	1.24
2659.00	8.75	253.40	2652.56	-35.50	-114.24	252.74	119.62	-34.40	0.26
2753.00	7.30	254.10	2745.64	-39.18	-126.83	252.83	132.75	-37.96	1.55
2848.00	6.42	258.94	2839.96	-41.85	-137.85	253.11	144.06	-40.52	1.11
2942.00	6.73	265.18	2933.34	-43.32	-148.50	253.74	154.69	-41.89	0.83
3037.00	6.77	260.17	3027.69	-44.74	-159.56	254.34	165.72	-43.21	0.62
3131.00	6.81	256.48	3121.03	-46.99	-170.44	254.59	176.80	-45.35	0.47
3226.00	7.08	262.19	3215.33	-49.11	-181.72	254.88	188.23	-47.36	0.78
3320.00	8.26	261.22	3308.49	-50.92	-194.13	255.30	200.70	-49.06	1.26
3415.00	8.40	257.44	3402.49	-53.47	-207.65	255.56	214.42	-51.48	0.59
3509.00	5.67	262.45	3495.77	-55.58	-218.95	255.76	225.90	-53.47	2.97
3603.00	5.41	251.29	3589.33	-57.61	-227.75	255.81	234.93	-55.42	1.18
3698.00	7.21	242.68	3683.76	-61.78	-237.29	255.41	245.20	-59.50	2.14
3792.00	7.78	241.97	3776.95	-67.48	-248.15	254.79	257.16	-65.09	0.61
3886.00	8.26	241.45	3870.03	-73.70	-259.70	254.16	269.95	-71.20	0.52
3981.00	9.36	247.25	3963.91	-79.95	-272.82	253.67	284.29	-77.32	1.49
4076.00	9.71	252.78	4057.60	-85.30	-287.59	253.48	299.98	-82.54	1.03
4170.00	7.52	253.66	4150.54	-89.38	-301.07	253.46	314.06	-86.49	2.33
4265.00	8.00	249.62	4244.67	-93.43	-313.23	253.39	326.87	-90.42	0.76
4359.00	8.48	252.61	4337.70	-97.78	-325.98	253.30	340.33	-94.65	0.68
4454.00	7.56	251.55	4431.77	-101.85	-338.59	253.26	353.58	-98.60	0.98
4548.00	8.13	251.91	4524.89	-105.88	-350.77	253.20	366.40	-102.50	0.61
4643.00	8.70	256.12	4618.86	-109.68	-364.13	253.24	380.30	-106.18	0.88
4737.00	7.74	253.58	4711.90	-113.18	-377.11	253.29	393.73	-109.55	1.09
4832.00	8.92	256.92	4805.89	-116.65	-390.42	253.36	407.47	-112.90	1.34
4926.00	9.36	257.36	4898.70	-119.98	-404.98	253.50	422.38	-116.08	0.47
5020.00	8.92	257.00	4991.51	-123.29	-419.54	253.62	437.28	-119.26	0.47

DigiDrill DataLogger

2/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5115.00	8.40	257.36	5085.42	-126.46	-433.48	253.74	451.55	-122.30	0.55
5208.00	8.18	254.54	5177.45	-129.71	-446.49	253.80	464.95	-125.42	0.50
5239.00	8.53	254.72	5208.12	-130.91	-450.83	253.81	469.45	-126.57	1.13
5388.00	8.84	250.06	5355.42	-137.72	-472.25	253.74	491.93	-133.19	0.52
5482.00	9.41	250.15	5448.23	-142.80	-486.27	253.63	506.81	-138.12	0.61
5578.00	9.19	251.11	5542.96	-147.94	-500.91	253.55	522.30	-143.13	0.28
5672.00	8.22	249.44	5635.88	-152.73	-514.30	253.46	536.50	-147.79	1.07
5767.00	7.56	250.50	5729.98	-157.21	-526.55	253.38	549.52	-152.14	0.71
5862.00	7.25	248.57	5824.19	-161.48	-538.02	253.29	561.73	-156.31	0.42
5956.00	6.55	249.18	5917.51	-165.55	-548.55	253.21	572.99	-160.28	0.75
6051.00	4.92	242.68	6012.03	-169.35	-557.24	253.10	582.40	-163.99	1.84
6145.00	4.66	246.81	6105.70	-172.70	-564.33	252.98	590.17	-167.28	0.46
6240.00	4.04	251.73	6200.43	-175.27	-571.06	252.94	597.35	-169.78	0.76
6335.00	3.21	250.76	6295.24	-177.20	-576.74	252.92	603.35	-171.65	0.88
6428.00	2.33	246.63	6388.13	-178.81	-580.94	252.89	607.83	-173.22	0.97
6523.00	1.54	233.80	6483.07	-180.33	-583.74	252.83	610.96	-174.71	0.94
6617.00	1.10	215.61	6577.05	-181.81	-585.29	252.74	612.87	-176.18	0.64
6710.00	0.53	30.95	6670.04	-182.16	-585.58	252.72	613.26	-176.53	1.75
6804.00	1.05	58.90	6764.03	-181.35	-584.62	252.77	612.10	-175.72	0.67
6899.00	1.23	34.73	6859.02	-180.06	-583.30	252.85	610.46	-174.45	0.54
6994.00	2.11	45.01	6953.98	-177.98	-581.48	252.98	608.11	-172.39	0.97
7087.00	1.98	45.54	7046.92	-175.65	-579.12	253.13	605.17	-170.08	0.14
7182.00	2.29	49.67	7141.85	-173.27	-576.50	253.27	601.98	-167.73	0.36
7276.00	2.02	47.30	7235.78	-170.93	-573.85	253.41	598.77	-165.41	0.30
7371.00	2.20	53.98	7330.72	-168.72	-571.15	253.54	595.55	-163.23	0.32
7466.00	1.85	49.49	7425.66	-166.65	-568.51	253.66	592.43	-161.19	0.40
7560.00	1.63	50.90	7519.62	-164.83	-566.32	253.77	589.82	-159.38	0.24
7654.00	1.10	33.59	7613.59	-163.23	-564.78	253.88	587.90	-157.80	0.71
7748.00	1.05	25.85	7707.57	-161.70	-563.91	254.00	586.63	-156.28	0.16
7842.00	1.05	53.54	7801.56	-160.42	-562.84	254.09	585.25	-155.01	0.53
7936.00	0.70	16.71	7895.55	-159.36	-561.98	254.17	584.14	-153.95	0.69
8030.00	0.66	71.20	7989.54	-158.63	-561.30	254.22	583.29	-153.24	0.66
8124.00	0.40	12.14	8083.54	-158.14	-560.72	254.25	582.59	-152.75	0.61
8219.00	0.62	79.03	8178.54	-157.71	-560.15	254.28	581.93	-152.33	0.62
8313.00	0.44	170.17	8272.53	-157.97	-559.59	254.24	581.46	-152.59	0.82
8407.00	0.57	96.87	8366.53	-158.38	-559.06	254.18	581.06	-153.01	0.65
8501.00	0.40	101.44	8460.53	-158.51	-558.27	254.15	580.34	-153.14	0.19

DigiDrill DataLogger

3/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8596.00	0.53	155.05	8555.52	-158.97	-557.76	254.09	579.98	-153.61	0.46
8689.00	0.88	123.06	8648.52	-159.75	-556.98	254.00	579.44	-154.40	0.55
8783.00	1.19	152.33	8742.50	-161.01	-555.93	253.85	578.77	-155.66	0.64
8876.00	0.97	156.72	8835.49	-162.59	-555.17	253.68	578.48	-157.25	0.25
8971.00	1.14	188.45	8930.47	-164.26	-554.99	253.51	578.78	-158.92	0.63
9066.00	1.67	184.49	9025.44	-166.57	-555.23	253.30	579.68	-161.24	0.57
9161.00	1.71	196.01	9120.40	-169.32	-555.73	253.06	580.95	-163.97	0.36
9198.00	2.11	203.13	9157.38	-170.47	-556.15	252.96	581.69	-165.13	1.26
9255.00	2.59	200.75	9214.33	-172.64	-557.02	252.78	583.16	-167.29	0.86
9350.00	2.33	207.96	9309.24	-176.36	-558.69	252.48	585.86	-170.98	0.42
9444.00	2.77	204.01	9403.15	-180.12	-560.51	252.19	588.74	-174.73	0.50
9539.00	2.86	201.11	9498.04	-184.43	-562.30	251.84	591.77	-179.02	0.18
9633.00	2.73	197.24	9591.92	-188.75	-563.80	251.49	594.56	-183.33	0.24
9728.00	1.54	189.15	9686.86	-192.17	-564.68	251.21	596.48	-186.74	1.29
9823.00	0.31	69.36	9781.85	-193.34	-564.64	251.10	596.82	-187.91	1.81
9917.00	1.10	72.78	9875.84	-192.99	-563.54	251.10	595.67	-187.57	0.84
10012.00	2.59	121.21	9970.79	-193.83	-560.83	250.93	593.38	-188.44	2.14
10108.00	3.21	111.98	10066.67	-195.96	-556.49	250.60	589.98	-190.61	0.81
10202.00	2.15	114.01	10160.56	-197.66	-552.43	250.31	586.73	-192.35	1.13
10297.00	0.92	74.98	10255.53	-198.19	-550.07	250.19	584.68	-192.90	1.63
10392.00	1.41	31.83	10350.51	-197.00	-548.72	250.25	583.01	-191.72	1.02
10485.00	0.22	332.77	10443.50	-195.87	-548.19	250.34	582.13	-190.60	1.41
10580.00	1.45	225.19	10538.49	-196.55	-549.13	250.31	583.25	-191.27	1.61
10674.00	1.49	219.83	10632.46	-198.33	-550.76	250.20	585.38	-193.03	0.15
10744.00	1.93	215.61	10702.43	-199.99	-552.03	250.09	587.13	-194.68	0.65
10768.00	2.02	204.88	10726.42	-200.70	-552.44	250.03	587.77	-195.39	1.58
10863.00	3.12	332.85	10821.37	-199.92	-554.32	250.17	589.27	-194.59	4.89
10957.00	5.71	334.26	10915.08	-193.43	-557.52	250.87	590.12	-188.07	2.76
11049.00	6.86	326.35	11006.53	-184.73	-562.56	251.82	592.11	-179.32	1.56
11144.00	7.65	336.46	11100.77	-174.21	-568.23	252.96	594.33	-168.75	1.58
11238.00	5.32	349.64	11194.17	-164.18	-571.51	253.97	594.62	-158.69	2.93
11332.00	1.98	34.38	11287.98	-158.56	-571.38	254.49	592.97	-153.06	4.42
11427.00	1.63	3.70	11382.93	-155.85	-570.36	254.72	591.27	-150.37	1.07
11527.00	1.14	356.06	11482.90	-153.44	-570.34	254.94	590.62	-147.96	0.52
11554.00	0.70	0.45	11509.90	-153.01	-570.36	254.98	590.52	-147.53	1.65
11649.00	6.90	13.99	11604.65	-146.88	-568.97	255.52	587.62	-141.42	6.55
11744.00	19.30	10.65	11696.99	-125.84	-564.67	257.44	578.52	-120.41	13.07

DigiDrill DataLogger

4/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
11838.00	28.70	10.12	11782.77	-88.27	-557.82	261.01	564.76	-82.91	10.00
11932.00	41.41	9.50	11859.56	-35.17	-548.69	266.33	549.81	-29.90	13.53
12027.00	50.73	2.21	11925.44	32.76	-542.06	273.46	543.05	37.97	11.25
12120.00	58.29	359.31	11979.40	108.41	-541.15	281.33	551.90	113.60	8.51
12215.00	63.82	359.92	12025.36	191.51	-541.70	289.47	574.55	196.70	5.85
12309.00	67.34	0.80	12064.22	277.09	-541.15	297.11	607.96	282.27	3.84
12402.00	72.88	0.27	12095.85	364.50	-540.34	304.00	651.79	369.67	5.98
12496.00	81.23	1.07	12116.89	456.02	-539.26	310.22	706.23	461.18	8.92
12591.00	90.64	358.96	12123.62	550.67	-539.24	315.60	770.73	555.82	10.15
12686.00	90.11	359.22	12122.99	645.66	-540.75	320.05	842.19	650.82	0.62
12781.00	90.68	357.20	12122.34	740.60	-543.72	323.72	918.76	745.79	2.21
12876.00	86.59	354.30	12124.60	835.28	-550.75	326.60	1000.52	840.53	5.28
12967.00	86.95	355.27	12129.73	925.76	-559.01	328.87	1081.45	931.09	1.14
13062.00	87.82	355.62	12134.06	1020.36	-566.55	330.96	1167.10	1025.75	0.99
13156.00	89.54	355.70	12136.23	1114.07	-573.66	332.75	1253.09	1119.52	1.83
13251.00	90.46	355.88	12136.23	1208.81	-580.63	334.34	1341.03	1214.33	0.99
13345.00	91.47	356.94	12134.65	1302.61	-586.52	335.76	1428.56	1308.18	1.56
13441.00	93.10	358.25	12130.82	1398.44	-590.54	337.11	1518.02	1404.05	2.18
13535.00	91.74	358.25	12126.85	1492.31	-593.41	338.31	1605.97	1497.94	1.45
13630.00	91.16	358.25	12124.45	1587.24	-596.31	339.41	1695.56	1592.89	0.61
13725.00	89.36	357.99	12124.01	1682.18	-599.43	340.39	1785.79	1687.86	1.91
13820.00	89.32	359.04	12125.11	1777.14	-601.89	341.29	1876.30	1782.84	1.11
13914.00	88.57	0.19	12126.84	1871.12	-602.52	342.15	1965.74	1876.82	1.46
14009.00	86.86	359.92	12130.63	1966.04	-602.43	342.96	2056.27	1971.73	1.82
14104.00	87.69	0.01	12135.14	2060.93	-602.49	343.70	2147.19	2066.62	0.88
14198.00	87.69	359.40	12138.93	2154.85	-602.97	344.37	2237.63	2160.54	0.65
14293.00	90.11	359.40	12140.76	2249.83	-603.97	344.97	2329.48	2255.52	2.55
14385.00	91.74	359.48	12139.27	2341.81	-604.87	345.52	2418.66	2347.50	1.77
14479.00	91.47	358.61	12136.64	2435.75	-606.43	346.02	2510.11	2441.46	0.97
14572.00	92.22	358.43	12133.64	2528.67	-608.83	346.46	2600.94	2534.40	0.83
14667.00	91.78	359.31	12130.33	2623.60	-610.71	346.90	2693.74	2629.34	1.04
14762.00	90.29	358.87	12128.61	2718.57	-612.21	347.31	2786.65	2724.32	1.64
14856.00	84.48	356.58	12132.90	2812.35	-615.94	347.65	2879.01	2818.13	6.64
14950.00	89.49	357.37	12137.84	2906.06	-620.89	347.94	2971.64	2911.88	5.40
15043.00	90.81	359.31	12137.60	2999.01	-623.58	348.25	3063.16	3004.86	2.52
15137.00	92.62	0.71	12134.79	3092.96	-623.56	348.60	3155.19	3098.81	2.43
15231.00	93.98	2.91	12129.37	3186.75	-620.60	348.98	3246.62	3192.56	2.75

DigiDrill DataLogger

5/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15327.00	93.54	3.00	12123.08	3282.42	-615.66	349.38	3339.66	3288.18	0.47
15422.00	91.96	2.74	12118.52	3377.19	-610.91	349.75	3432.00	3382.90	1.69
15517.00	87.08	1.51	12119.32	3472.09	-607.39	350.08	3524.81	3477.76	5.30
15611.00	89.54	1.07	12122.09	3566.02	-605.28	350.37	3617.02	3571.66	2.66
15706.00	87.65	1.51	12124.42	3660.96	-603.14	350.64	3710.31	3666.58	2.04
15800.00	89.01	2.12	12127.16	3754.87	-600.16	350.92	3802.53	3760.46	1.59
15895.00	84.84	0.80	12132.25	3849.68	-597.74	351.17	3895.81	3855.24	4.60
15989.00	85.71	0.36	12140.00	3943.35	-596.80	351.39	3988.26	3948.90	1.04
16083.00	92.09	0.89	12141.80	4037.28	-595.77	351.61	4081.00	4042.81	6.81
16178.00	92.04	0.54	12138.38	4132.21	-594.59	351.81	4174.77	4137.73	0.37
16272.00	91.78	1.15	12135.24	4226.15	-593.20	352.01	4267.58	4231.65	0.71
16366.00	90.07	0.89	12133.73	4320.12	-591.53	352.20	4360.43	4325.60	1.84
16459.00	89.01	1.07	12134.47	4413.10	-589.94	352.39	4452.36	4418.56	1.16
16553.00	88.70	359.92	12136.35	4507.08	-589.12	352.55	4545.42	4512.52	1.27
16647.00	88.84	359.40	12138.37	4601.05	-589.68	352.70	4638.69	4606.50	0.57
16742.00	88.84	358.87	12140.29	4696.02	-591.12	352.83	4733.08	4701.48	0.56
16836.00	89.10	358.34	12141.98	4789.98	-593.40	352.94	4826.59	4795.45	0.63
16931.00	89.98	357.81	12142.74	4884.92	-596.60	353.04	4921.22	4890.42	1.08
17026.00	88.75	357.73	12143.80	4979.84	-600.29	353.13	5015.89	4985.37	1.30
17121.00	88.66	357.29	12145.94	5074.73	-604.42	353.21	5110.59	5080.29	0.47
17215.00	88.62	357.11	12148.17	5168.59	-609.01	353.28	5204.34	5174.20	0.20
17310.00	94.77	357.11	12145.37	5263.38	-613.79	353.35	5299.05	5269.03	6.47
17332.00	92.79	357.02	12143.92	5285.30	-614.92	353.36	5320.95	5290.96	9.01
17427.00	94.15	358.34	12138.17	5380.05	-618.76	353.44	5415.51	5385.74	1.99
17521.00	95.03	358.61	12130.64	5473.71	-621.25	353.52	5508.85	5479.42	0.98
17616.00	95.65	359.22	12121.80	5568.28	-623.04	353.62	5603.03	5574.00	0.91
17711.00	95.25	359.84	12112.78	5662.85	-623.82	353.71	5697.10	5668.57	0.77
17804.00	94.51	0.89	12104.87	5755.51	-623.23	353.82	5789.15	5761.22	1.38
17898.00	94.81	2.65	12097.23	5849.15	-620.33	353.95	5881.95	5854.83	1.89
17991.00	92.88	4.05	12090.99	5941.77	-614.91	354.09	5973.51	5947.40	2.56
18085.00	91.74	4.41	12087.20	6035.44	-607.98	354.25	6065.98	6041.00	1.27
18179.00	90.90	4.23	12085.04	6129.14	-600.90	354.40	6158.53	6134.63	0.91
18274.00	90.77	4.93	12083.66	6223.83	-593.32	354.55	6252.05	6229.24	0.75
18369.00	89.76	4.58	12083.22	6318.50	-585.44	354.71	6345.57	6323.83	1.13
18463.00	90.55	4.85	12082.96	6412.18	-577.72	354.85	6438.15	6417.43	0.89
18557.00	90.15	3.70	12082.39	6505.92	-570.71	354.99	6530.90	6511.10	1.30
18653.00	88.57	0.89	12083.46	6601.82	-566.87	355.09	6626.11	6606.96	3.36

DigiDrill DataLogger

6/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
18747.00	90.90	359.66	12083.89	6695.81	-566.42	355.16	6719.73	6700.94	2.80
18841.00	90.77	358.96	12082.52	6789.79	-567.55	355.22	6813.47	6794.93	0.76
18936.00	91.82	358.96	12080.38	6884.75	-569.27	355.27	6908.25	6889.90	1.11
19030.00	89.98	357.11	12078.90	6978.68	-572.49	355.31	7002.12	6983.85	2.78
19125.00	90.42	357.11	12078.57	7073.56	-577.28	355.33	7097.07	7078.77	0.46
19219.00	91.52	356.76	12076.98	7167.41	-582.31	355.36	7191.02	7172.67	1.23
19314.00	90.24	356.23	12075.52	7262.22	-588.12	355.37	7285.99	7267.53	1.46
19408.00	90.07	356.67	12075.26	7356.03	-593.94	355.38	7379.97	7361.40	0.50
19502.00	93.54	357.81	12072.30	7449.86	-598.46	355.41	7473.86	7455.26	3.89
19596.00	94.11	357.99	12066.03	7543.59	-601.90	355.44	7567.56	7549.02	0.64
19692.00	90.51	358.61	12062.16	7639.45	-604.74	355.47	7663.35	7644.91	3.81
19785.00	89.41	359.04	12062.23	7732.43	-606.65	355.51	7756.19	7737.90	1.27
19878.00	91.60	0.36	12061.41	7825.42	-607.14	355.56	7848.94	7830.89	2.75
19973.00	89.54	0.80	12060.47	7920.40	-606.17	355.62	7943.57	7925.86	2.22
20067.00	89.49	1.24	12061.26	8014.39	-604.50	355.69	8037.15	8019.82	0.47
20162.00	89.54	1.59	12062.06	8109.35	-602.16	355.75	8131.68	8114.76	0.37
20256.00	90.20	1.68	12062.28	8203.31	-599.47	355.82	8225.19	8208.69	0.71
20351.00	92.44	3.61	12060.09	8298.18	-595.09	355.90	8319.49	8303.51	3.11
20445.00	89.98	3.88	12058.10	8391.95	-588.95	355.99	8412.59	8397.22	2.63
20538.00	87.74	2.91	12059.96	8484.76	-583.45	356.07	8504.80	8489.97	2.62
20633.00	83.91	1.24	12066.87	8579.42	-580.01	356.13	8599.01	8584.60	4.40
20727.00	85.67	0.27	12075.41	8673.02	-578.78	356.18	8692.31	8678.18	2.14
20822.00	86.07	359.40	12082.25	8767.78	-579.05	356.22	8786.88	8772.93	1.01
20916.00	87.43	357.37	12087.58	8861.58	-581.70	356.24	8880.65	8866.76	2.60
21010.00	88.40	356.67	12091.00	8955.39	-586.58	356.25	8974.58	8960.61	1.27
21104.00	91.08	356.41	12091.42	9049.21	-592.26	356.26	9068.57	9054.48	2.86
21199.00	89.80	355.62	12090.69	9143.97	-598.86	356.25	9163.56	9149.30	1.58
21294.00	90.42	355.70	12090.51	9238.70	-606.05	356.25	9258.56	9244.09	0.66
21388.00	92.00	356.06	12088.53	9332.43	-612.80	356.24	9352.53	9337.88	1.72
21481.00	93.85	356.41	12083.78	9425.11	-618.90	356.24	9445.40	9430.61	2.02
21576.00	93.10	358.25	12078.02	9519.82	-623.31	356.25	9540.21	9525.37	2.09
21670.00	92.53	0.10	12073.41	9613.70	-624.67	356.28	9633.97	9619.25	2.06
21765.00	88.92	2.03	12072.20	9708.65	-622.90	356.33	9728.61	9714.18	4.31
21859.00	88.00	2.82	12074.73	9802.53	-618.92	356.39	9822.05	9808.02	1.29
21954.00	90.68	2.91	12075.82	9897.40	-614.18	356.45	9916.44	9902.84	2.82
22048.00	90.02	2.12	12075.25	9991.31	-610.05	356.51	10009.91	9996.70	1.10
22143.00	90.11	1.86	12075.14	10086.25	-606.75	356.56	10104.48	10091.61	0.29

DigiDrill DataLogger

7/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22172.00	90.77	1.68	12074.92	10115.23	-605.86	356.57	10133.36	10120.58	2.36

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22360.00	90.77	1.68	12072.39	10303.14	-600.35	356.67	10320.61	10308.42	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-48271		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Yada Fed Com		
								6. Well Number: 212H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	35	24S	35E	-	213	SOUTH	2203	WEST	LEA
BH:	C	26	24S	35E	-	42	NORTH	1701	WEST	LEA
13. Date Spudded 3/31/2021	14. Date T.D. Reached 4/24/2021		15. Date Rig Released 4/27/2021			16. Date Completed (Ready to Produce) 8/12/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3253 GR		
18. Total Measured Depth of Well 22360			19. Plug Back Measured Depth 22305			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12179' - 21879'							WOLFBONE			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		681'		17.5"		895 SKS		
9.625"		40		5288'		12.25"		1317 SKS		
7.625"		29.7		11473'		8.75"		574 SKS		
5.5"		23		22350'		6.75"		913 SKS		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number) 12179 ft to 21879 ft, 1 SPF, .6 inch holes with 624 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12179' - 21879'		48 stage frac with 23,712,040 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 08/15/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 08/25/2021	Hours Tested 24 HRS	Choke Size 36/64	Prod'n For Test Period	Oil - Bbl 1886	Gas - MCF 1935	Water - Bbl. 4337	Gas - Oil Ratio 1025			
Flow Tubing Press. 0	Casing Pressure 2412	Calculated 24-Hour Rate	Oil - Bbl. 1886	Gas - MCF 1935	Water - Bbl. 4337	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments DIRECTIONAL SURVEY, AS DRILLED C-102										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey		Title Regulatory Analyst			Date 9/28/2021		
E-mail Address bramsey@t+										

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 52495

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 52495
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 52495

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 52495
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/15/2022