

ubmit 1 Copy To Appropriate District	State of New Mex			Form C- Revised July 18, 2	
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natur	al Resources	WELL API NO.	Revised July 18,	2013
625 N. French Dr., Hobbs, NM 88240				25-06226	
District II - (575) 748-1283 11 S. First St., Artesia, NM 88210	OIL CONSERVATION	DIVISION	5. Indicate Type of		
District III - (505) 334-6178	1220 South St. France	cis Dr.	STATE X		
000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> - (505) 476-3460	Santa Fe, NM 87	505	6. State Oil & Gas	Lease No.	
220 S. St. Francis Dr., Santa Fe, NM					
7505	ICES AND REPORTS ON WELLS		7. Lease Name or U	Jnit Agreement Nan	ne
DO NOT USE THIS FORM FOR PROPO	SALS TO DRILL OR TO DEEPEN OR PLU CATION FOR PERMIT" (FORM C-101) FO	IG BACK TO A OR SUCH		t Hardy Unit	
PROPOSALS.)	Gas Well Other. WIW		8. Well Number. 2	20	
Type of Well: Oil Well Name of Operator	Gas well Other. With		9. OGRID Number	r	
2. Name of Operator	Mar Oil & Gas Corporation			51228	
3. Address of Operator			10. Pool name or V		
PO Box 51:	55 Santa Fe, NM 87502		Eumont; Yate	es, 7 Rivers, Queen	
4. Well Location					
Unit Letter M	: 660 feet from the _South_	line and _660	feet from the	Westline	
Section 36	Township 20S	Range 37E	NMPM	Lea Coun	ity
Deviloit 00	11. Elevation (Show whether DR,		2.)		
网络的发展的发展,这种国际					
TEMPORARILY ABANDON DULL OR ALTER CASING	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL	REMEDIAL WO	RILLING OPNS.	ALTERING CASING P AND A	; _□
PERFORM REMEDIAL WORK FEMPORARILY ABANDON FEMPORARILY ABANDON FOULL OR ALTER CASING FOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM THER: 13. Describe proposed or common of starting any proposed with proposed completion or result of the common of starting and tag CIBP at 355. Spot 25 sx cmt on CIBP x WOO. Pull tbg to 2586' spot 25 sx cmt. Pull tbg to 1410' spot 25 sx cmt. Perf casing at 374' x Sqz 35 sx. Pull tbg to 30' Spot 10 sx surface. Cut off wellheads and monitor of the common	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL MULTIPLE COMPL Inpleted operations. (Clearly state all work). SEE RULE 19.15.7.14 NMAGE completion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above a plug cmt at surface on both 5 ½" and 8 5/8"	REMEDIAL WOLLD COMMENCE DE CASING/CEMENT OTHER: pertinent details, a C. For Multiple Comment with 9.5# gell	RK RILLING OPNS. NT JOB	ALTERING CASING P AND A s, including estimate	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or com of starting any proposed v proposed completion or re Run tubing and tag CIBP at 355 2. Spot 25 sx cmt on CIBP x WOC 3. Pull tbg to 2586' spot 25 sx cmt 4. Pull tbg to 1410' spot 25 sx cmt 5. Perf casing at 374' x Sqz 35 sx 6. Pull tbg to 30' Spot 10 sx surface 7. Cut off wellheads and monitor of	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL MULTIPLE COMPL Inpleted operations. (Clearly state all work). SEE RULE 19.15.7.14 NMAGE completion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above a plug cmt at surface on both 5 ½" and 8 5/8"	REMEDIAL WOLLD COMMENCE DE CASING/CEMENT OTHER: pertinent details, a C. For Multiple Comment with 9.5# gell	RK RILLING OPNS. NT JOB	ALTERING CASING P AND A s, including estimate	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or com of starting any proposed v proposed completion or re 1. Run tubing and tag CIBP at 355 2. Spot 25 sx cmt on CIBP x WOC 3. Pull tbg to 2586' spot 25 sx cmt 4. Pull tbg to 1410' spot 25 sx cmt 5. Perf casing at 374' x Sqz 35 sx 6. Pull tbg to 30' Spot 10 sx surface 7. Cut off wellheads and monitor of 8. Install PA marker and prepare le	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL MULTIPLE COMPL Displeted operations. (Clearly state all york). SEE RULE 19.15.7.14 NMAGE ecompletion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above e plug cmt at surface on both 5 ½" and 8 5/8 occation for release.	REMEDIAL WOLLD COMMENCE DE CASING/CEMENT OTHER: pertinent details, a C. For Multiple Comment with 9.5# gell with 9.5# gell of the comment of	RK RILLING OPNS. NT JOB	ALTERING CASING P AND A s, including estimate	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or common of starting any proposed with proposed completion or result of the common of starting and tag CIBP at 355. Spot 25 sx cmt on CIBP x WOCK. Pull tbg to 2586' spot 25 sx cmt on CIBP x WOCK. Pull tbg to 1410' spot 25 sx cmt on CIBP x WOCK. Pull tbg to 30' Spot 10 sx surfactor. Cut off wellheads and monitor of the common of th	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL Pleted operations. (Clearly state all work). SEE RULE 19.15.7.14 NMAGE completion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above e plug cmt at surface on both 5 ½" and 8 5/8 ocation for release. Rig Release D	REMEDIAL WOLLD COMMENCE DE CASING/CEMEN OTHER: pertinent details, a C. For Multiple Comment with 9.5# gell with 9.5# gell of the comment of t	RK RILLING OPNS. NT JOB	ALTERING CASING P AND A s, including estimate	
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or common of starting any proposed or proposed completion or respectively. By the composed completion or respec	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL MULTIPLE COMPL Pupleted operations. (Clearly state all work). SEE RULE 19.15.7.14 NMAGE completion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above e plug cmt at surface on both 5 ½" and 8 5/8 ocation for release. Rig Release Don above is true and complete to the both shows in the surface of the lease of the surface of the s	REMEDIAL WOLL COMMENCE DE CASING/CEMEN OTHER: pertinent details, a C. For Multiple C well with 9.5# gell e Date:	RK RILLING OPNS. NT JOB	ALTERING CASING P AND A s, including estimate rellbore diagram of	ed date
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or com of starting any proposed or proposed completion or re Run tubing and tag CIBP at 355 Spot 25 sx cmt on CIBP x WOC Pull tbg to 2586' spot 25 sx cmt Pull tbg to 1410' spot 25 sx cmt Pull tbg to 1410' spot 25 sx cmt Pull tbg to 30' Spot 10 sx surface Cut off wellheads and monitor of Install PA marker and prepare less Spud Date: Type or print name	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL Pleted operations. (Clearly state all work). SEE RULE 19.15.7.14 NMAGE completion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above e plug cmt at surface on both 5 ½" and 8 5/8 ocation for release. Rig Release D	REMEDIAL WOLL COMMENCE DE CASING/CEMEN OTHER: pertinent details, a C. For Multiple C well with 9.5# gell e Date:	RK RILLING OPNS. NT JOB	ALTERING CASING P AND A s, including estimate rellbore diagram of	ed date
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or common of starting any proposed or proposed completion or respectively. By the composed completion or respec	PLUG AND ABANDON X CHANGE PLANS MULTIPLE COMPL MULTIPLE COMPL Pupleted operations. (Clearly state all work). SEE RULE 19.15.7.14 NMAGE completion. O'x Pressure Test casing x Displace of and tag cmt plug (Base of Salt) (Top of Salt) cmt x WOC and tag at 274' or above e plug cmt at surface on both 5 ½" and 8 5/8 ocation for release. Rig Release Don above is true and complete to the both shows in the surface of the lease of the surface of the s	REMEDIAL WOLL COMMENCE DE CASING/CEMEN OTHER: pertinent details, a C. For Multiple C well with 9.5# gell e Date:	RK RILLING OPNS. NT JOB Ind give pertinent dates ompletions: Attach will ded brine ded brine DA ROCEMAROG. PH	ALTERING CASING P AND A s, including estimate rellbore diagram of	o 2 0 - 6 3

Mar Oil & Gas Corp Eumont Hardy Unit # 20 API 30-025-06226 LEA COUNTY, NM



Mar Oil & Gas Corp Eumont Hardy Unit # 20 API 30-025-06226 LEA COUNTY, NM



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 73895

COMMENTS

Operator:	OGRID:
MAR OIL & GAS CORP.	151228
P.O. Box 5155	Action Number:
Santa Fe, NM 87502	73895
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	3/16/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 73895

CONDITIONS

Operator:	OGRID:
MAR OIL & GAS CORP.	151228
P.O. Box 5155	Action Number:
Santa Fe, NM 87502	73895
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	See attached conditions of approval	3/15/2022