Received by OCD: 2/2/2022 11:01:37	7 AM State of New Mexico		Form C-103 of 3	
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July 18, 2013	
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OH GONGERNATION	DHUGION	WELL API NO. 30-059-20553	
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410			STATE FE	
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505 Fe, NM		6. State Oil & Gas Lease No	0.
87505 SUNDRY NOT	ICES AND REPORTS ON WELLS	5	7. Lease Name or Unit Agre	eement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			BRAVO DOME CARBON DIO	
PROPOSALS.)			8. Well Number #321	
 Type of Well: Oil Well ☐ Gas Well ☐ Other ✔ Name of Operator 			9. OGRID Number	
OXY USA INC. (16696)			16696	
3. Address of Operator PO BOX 4294, HOUSTON, TX 77210-4294			10. Pool name or Wildcat (96010) BRAVO DOME CARBON	DIOXIDE GAS 640
4. Well Location	I, IX //210-4294		(90010) BICAVO DOINE CARBOIN	DIOXIDE GAS 040
	1212feet from the NORTH	line and <u>960</u>	feet from the EAS	STline
Section 32		ange 32E	NMPM County	UNION
	11. Elevation (Show whether DR 4894' GL	, RKB, RT, GR, etc.)		
	4094 GL			
12. Check	Appropriate Box to Indicate N	lature of Notice,	Report or Other Data	
NOTICE OF IN	NTENTION TO:	l QUIR	SEQUENT REPORT C	\ E·
PERFORM REMEDIAL WORK		G CASING □		
TEMPORARILY ABANDON	PLUG AND ABANDON CHANGE PLANS	COMMENCE DRI	_	☑
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	ГЈОВ 🗌	
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM OTHER:		OTHER:		
	oleted operations. (Clearly state all		d give pertinent dates, includin	ig estimated date
of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA			
proposed completion or rec	completion.			
This well is plugged. See the	below daily job details and	d attached plug	ged wellbore diagram f	or
reference.				
12/4/2021 - MIRU.				
12/5/2021 - RIH and tagged	cement @ 2215'. Pulled ur	. FOT @ 2208	'. Pumped 50sx CLC C	mt. WOC.
RIH and tagged TOC @ 195	•	•	•	
12/6/2021 - RIH and tagged				nt. WOC.
RIH and tagged TOC @ 617				
well. Verified. RDMO.	• *	•	·	•
Sand Date.	Dia Palassa D	-4		
Spud Date:	Rig Release Da	ate:		
I hereby certify that the information	above is true and complete to the b	est of my knowledge	e and belief.	
P. C.	7 B			
SIGNATURE	. Reeves TITLE REGL	JLATORY ADVISO	DR DATE 2/2/20)22
Type or print name LESLIE REE\			S@OXY.COM_PHONE: 713	3-497-2492
For State Use Only	E-man addres	. <u></u>	THOME. 710	
APPROVED BY: Monica K	whling TITLE De	puty Oil and Gas	Inspector DATE 3/9/2	0022
Conditions of Approval (if any):	IIILE De	puty Oil allu Gas	mapedioi DATE 3/9/2	.0

Plugged Wellbore BRAVO DOME CO2 GAS UNIT #321 30-059-20553-0000

TD 4030'

12-1/4" hole @ 811' 9-5/8"36# csg @ 790' w/ 420sx-TOC-Surf-Circ. CIBP @ 2250' 8-3/4" hole @ 2512' 7" 23# csg @ 2510' w/ 640sx - TOC-Surf-Circ. 6-1/8" hole @ 2525'-4030' OH

EOT @ 305'. PUMPED 55SX CL C CMT TO SURFACE. TOPPED OFF. VERIFIED.

EOT @ 1413'. PUMPED 145SX CL C CMT. TAGGED TOC @ 617'.

EOT@ 1736'. PUMPED 40SX CL C. TAGGED TOC @ 1508'.

TAGGED TOC @ 2215'. EOT @ 2208'. PUMPED 50SX CL C. TAGGED TOC @ 1950'.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 77610

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	77610
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Follow rule 19.15.25.10 B. The operator shall mark the exact location of plugged and abandoned wells with a steel marker not less than four inches in diameter set in cement and extending at least four feet above mean ground level. Note: Marker must be set in cement of which none of the wells plugged in the fall of 2021 by OXY had their marker set in cement. Operators are required to submit - a C-103Q on state or fee wells - In future a statement of when marker was set should be in subsequent	3/9/2022