

District I
1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/17/2021
⁴ API Number 30 - 015-47974	⁵ Pool Name CEDAR CANYON BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 329996	⁸ Property Name: VAGABOND CC 8-17 FEDERAL COM	⁹ Well Number: 25H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South Line SOUTH	Feet from the 940	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 2532' FNL 798' FEL LTP- 194' FNL 782' FEL

UL or lot no. A	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 24	North/South line NORTH	Feet from the 801	East/West line EAST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 10/28/21		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 08/12/21	²² Ready Date 10/17/2021	²³ TD 16900'M 8614'V	²⁴ PBSD 16865'M 8614'V	²⁵ Perforations 14279-16728'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
17-1/2"	13-3/8"	535'		715	
9-7/8"	7-5/8"	8285'		1769	
6-3/4"	5-1/2"	16878'		626	

V. Well Test Data

³¹ Date New Oil 10/28/21	³² Gas Delivery Date 10/28/21	³³ Test Date 11/8/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 890
³⁷ Choke Size 88/128	³⁸ Oil 1099.33	³⁹ Water 1130	⁴⁰ Gas 1377.33		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 03/22/2022 Phone: 422-685-5036

OIL CONSERVATION DIVISION

Approved by:

Title: Engineer

Approval Date: 04/19/22

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/17/2021
⁴ API Number 30 - 015-47974	⁵ Pool Name PIERCE CROSSING BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 329996	⁸ Property Name: VAGABOND CC 8-17 FEDERAL COM	⁹ Well Number: 25H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South Line SOUTH	Feet from the 940	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 2532' FNL 798' FEL LTP- 194' FNL 782' FEL

UL or lot no. A	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 24	North/South line NORTH	Feet from the 801	East/West line EAST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 10/28/21		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 08/12/21	²² Ready Date 10/17/2021	²³ TD 16900'M 8614'V	²⁴ PBDT 16865'M 8614'V	²⁵ Perforations 9072-11592'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		535'	715
9-7/8"		7-5/8"		8285'	1769
6-3/4"		5-1/2"		16878'	626

V. Well Test Data

³¹ Date New Oil 10/28/21	³² Gas Delivery Date 10/28/21	³³ Test Date 11/8/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 890
³⁷ Choke Size 88/128	³⁸ Oil 1099.33	³⁹ Water 1130	⁴⁰ Gas 1377.33		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:



Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:


03/22/2022

Phone:

422-685-5936

OIL CONSERVATION DIVISION

Approved by:



Title: Engineer

Approval Date:

04/19/22

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/17/2021
⁴ API Number 30 - 015-47974	⁵ Pool Name PIERCE CROSSING BONE SPRING; EAST	⁶ Pool Code 96473
⁷ Property Code: 329996	⁸ Property Name: VAGABOND CC 8-17 FEDERAL COM	⁹ Well Number: 25H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South Line SOUTH	Feet from the 940	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 2532' FNL 798' FEL LTP- 194' FNL 782' FEL

UL or lot no. A	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 24	North/South line NORTH	Feet from the 801	East/West line EAST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 10/28/21		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 08/12/21	²² Ready Date 10/17/2021	²³ TD 16900'M 8614'V	²⁴ PBSD 16865'M 8614'V	²⁵ Perforations 11615-14256'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		535'	715
9-7/8"		7-5/8"		8285'	1769
6-3/4"		5-1/2"		16878'	626

V. Well Test Data

³¹ Date New Oil 10/28/21	³² Gas Delivery Date 10/28/21	³³ Test Date 11/8/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 890
³⁷ Choke Size 88/128	³⁸ Oil 1099.33	³⁹ Water 1130	⁴⁰ Gas 1377.33		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 03/22/2022 Phone: 422-685-5936

OIL CONSERVATION DIVISION

Approved by:

Title: Engineer

Approval Date: 04/19/22

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT
 (AS-DRILLED)

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47974	² Pool Code 11520	³ Pool Name CEDAR CANYON BONE SPRING
⁴ Property Code 329996	Property Name VAGABOND CC 8-17 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 25H
		⁹ Elevation 2928'

¹⁰ Surface Location

UL or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South line SOUTH	Feet from the 940	East/West line EAST	County EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. A	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 24	North/South line NORTH	Feet from the 801	East/West line EAST	County EDDY
¹² Dedicated Acres 80	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by this division. Signature: <i>[Signature]</i> Date: 10/14/2021 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com
	18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. Date of Survey: OCTOBER 12, 2021 Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number: DAVID W. MYERS 11403
	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 644997.51' / Y: 451006.93' B - X: 645008.87' / Y: 448351.90' C - X: 645021.30' / Y: 445699.33' D - X: 645041.96' / Y: 443041.82' E - X: 643715.74' / Y: 443048.50' F - X: 643695.96' / Y: 445704.48' G - X: 643684.52' / Y: 448358.97' H - X: 643673.63' / Y: 451014.20'
	BOTTOM HOLE LOCATION 24' FNL 801' FEL, SECTION 8 16900' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 644196.19' / Y: 450987.62' LAT: 32.23940293N / LON: 104.00065182W NAD 27, SPCS NM EAST X: 603012.48' / Y: 450928.56' LAT: 32.23928042N / LON: 104.00016201W

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978625 Convergence Angle: 00°11'10.650012"

Horizontal Spacing Unit

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT
 (AS-DRILLED)

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47974	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 329996	Property Name VAGABOND CC 8-17 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 25H
		⁹ Elevation 2928'

¹⁰ Surface Location

UL or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South line SOUTH	Feet from the 940	East/West line EAST	County EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. A	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 24	North/South line NORTH	Feet from the 801	East/West line EAST	County EDDY
¹² Dedicated Acres 80	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by this division. Signature: <i>[Signature]</i> Date: 10/14/2021 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com
	18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. OCTOBER 12, 2021 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number: DAVID W. MYERS 11403
	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 644997.51' / Y: 451006.93' B - X: 645008.87' / Y: 448351.90' C - X: 645021.30' / Y: 445699.33' D - X: 645041.96' / Y: 443041.82' E - X: 643715.74' / Y: 443048.50' F - X: 643695.96' / Y: 445704.48' G - X: 643684.52' / Y: 448358.97' H - X: 643673.63' / Y: 451014.20'
	BOTTOM HOLE LOCATION 24' FNL 801' FEL, SECTION 8 16900' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 644196.19' / Y: 450987.62' LAT: 32.23940293N / LON: 104.00065182W NAD 27, SPCS NM EAST X: 603012.48' / Y: 450928.56' LAT: 32.23928042N / LON: 104.00016201W

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978625 Convergence Angle: 00°11'10.650012"

Horizontal Spacing Unit

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT
 (AS-DRILLED)

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47974		² Pool Code 96473		³ Pool Name PIERCE CROSSING; BONE SPRING, EAST	
⁴ Property Code 329996		Property Name VAGABOND CC 8-17 FEDERAL COM			⁶ Well Number 25H
⁷ OGRID No. 16696		⁸ Operator Name OXY USA INC.			⁹ Elevation 2928'
¹⁰ Surface Location					
UL or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn 1070	Feet from the SOUTH
Feet from the 940		East/West line EAST		County EDDY	
¹¹ Bottom Hole Location If Different From Surface					
UL or lot no. A	Section 8	Township 24S	Range 29E	Lot Idn 24	Feet from the NORTH
Feet from the 801		East/West line EAST		County EDDY	
¹² Dedicated Acres 80	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.		

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by this division. Signature: Date: 10/14/2021 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com
	18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. Date of Survey: OCTOBER 12, 2021 Signature and Seal of Professional Surveyor: Certificate Number: DAVID W. MYERS 11403
	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 644997.51' / Y: 451006.93' B - X: 645008.87' / Y: 448351.90' C - X: 645021.30' / Y: 445699.33' D - X: 645041.96' / Y: 443041.82' E - X: 643715.74' / Y: 443048.50' F - X: 643695.96' / Y: 445704.48' G - X: 643684.52' / Y: 448358.97' H - X: 643673.63' / Y: 451014.20'
	BOTTOM HOLE LOCATION 24' FNL 801' FEL, SECTION 8 16900' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 644196.19' / Y: 450987.62' LAT: 32.23940293N / LON: 104.00065182W NAD 27, SPCS NM EAST X: 603012.48' / Y: 450928.56' LAT: 32.23928042N / LON: 104.00016201W

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978625 Convergence Angle: 00°11'10.650012"

Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Vagabond CC 8_17 Federal Com 25H	Vagabond CC 8_17 Federal Com 25H	NM Eddy County (NAD 83)	Oxy Vagabond CC 8_17 Federal Com Pad

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	59.958°	Date:	03-Sep-2021	Lat:	N 32 12 47.59	Northing:	441461.94RUS	Grid Conv:	0.1772°
MagDec:	6.85°	FS:	47645.2nT	Gravity FS:	998.469mgn (9.80665 Based)	Lon:	W 104 0 3.65	Easting:	644113.57RUS	Scale Fact:	0.99992119
								Plan:			
								TVD Ref:			
								RKB(2952.5ft above MSL)			

Critical Points							
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)/W(-)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00
First Gyro Survey	67.98	0.11	298.90	67.98	0.02	0.02	-0.04
Last Gyro Survey	521.72	2.76	91.72	521.41	-0.68	-0.83	15.95
First SLB Survey	633.00	0.41	99.23	632.64	-0.80	-0.97	19.02
Actual KOP	8320.00	17.52	2.15	8158.14	1189.09	1187.87	142.98
Second Bone Spring Intersection	8536.59	30.96	359.26	8356.50	1274.35	1273.19	136.56
100' FSL Crossing	9047.00	82.40	359.04	8628.69	1684.70	1683.62	129.56
Exit Target Box	15461.00	90.88	2.78	8635.09	8091.36	8090.42	142.21
Enter Target Box	16422.00	91.07	354.94	8620.40	9051.72	9050.86	137.22
100' FNL Crossing	16824.00	90.96	353.07	8614.95	9450.62	9450.18	91.28
Final MWD	16867.00	90.49	353.74	8614.27	9493.27	9492.87	86.22
Proj to TD	16900.00	90.49	353.74	8613.99	9526.03	9525.68	82.62



Schlumberger



OXY Vagabond CC 8_17 Federal Com 25H Gyro+MWD 0' to 16900'MD **Survey Geodetic Report** (Def Survey)

Report Date:	September 28, 2021 - 04:25 PM	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	0.506 ° (Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Vagabond CC 8_17 Federal Com Pad / Vagabond CC 8_17 Federal Com 25H	TVD Reference Datum:	RKB
Well:	Vagabond CC 8_17 Federal Com 25H	TVD Reference Elevation:	2952.500 ft above MSL
Borehole:	Vagabond CC 8_17 Federal Com 25H	Seabed / Ground Elevation:	2927.500 ft above MSL
UWI / API#:	Unknown / Unknown	Magnetic Declination:	6.850 °
Survey Name:	OXY Vagabond CC 8_17 Federal Com 25H Gyro+MWD 0' to 16900'MD	Total Gravity Field Strength:	998.4691mgn (9.80665 Based)
Survey Date:	September 03, 2021	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	271.224 ° / 9579.211 ft / 6.706 / 1.107	Total Magnetic Field Strength:	47645.200 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.958 °
Location Lat / Long:	N 32° 12' 47.58794", W 104° 0' 3.65159"	Declination Date:	September 03, 2021
Location Grid N/E Y/X:	N 441461.940 RUS, E 644113.570 RUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.1772 °	North Reference:	Grid North
Grid Scale Factor:	0.99992119	Grid Convergence Used:	0.1800 °
Version / Patch:	2.10.826.8	Total Corr Mag North->Grid North:	6.6700 °
		Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441461.94	644113.57	N 32 12 47.59	W 104 0 3.65
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	441461.94	644113.57	N 32 12 47.59	W 104 0 3.65
First Gyro Survey	67.98	0.11	298.90	67.98	0.02	0.02	-0.04	0.26	0.04	298.90	441461.96	644113.53	N 32 12 47.59	W 104 0 3.65
	156.64	2.10	93.64	156.62	-0.03	-0.04	1.51	2.48	1.51	91.60	441461.90	644115.08	N 32 12 47.59	W 104 0 3.63
	245.75	1.90	90.79	245.68	-0.13	-0.17	4.62	0.25	4.62	92.06	441461.77	644118.19	N 32 12 47.59	W 104 0 3.60
	340.32	2.18	97.39	340.19	-0.35	-0.42	7.97	0.39	7.98	93.01	441461.52	644121.54	N 32 12 47.58	W 104 0 3.56
	427.44	2.57	91.76	427.23	-0.59	-0.69	11.56	0.52	11.58	93.43	441461.25	644125.13	N 32 12 47.58	W 104 0 3.52
Last Gyro Survey	521.72	2.76	91.72	521.41	-0.68	-0.83	15.95	0.20	15.97	92.96	441461.12	644129.51	N 32 12 47.58	W 104 0 3.47
First SLB Survey	633.00	0.41	99.23	632.64	-0.80	-0.97	19.02	2.12	19.04	92.92	441460.97	644132.59	N 32 12 47.58	W 104 0 3.43
	691.00	0.29	21.77	690.64	-0.70	-0.87	19.28	0.77	19.30	92.57	441461.07	644132.84	N 32 12 47.58	W 104 0 3.43
	782.00	0.19	311.03	781.64	-0.38	-0.55	19.25	0.32	19.26	91.65	441461.39	644132.82	N 32 12 47.58	W 104 0 3.43
	813.00	0.05	285.96	812.64	-0.35	-0.52	19.20	0.47	19.20	91.54	441461.42	644132.76	N 32 12 47.58	W 104 0 3.43
	906.00	0.20	62.62	905.64	-0.26	-0.43	19.30	0.26	19.31	91.28	441461.51	644132.87	N 32 12 47.58	W 104 0 3.43
	999.00	0.32	21.66	998.64	0.06	-0.11	19.54	0.23	19.54	90.34	441461.83	644133.11	N 32 12 47.59	W 104 0 3.42
	1093.00	0.14	248.46	1092.64	0.26	0.09	19.53	0.46	19.53	89.74	441462.03	644133.10	N 32 12 47.59	W 104 0 3.42
	1187.00	0.22	122.03	1186.64	0.12	-0.05	19.58	0.34	19.58	90.15	441461.89	644133.15	N 32 12 47.59	W 104 0 3.42
	1282.00	0.32	298.39	1281.64	0.15	-0.02	19.50	0.57	19.50	90.06	441461.92	644133.07	N 32 12 47.59	W 104 0 3.42
	1376.00	0.16	62.81	1375.64	0.33	0.16	19.38	0.46	19.39	89.52	441462.10	644132.95	N 32 12 47.59	W 104 0 3.43
	1471.00	0.41	318.39	1470.63	0.65	0.48	19.28	0.50	19.28	88.58	441462.42	644132.85	N 32 12 47.59	W 104 0 3.43
	1565.00	0.14	334.97	1564.63	1.00	0.83	19.00	0.30	19.02	87.49	441462.77	644132.57	N 32 12 47.60	W 104 0 3.43
	1754.00	0.19	104.49	1753.63	1.13	0.96	19.21	0.16	19.23	87.12	441462.91	644132.78	N 32 12 47.60	W 104 0 3.43
	1849.00	0.17	142.34	1848.63	0.99	0.81	19.45	0.12	19.47	87.60	441462.75	644133.02	N 32 12 47.60	W 104 0 3.43
	1943.00	0.07	133.45	1942.63	0.93	0.75	19.51	0.25	19.52	87.78	441462.70	644133.08	N 32 12 47.59	W 104 0 3.43
	2038.00	0.32	106.06	2037.63	0.91	0.73	19.74	0.39	19.75	87.87	441462.67	644133.31	N 32 12 47.59	W 104 0 3.42
	2133.00	0.23	146.16	2132.63	0.68	0.50	20.10	0.22	20.11	88.57	441462.44	644133.67	N 32 12 47.59	W 104 0 3.42
	2227.00	0.13	95.65	2226.63	0.51	0.33	20.31	0.19	20.31	89.06	441462.27	644133.88	N 32 12 47.59	W 104 0 3.42
	2322.00	0.41	107.29	2321.63	0.41	0.22	20.74	0.30	20.74	89.38	441462.16	644134.31	N 32 12 47.59	W 104 0 3.41
	2416.00	0.31	85.26	2415.63	0.33	0.14	21.32	0.18	21.32	89.61	441462.08	644134.88	N 32 12 47.59	W 104 0 3.40
	2511.00	0.46	115.49	2510.63	0.19	0.15	21.92	0.26	21.92	90.00	441461.94	644135.48	N 32 12 47.59	W 104 0 3.40
	2605.00	0.44	139.72	2604.62	-0.24	-0.44	22.49	0.20	22.49	91.11	441461.50	644136.06	N 32 12 47.58	W 104 0 3.39
	2700.00	0.14	144.82	2699.62	-0.61	-0.81	22.79	0.32	22.81	92.04	441461.13	644136.36	N 32 12 47.58	W 104 0 3.39
	2794.00	0.09	51.70	2793.62	-0.66	-0.86	22.92	0.18	22.93	92.14	441461.08	644136.49	N 32 12 47.58	W 104 0 3.38
	2889.00	0.12	217.15	2888.62	-0.69	-0.89	22.92	0.22	22.93	92.23	441461.05	644136.48	N 32 12 47.58	W 104 0 3.38
	2984.00	0.08	43.19	2983.62	-0.72	-0.92	22.90	0.21	22.92	92.31	441461.02	644136.47	N 32 12 47.58	W 104 0 3.39
	3078.00	0.46	9.95	3077.62	-0.30	-0.50	23.01	0.42	23.02	91.25	441461.44	644136.58	N 32 12 47.58	W 104 0 3.39
	3173.00	0.24	257.01	3172.62	0.03	-0.17	22.88	0.63	22.88	90.43	441461.77	644136.45	N 32 12 47.59	W 104 0 3.39
	3268.00	0.33	232.32	3267.62	-0.19	-0.38	22.47	0.16	22.48	90.98	441461.56	644136.04	N 32 12 47.58	W 104 0 3.39
	3362.00	0.15	201.45	3361.62	-0.47	-0.66	22.21	0.23	22.22	91.71	441461.28	644135.78	N 32 12 47.58	W 104 0 3.39
	3457.00	0.48	220.84	3456.62	-0.89	-1.08	21.91	0.36	21.93	92.82	441460.86	644135.48	N 32 12 47.58	W 104 0 3.40
	3551.00	0.14	12.77	3550.61	-1.07	-1.27	21.67	0.65	21.71	93.44	441460.57	644135.24	N 32 12 47.58	W 104 0 3.40
	3646.00	2.80	11.96	3645.57	1.31	1.12	22.18	2.80	22.21	87.11	441463.06	644135.75	N 32 12 47.60	W 104 0 3.39
	3741.00	5.27	14.56	3740.33	7.82	7.61	23.76	7.61	24.95	72.24	441469.55	644137.33	N 32 12 47.66	W 104 0 3.37
	3835.00	7.63	12.37	3833.73	18.12	17.89	26.18	2.52	26.21	55.66	441479.83	644139.75	N 32 12 47.76	W 104 0 3.35
	3930.00	10.02	11.50	3927.60	32.40	32.15	29.18	2.52	43.42	42.23	441494.09	644142.75	N 32 12 47.91	W 104 0 3.31
	4024.00	12.47	10.81	4019.79	50.42	50.13	32.71	59.86	32.71	42.23	441512.07	644146.28	N 32 12 48.08	W 104 0 3.27
	4119.00	14.64	10.11	4112.14	72.35	72.03	36.75	2.29	80.86	27.03	441533.96	644150.31	N 32 12 48.30	W 104 0 3.22
	4214.00	16.05	9.05	4203.75	97.18	96.82	40.92	1.51	105.11	22.91	441558.75	644154.49	N 32 12 48.54	W 104 0 3.17
	4308.00	17.58	9.69	4293.73	124.04	123.65	45.35	1.64	131.70	20.14	441585.58	644158.92	N 32 12 48.81	W 104 0 3.12
	4403.00	16.24	8.72	4384.62	151.35	150.92	49.78	1.44	158.92	18.26	441612.85	644163.35	N 32 12 49.08	W 104 0 3.07
	4497.00	16.49	8.71	4474.81	177.57	177.10	53.79	0.27	165.09	16.90	441639.02	644167.36	N 32 12 49.34	W 104 0 3.02
	4592.00	16.80	9.13	4565.83	204.49	203.88	58.01	0.35	181.58	15.88	441665.91	644171.58	N 32 12 49.60	W 104 0 2.97
	4687.00	17.04	9.73	4656.71	231.80	231.26	62.55	0.31	239.56	15.13	441693.18	644176.11	N 32 12 49.87	W 104 0 2.92
	4782.00	16.75	7.84	4747.61	259.12	258.54	66.77	0.65	267.02	14.48	441720.46	644180.33	N 32 12 50.14	W 104 0 2.87
	4876.00	16.62	6.94	4837.66	285.91	285.30	70.24	0.31	293.82	13.83	441747.22	644183.80	N 32 12 50.41	W 104 0 2.82
	4971.00	16.74	6.03	4928.66	313.03	312.39	73.32	0.30	320.88	13.21	441774.31	644186.88	N 32 12 50.68	W 104 0 2.79
	5065.00	16.79	5.13	5019.66	340.02	339.36	76.15	0.06	347.80	12.65	441801.71	644189.71	N 32 12 50.94	W 104 0 2.75
	5160.00	16.40	5.06	5109.71	367.04	366.36	78.76	0.49	374.73	12.13	441828.27	644192.32	N 32 12 51.21	W 104 0 2.72
	5255.00	16.62	3.58	5200.79	393.98	393.28	80.79	0.50	401.49	11.61	441855.19	644194.35	N 32 12 51.48	W 104 0 2.70
	5350.00	15.77	3.51	5292.02	420.44	419.73	82.43	0.89	427.74	11.11	441881.63	644195.99	N 32 12 51.74	W 104 0 2.68
	5444.00	15.45	2.67	5382.55	445.71	444.98	83.80	0.42	452.80	10.66	441906.89	644197.36	N 32 12 51.99	W 104 0 2.66
	5539.00	15.40	0.77	5474.13	470.97	470.24	84.55	0.53	477.78	10.19	441932.14	644198.12	N 32 12 52.24	W 104 0 2.65
	5633.00	15.43	0.05	5564.75	495.22	494.52	84.84	0.07	497.12	9.78	441958.12	644199.47	N 32 12 52.49	W 104 0 2.63
	5728.00	15.84	4.15	5656.24	521.53	520.79	85.91	1.11	527.83	9.37	441982.69	644199.47	N 32 12 52.74	W 104 0 2.63
	5823.00	15.47	6.93	5747.71	547.06	546.30	86.37	0.88	553.40	9.19	442008.20	644201.94	N 32 12 52.99	W 104 0 2.60
	5917.00	15.84	12.35	5838.23	572.07	571.28	82.63	1.60	578.74	9.21	442033.17	644206.19	N 32 12 53.24	W 104 0 2.55
	6012.00	15.80	12.43	5929.63	597.42	596.57	98.19	0.05	604.80	8.35	442058.47	644211.75	N 32 12 53.49	W 104 0 2.49
	6107.00	15.68	12.76	6021.72	621.77	621.02	103.72	0.91	630.33	7.48	442083.61	644217.37	N	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
	9087.00	85.85	359.61	8632.78	1724.48	1723.41	129.10	8.74	1728.23	4.28	443185.21	644242.66	N 32 13 4.64	W 104 0 2.09
	9181.00	85.60	0.17	8639.79	1818.21	1817.14	128.92	0.65	1821.71	4.06	443278.94	644242.48	N 32 13 5.56	W 104 0 2.09
	9275.00	86.88	1.50	8645.95	1912.00	1910.93	130.28	1.96	1915.36	3.90	443372.71	644243.84	N 32 13 6.49	W 104 0 2.07
	9369.00	89.90	3.74	8648.60	2005.89	2004.77	134.58	4.00	2009.29	3.84	443466.55	644248.14	N 32 13 7.42	W 104 0 2.01
	9463.00	90.06	4.63	8648.63	2099.69	2098.52	141.44	0.96	2103.28	3.86	443560.29	644255.00	N 32 13 8.35	W 104 0 1.93
	9557.00	89.49	3.59	8649.00	2193.50	2192.28	146.18	1.26	2197.28	3.87	443654.04	644261.73	N 32 13 9.28	W 104 0 1.85
	9652.00	90.06	3.55	8649.37	2288.37	2287.09	154.09	0.60	2292.28	3.85	443748.85	644267.65	N 32 13 10.21	W 104 0 1.78
	9747.00	89.91	1.17	8649.39	2383.31	2382.01	158.00	2.51	2387.24	3.79	443843.75	644271.56	N 32 13 11.15	W 104 0 1.73
	9841.00	91.01	1.12	8648.64	2477.30	2475.98	159.88	1.17	2481.14	3.69	443937.72	644273.44	N 32 13 12.08	W 104 0 1.70
	9936.00	89.99	359.85	8647.81	2572.29	2570.97	160.69	1.71	2575.99	3.58	444032.71	644274.24	N 32 13 13.02	W 104 0 1.69
	10031.00	90.45	0.92	8647.45	2667.29	2665.97	161.32	1.23	2670.84	3.46	444127.69	644274.88	N 32 13 13.96	W 104 0 1.68
	10126.00	89.89	0.35	8647.16	2762.29	2760.96	162.38	0.84	2765.73	3.37	444222.68	644275.93	N 32 13 14.90	W 104 0 1.66
	10220.00	90.90	357.92	8646.52	2856.25	2854.94	160.96	2.80	2859.47	3.23	444316.65	644274.51	N 32 13 15.83	W 104 0 1.68
	10315.00	89.78	355.37	8645.95	2951.02	2949.77	155.40	2.93	2953.86	3.02	444411.47	644268.96	N 32 13 16.77	W 104 0 1.74
	10409.00	89.97	352.84	8646.16	3044.43	3043.26	145.74	2.70	3046.75	2.74	444504.96	644259.30	N 32 13 17.70	W 104 0 1.85
	10504.00	90.21	353.45	8646.01	3138.65	3137.58	134.41	0.69	3140.46	2.45	444599.27	644247.97	N 32 13 18.63	W 104 0 1.97
	10598.00	91.87	356.60	8644.30	3232.19	3231.20	126.26	3.79	3233.66	2.24	444692.88	644239.82	N 32 13 19.56	W 104 0 2.07
	10693.00	91.64	355.95	8641.39	3326.88	3325.85	120.09	0.73	3328.12	2.07	444787.82	644233.65	N 32 13 20.49	W 104 0 2.13
	10788.00	91.73	356.75	8638.60	3421.59	3420.72	114.04	0.85	3422.62	1.91	444882.38	644227.60	N 32 13 21.43	W 104 0 2.20
	10882.00	91.53	358.20	8635.93	3515.42	3514.58	109.90	1.56	3516.30	1.79	444976.24	644223.46	N 32 13 22.36	W 104 0 2.25
	11071.00	91.90	0.09	8630.27	3704.27	3703.47	107.08	1.02	3705.02	1.66	445165.11	644220.64	N 32 13 24.23	W 104 0 2.27
	11166.00	91.73	359.53	8627.26	3799.22	3798.42	106.77	0.62	3799.92	1.61	445260.05	644220.33	N 32 13 25.17	W 104 0 2.27
	11261.00	90.73	359.92	8625.22	3894.18	3893.40	106.31	1.13	3894.85	1.56	445355.02	644219.87	N 32 13 26.11	W 104 0 2.27
	11355.00	90.32	357.90	8624.36	3988.14	3987.37	104.52	2.19	3988.74	1.50	445448.99	644218.09	N 32 13 27.04	W 104 0 2.29
	11450.00	90.01	357.89	8624.09	4083.04	4082.31	101.04	0.33	4083.56	1.42	445543.92	644214.60	N 32 13 27.98	W 104 0 2.33
	11545.00	90.60	358.05	8623.58	4177.94	4177.25	97.67	0.64	4178.39	1.34	445638.85	644211.23	N 32 13 28.92	W 104 0 2.36
	11639.00	91.19	358.08	8622.11	4271.85	4271.18	94.50	0.63	4272.22	1.27	445732.77	644208.06	N 32 13 29.85	W 104 0 2.40
	11734.00	90.66	359.44	8620.58	4366.79	4366.14	92.44	1.54	4367.12	1.21	445826.73	644206.00	N 32 13 30.79	W 104 0 2.42
	11828.00	90.88	1.05	8619.31	4460.78	4460.13	92.84	1.73	4461.10	1.19	445921.71	644206.41	N 32 13 31.72	W 104 0 2.41
	11923.00	90.12	2.45	8618.49	4555.75	4555.08	95.74	1.68	4556.09	1.20	446016.65	644209.31	N 32 13 32.66	W 104 0 2.37
	12018.00	90.36	0.91	8618.09	4650.72	4650.03	98.53	1.64	4651.08	1.21	446111.60	644212.09	N 32 13 33.60	W 104 0 2.34
	12112.00	89.35	359.86	8618.32	4744.72	4744.03	99.16	1.55	4745.07	1.20	446205.59	644212.72	N 32 13 34.53	W 104 0 2.33
	12207.00	90.36	358.95	8618.57	4839.70	4839.02	98.17	1.43	4840.02	1.16	446300.57	644211.74	N 32 13 35.47	W 104 0 2.33
	12302.00	89.12	356.54	8619.00	4934.58	4933.94	94.44	1.54	4934.84	1.10	446395.48	644208.00	N 32 13 36.41	W 104 0 2.37
	12397.00	89.41	358.06	8620.22	5029.42	5028.82	89.96	1.63	5029.63	1.02	446490.36	644203.52	N 32 13 37.35	W 104 0 2.42
	12491.00	90.31	0.66	8620.44	5123.39	5122.81	88.91	2.93	5123.58	0.99	446584.33	644202.48	N 32 13 38.28	W 104 0 2.43
	12586.00	91.75	359.38	8621.22	5218.38	5217.80	88.95	2.12	5218.56	0.98	446679.32	644202.51	N 32 13 39.22	W 104 0 2.43
	12681.00	90.02	359.11	8622.24	5313.78	5312.78	87.69	1.37	5313.51	0.95	446774.29	644201.26	N 32 13 40.16	W 104 0 2.44
	12775.00	88.75	357.12	8623.25	5407.26	5406.72	84.60	2.51	5407.38	0.90	446868.22	644198.17	N 32 13 41.09	W 104 0 2.47
	12870.00	88.80	357.86	8625.28	5502.09	5501.60	80.28	0.57	5502.19	0.84	446963.10	644193.84	N 32 13 42.02	W 104 0 2.52
	12965.00	90.16	359.53	8626.15	5597.03	5596.56	77.95	2.43	5597.10	0.80	447058.05	644191.51	N 32 13 42.96	W 104 0 2.54
	13059.00	88.67	2.24	8627.11	5691.01	5690.53	79.40	3.29	5691.09	0.80	447152.01	644192.96	N 32 13 43.89	W 104 0 2.52
	13154.00	90.19	359.89	8628.95	5785.98	5785.49	81.16	2.51	5786.06	0.80	447246.96	644194.73	N 32 13 44.83	W 104 0 2.50
	13249.00	89.71	2.21	8629.94	5880.97	5880.46	82.91	2.52	5881.05	0.81	447341.93	644196.47	N 32 13 45.77	W 104 0 2.47
	13343.00	89.79	0.55	8630.95	5974.95	5974.43	85.17	1.77	5975.04	0.82	447436.99	644198.73	N 32 13 46.70	W 104 0 2.45
	13438.00	89.94	1.63	8630.58	6069.94	6069.41	86.98	1.15	6070.04	0.82	447530.86	644200.54	N 32 13 47.64	W 104 0 2.42
	13533.00	89.51	1.31	8631.03	6164.93	6164.38	89.41	0.56	6165.03	0.83	447625.82	644202.98	N 32 13 48.58	W 104 0 2.39
	13628.00	89.15	359.92	8632.14	6259.92	6259.37	90.43	1.51	6260.02	0.83	447720.80	644204.00	N 32 13 49.52	W 104 0 2.37
	13722.00	88.35	359.31	8634.19	6353.93	6353.34	89.80	1.07	6353.98	0.81	447814.77	644203.36	N 32 13 50.45	W 104 0 2.38
	13817.00	90.46	3.38	8635.18	6448.85	6448.28	92.03	4.83	6448.94	0.82	447909.70	644205.59	N 32 13 51.39	W 104 0 2.35
	13911.00	88.97	0.39	8635.65	6542.80	6542.22	95.12	3.55	6542.91	0.83	448003.63	644208.69	N 32 13 52.32	W 104 0 2.31
	14006.00	89.45	358.78	8637.21	6637.78	6637.20	94.44	1.71	6637.87	0.82	448098.60	644208.00	N 32 13 53.26	W 104 0 2.31
	14101.00	89.00	357.32	8638.74	6732.67	6732.13	91.20	1.54	6732.75	0.78	448193.53	644204.77	N 32 13 54.20	W 104 0 2.35
	14196.00	90.14	1.79	8639.45	6827.63	6827.10	90.47	4.86	6827.70	0.76	448288.49	644204.03	N 32 13 55.14	W 104 0 2.35
	14290.00	88.90	359.87	8640.24	6921.62	6921.08	91.83	2.43	6921.69	0.76	448382.46	644205.39	N 32 13 56.07	W 104 0 2.33
	14385.00	89.70	359.16	8642.23	7016.59	7016.05	91.02	0.78	7016.65	0.74	448477.43	644204.59	N 32 13 57.01	W 104 0 2.34
	14480.00	89.58	1.23	8643.66	7111.57	7111.04	91.83	2.37	7111.62	0.74	448572.40	644204.91	N 32 13 57.95	W 104 0 2.33
	14575.00	89.27	1.80	8644.61	7206.55	7206.00	93.86	0.68	7206.61	0.75	448667.36	644207.42	N 32 13 58.89	W 104 0 2.30
	14669.00	89.82	0.51	8645.36	7300.54	7299.97	95.75	1.49	7300.60	0.75	448761.32	644209.32	N 32 13 59.82	W 104 0 2.27
	14764.00	89.77	2.19	8645.66	7395.52	7394.94	97.99	0.77	7395.59	0.76	448856.29	644211.55	N 32 14 0.76	W 104 0 2.24
	14859.00	91.27	4.18	8644.77	7490.41	7489.79	103.27	2.60	7490.50	0.79	448951.12	644216.83	N 32 14 1.70	W 104 0 2.18
	14954.00	91.67	4.33	8642.33	7585.17	7584.45	110.31	0.45	7585.29	0.83	449045.82	644223.88	N 32 14 2.63	W 104 0 2.09
	15049.00	90.77	4.10	8640.31	7679.95	7679.21	117.30	0.98	7680.11	0.88	449140.53	644230.86	N 32 14 3.57	W 104 0 2.01
	15143.00	90.50	3.30	8639.27	7773.80	7773.07	123.36	0.90	7773.99	0.91	449234.32	644236.92	N 32 14 4.50	W 104 0 1.94
	15238.00	90.90	3.44	8638.11	7868.67	7867.84	128.95	0.45	7868.90	0.94	449329.14	644242.50	N 32 14 5.44	W 104 0 1.87
	15333.00	90.64	3.40	8636.83	7963.54	7962.66	134.61	0.28	7963.80	0.97	449423.96	644248.17	N 32 14 6.38	W 104 0 1.80
	15427.00	90.85	3.57	8635.61	8057.40	8056.48	140.33	0.29	8057.70	1.00	449517.77	644253.88	N 32 14 7.30	W 104 0 1.73
	15461.00	90.88												

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: VAGABOND CC 8-17 FED COM	Well Location: T24S / R29E / SEC 17 / SESE / 32.213218 / -104.001016	County or Parish/State: EDDY / NM
Well Number: 25H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM117120	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547974	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2646546	
Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 12/01/2021	Time Sundry Submitted: 04:10
Date Operation Actually Began: 10/03/2021	

Actual Procedure: RUPU 10/03/21, RIH & clean out to PBTD @ 16865', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 16728-9072' Total 1024 holes. Frac in 32 stages w/ 312574BBL Produced Water w/ 37518040# sand, RD NexTier 10/11/21. Well ready to produce 10/17/21. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/31/2022. Formation Tops for this completion are as follows: RUSTLER 203'M 203'V SALADO 555'M 555'V CASTILE 1228'M 1228'V DELAWARE 2837'M 2837'V BELL CANYON 2869'M 2869'V CHERRY CANYON 3764'M 3764'V BRUSHY CANYON 5033'M 4990'V BONE SPRING 6713'M 6605'V 1ST BONE SPRING 7712'M 7575'V 2ND BONE SPRING 8561'M 8376'V

Received by OCD: 4/11/2022 8:48:26 PM

Page 12 of 17

Well Name: VAGABOND CC 8-17 FED COM	Well Location: T24S / R29E / SEC 17 / SESE / 32.213218 / -104.001016	County or Parish/State: EDDY / NM
Well Number: 25H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM117120	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547974	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: JANA MENDIOLA	Signed on: DEC 01, 2021 04:10 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/13/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-47974		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN		
								3. State Oil & Gas Lease No.		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER								5. Lease Name or Unit Agreement Name VAGABOND CC 8-17 FEDERAL COM		
8. Name of Operator: OXY USA INC.								6. Well Number: 25H		
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710								11. Pool name or Wildcat PIERCE CROSSING BONE SPRING/PIERCE CROSSING BONE SPRING EAST/CEDAR CANYON BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	17	24S	29E		1070	SOUTH	940	EAST	EDDY
BH:	A	8	24S	29E		24	NORTH	801	EAST	EDDY
13. Date Spudded 08/12/21	14. Date T.D. Reached 09/26/2021		15. Date Rig Released 09/29/2021		16. Date Completed (Ready to Produce) 10/17/2021			17. Elevations (DF and RKB, RT, GR, etc.) 2928' GL		
18. Total Measured Depth of Well 16900'M 8614'V			19. Plug Back Measured Depth 16865'M 8614'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9072-16728' 2 nd Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		535'		17.5"		715sx-surf circ		
7.625" HCL80		26.4		8285'		9.875"		1769sx-surf circ		
5.5" P110		20		16878'		6.75"		626sx-TOC@7126'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
									PACKER SET	
26. Perforation record (interval, size, and number) 9072-16728' Total 1024 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						9072-16728'		312574BBL Produced Water w/ 37518040# sand		
28. PRODUCTION										
Date First Production 10/28/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing					Well Status (Prod. or Shut-in) Prod.			
Date of Test 11/8/2021	Hours Tested 24 hrs.	Choke Size 88/128	Prod'n For Test Period	Oil - Bbl 3298	Gas - MCF 4132	Water - Bbl. 3390	Gas - Oil Ratio 1253			
Flow Tubing Press.	Casing Pressure 890	Calculated 24-Hour Rate	Oil - Bbl. 3298	Gas - MCF 4132	Water - Bbl. 3390	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 		Printed			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>		Date: <u>01/15/2022</u>
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 203'	T. Bell Canyon 2869'	T. Ojo Alamo	T. Penn A "
T. Salado 555'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1228'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2837'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3764'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5033'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6713'	T. Todilto	
T. Abo	T. 1 st Bone Springs 7712'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 8561'	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Vagabond CC 8-17 Federal Com 25H
API No. 30-015-47974



Perfs @ 9072-16728'

TD- 16900'M 8614'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 97611

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 97611
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 97611

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 97611
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	4/19/2022