

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - RT- 04/04/2022
⁴ API Number 30-015-45717	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code: 324872	⁸ Property Name: PURE GOLD MDP1 29-17 FEDERAL COM	⁹ Well Number: 172H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	29	23S	31E		690	SOUTH	990	WEST	EDDY

¹¹ Bottom Hole Location FTP: 173' FSL 1219' FWL LTP: 2501' FSL 1266' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	17	23S	31E		2623	SOUTH	1247	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/09/2020	²² Ready Date 04/04/2022	²³ TD 24602'M 11407'V	²⁴ PBTB 24574'M 11407'V	²⁵ Perforations 11538-24479'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		460'	616
12-1/4"		9-5/8"		4190'	1204
8-3/4"		7-5/8"		10653'	730
6-3/4"		5-1/2"		24587'	1140

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date:
04/01/2022

Phone:
432-685-5936

OIL CONSERVATION DIVISION

Approved by:

Title: **Engineer**

Approval Date: **04/22/22**

RT expires on 07/22/22

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

District Office

1220 South St. Francis Dr.

Santa Fe, NM 87505

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-45717	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D; WOLFCAMP
⁴ Property Code 324872	Property Name PURE GOLD MDP1 29-17 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 172H
		⁹ Elevation 3351'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	23S	31E		690	SOUTH	990	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	17	23S	31E		2623	SOUTH	1247	WEST	EDDY
¹² Dedicated Acres 800.0	¹³ Joint or Infill	¹⁴ Consolidation Code		¹⁵ Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 706160.77' / Y: 474910.31' B - X: 706177.35' / Y: 472269.69' C - X: 706205.66' / Y: 466988.20' D - X: 706238.14' / Y: 461706.01' E - X: 703599.62' / Y: 461692.37' F - X: 703585.01' / Y: 464333.57' G - X: 703570.80' / Y: 466975.08' H - X: 703555.82' / Y: 469616.48' I - X: 703536.94' / Y: 472249.54' J - X: 703525.47' / Y: 474895.82'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 664977.62' / Y: 474850.67' B - X: 664994.10' / Y: 472210.12' C - X: 665022.28' / Y: 466928.77' D - X: 665054.58' / Y: 461646.71' E - X: 662416.07' / Y: 461633.08' F - X: 662401.54' / Y: 464274.20' G - X: 662387.40' / Y: 466915.65' H - X: 662372.51' / Y: 469556.98' I - X: 662353.70' / Y: 472189.97' J - X: 662342.31' / Y: 474836.19'		SECTION N1 SECTION 17
BOTTOM HOLE LOCATION 2623' FSL 1247' FWL, SECTION 17 24602' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 704772.83' / Y: 474881.81' LAT: 32.30441488N / LON: 103.80435034W NAD 27, SPCS NM EAST X: 663589.66' / Y: 474822.17' LAT: 32.30429213N / LON: 103.80386292W		LAST TAKE POINT 2501' FSL 1266' FWL, SECTION 17 24479' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 704791.85' / Y: 474760.31' LAT: 32.30408064N / LON: 103.80429074W NAD 27, SPCS NM EAST X: 663608.68' / Y: 474700.68' LAT: 32.30395789N / LON: 103.80380333W		SECTION 14 SECTION 17
FIRST TAKE POINT 173' FSL 1219' FWL, SECTION 29 11538' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 704817.20' / Y: 461872.07' LAT: 32.26865361N / LON: 103.80441435W NAD 27, SPCS NM EAST X: 663633.66' / Y: 461812.77' LAT: 32.26853064N / LON: 103.80392836W		KICK OFF POINT 173' FSL 1194' FWL, SECTION 32 10679' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 704794.33' / Y: 461525.68' LAT: 32.26770177N / LON: 103.80449388W NAD 27, SPCS NM EAST X: 663610.77' / Y: 461466.39' LAT: 32.26757880N / LON: 103.80400792W		SECTION 14 SECTION 17
SURFACE HOLE LOCATION 690' FSL 990' FWL, SECTION 29 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 704585.79' / Y: 462387.48' LAT: 32.27007347N / LON: 103.80515483W NAD 27, SPCS NM EAST X: 663402.26' / Y: 462328.17' LAT: 32.26995051N / LON: 103.80466876W		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>[Signature]</i> Date: 04/01/22 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com		
18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. APRIL 1, 2022 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number: DAVID W. MYERS 11403		DAVID W. MYERS NEW MEXICO PROFESSIONAL SURVEYOR 11403		

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978476 Convergence Angle: 00°17'22.57"

Horizontal Spacing Unit

Schlumberger


OXY



Borehole:	Well:	Field:	Structure:
Pure Gold MDP1 29_17 Federal Com 172H	Pure Gold MDP1 29_17 Federal Com 172H	NM Eddy County (NAD 83)	Oxy Pure Gold MDP1 29_17 Federal Com Pad

Gravity & Magnetic Parameters				Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet			Miscellaneous Pure Gold MDP1	
Model: IFR1	Dip: 59.971°	Date: 30-Nov-2021		Lat: N 32 16 12.26	Northing: 462387.48HUS	Grid Conv: 0.282°	Slot: 29_17 Federal	TVD Ref: RKB(3375.8ft above MSL)
MagDec: 6.85°	FS: 47738.3nT	Gravity FS: 998.452mgm (9.80665 Based)		Lon: W 103 48 18.56	Easting: 704585.79HUS	Scale Fact: 0.99993961	Plan: Oxy Pure Gold MDP1 29_17 Federal Com 172H Gyro-MWD 0' to 24602MD	

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	119.00	0.33	323.70	119.00	0.22	0.22	-0.16	0.35
Last Gyro Survey	401.00	0.26	41.19	401.00	0.73	0.72	0.22	0.14
First SLB Survey	596.00	0.17	110.76	596.00	0.97	0.95	0.78	0.13
Actual KOP	10678.80	17.71	166.94	10565.64	-858.29	-861.74	208.53	7.35
100' FNL Crossing	11447.00	51.51	4.75	11231.52	-585.07	-588.73	224.73	6.16
Wolfcamp X Intersection	11539.54	56.22	5.00	11285.80	-510.37	-514.13	231.52	4.33
Exit Target Box	22622.00	89.80	6.45	11394.82	10523.16	10520.34	260.45	1.56
Enter Target Box	23909.00	91.36	356.41	11410.12	11807.67	11805.12	253.74	0.22
100' FNL Crossing	24523.00	90.69	350.94	11408.54	12417.91	12416.31	199.33	1.27
Final MWD	24572.00	91.20	351.29	11407.80	12466.15	12464.68	191.58	2.86
Proj to TD	24602.00	91.20	351.29	11407.17	12495.73	12494.33	187.04	0.00



Schlumberger



Oxy Pure Gold MDP1 29-17 Federal Com 172H Gyro+MWD 0' to 24602'MD Survey Geodetic Report (Def Survey)

Report Date: February 01, 2022 - 12:22 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Pure Gold MDP1 29_17 Federal Com Pad / Pure Gold MDP1 29_17 Federal Com 172H
Well: Pure Gold MDP1 29_17 Federal Com 172H
Borehole: Pure Gold MDP1 29_17 Federal Com 172H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Pure Gold MDP1 29-17 Federal Com 172H Gyro+MWD 0' to 24602MD
Survey Date: November 11, 2021
Tort / AHD / DDI / ERD Ratio: 385.211' / 14383.636 ft / 7.077 / 1.259
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 16' 12.26449", W 103° 48' 18.55739"
Location Grid N/E Y/X: N 462387.480 ftUS, E 704585.790 ftUS
CRS Grid Convergence Angle: 0.2820 °
Grid Scale Factor: 0.99993961
Version / Patch: 2.10.826.8

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 0.916 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3375.800 ft above MSL
Seabed / Ground Elevation: 3350.800 ft above MSL
Magnetic Declination: 6.850 °
Total Gravity Field Strength: 998.4525mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47738.300 nT
Magnetic Dip Angle: 59.971 °
Declination Date: November 30, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2800 °
Total Corr Mag North->Grid North: 6.5700 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	462387.48	704585.79	N 32 16 12.26	W 103 48 18.56
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	462387.48	704585.79	N 32 16 12.26	W 103 48 18.56
First Gyro Survey	119.00	0.33	323.70	119.00	0.22	0.22	-0.16	0.35	0.27	323.70	462387.70	704585.63	N 32 16 12.27	W 103 48 18.56
	219.00	0.08	89.06	219.00	0.45	0.45	-0.26	0.38	0.52	329.97	462387.93	704585.53	N 32 16 12.27	W 103 48 18.56
	319.00	0.20	65.78	319.00	0.52	0.52	-0.03	0.13	0.53	356.51	462388.00	704585.76	N 32 16 12.27	W 103 48 18.56
Last Gyro Survey	401.00	0.26	41.19	401.00	0.73	0.72	0.22	0.14	0.76	17.01	462388.20	704586.01	N 32 16 12.27	W 103 48 18.55
First SLB Survey	596.00	0.17	110.76	596.00	0.97	0.95	0.78	0.13	1.23	39.40	462388.43	704586.57	N 32 16 12.27	W 103 48 18.55
	659.00	0.16	334.69	659.00	1.01	1.00	0.83	0.49	1.30	39.79	462388.48	704586.62	N 32 16 12.27	W 103 48 18.55
	753.00	0.13	89.97	753.00	1.13	1.12	0.88	0.26	1.43	38.30	462388.60	704586.67	N 32 16 12.28	W 103 48 18.55
	847.00	0.09	316.55	847.00	1.19	1.17	0.94	0.22	1.50	38.70	462388.65	704586.73	N 32 16 12.28	W 103 48 18.55
	941.00	0.16	92.90	941.00	1.24	1.22	1.02	0.25	1.59	39.91	462388.70	704586.81	N 32 16 12.28	W 103 48 18.55
	1035.00	0.10	338.12	1035.00	1.31	1.29	1.12	0.24	1.71	41.00	462388.77	704586.91	N 32 16 12.28	W 103 48 18.54
	1130.00	0.11	345.47	1130.00	1.47	1.45	1.07	0.02	1.80	36.26	462388.93	704586.86	N 32 16 12.28	W 103 48 18.54
	1224.00	0.18	89.24	1224.00	1.56	1.54	1.19	0.25	1.95	37.67	462389.02	704586.98	N 32 16 12.28	W 103 48 18.54
	1318.00	0.10	1.29	1318.00	1.65	1.63	1.34	0.22	2.11	39.49	462389.11	704587.13	N 32 16 12.28	W 103 48 18.54
	1412.00	0.10	49.21	1412.00	1.78	1.76	1.40	0.09	2.25	38.55	462389.24	704587.19	N 32 16 12.28	W 103 48 18.54
	1507.00	0.16	38.87	1507.00	1.94	1.92	1.55	0.07	2.47	38.93	462389.40	704587.34	N 32 16 12.28	W 103 48 18.54
	1602.00	0.15	126.36	1602.00	1.98	1.95	1.73	0.23	2.61	41.65	462389.43	704587.52	N 32 16 12.28	W 103 48 18.54
	1696.00	0.12	265.47	1696.00	1.90	1.87	1.73	0.27	2.55	42.87	462389.35	704587.52	N 32 16 12.28	W 103 48 18.54
	1791.00	0.03	274.06	1790.99	1.89	1.86	1.61	0.10	2.46	40.86	462389.34	704587.40	N 32 16 12.28	W 103 48 18.54
	1886.00	0.05	104.07	1885.99	1.88	1.85	1.63	0.08	2.47	41.25	462389.33	704587.42	N 32 16 12.28	W 103 48 18.54
	1980.00	0.03	272.65	1979.99	1.87	1.85	1.64	0.08	2.47	41.65	462389.33	704587.43	N 32 16 12.28	W 103 48 18.54
	2075.00	0.03	281.21	2074.99	1.88	1.85	1.59	0.00	2.44	40.70	462389.33	704587.38	N 32 16 12.28	W 103 48 18.54
	2169.00	0.05	117.60	2168.99	1.86	1.84	1.60	0.08	2.44	41.13	462389.32	704587.39	N 32 16 12.28	W 103 48 18.54
	2264.00	0.11	18.39	2263.99	1.93	1.90	1.67	0.13	2.53	41.25	462389.38	704587.46	N 32 16 12.28	W 103 48 18.54
	2358.00	0.12	159.16	2357.99	1.93	1.90	1.73	0.23	2.57	42.40	462389.38	704587.52	N 32 16 12.28	W 103 48 18.54
	2453.00	0.07	329.19	2452.99	1.88	1.86	1.74	0.20	2.54	43.15	462389.34	704587.53	N 32 16 12.28	W 103 48 18.54
	2547.00	0.03	346.10	2546.99	1.96	1.93	1.70	0.04	2.57	41.46	462389.41	704587.49	N 32 16 12.28	W 103 48 18.54
	2642.00	0.04	195.07	2641.99	1.95	1.92	1.69	0.07	2.56	41.34	462389.40	704587.48	N 32 16 12.28	W 103 48 18.54
	2737.00	0.05	106.53	2736.99	1.90	1.88	1.72	0.07	2.55	42.51	462389.36	704587.51	N 32 16 12.28	W 103 48 18.54
	2832.00	0.06	44.97	2831.99	1.93	1.90	1.80	0.06	2.61	43.38	462389.38	704587.58	N 32 16 12.28	W 103 48 18.54
	2926.00	0.03	150.93	2925.99	1.94	1.91	1.84	0.08	2.66	43.91	462389.39	704587.63	N 32 16 12.28	W 103 48 18.54
	3021.00	0.05	92.16	3020.99	1.92	1.89	1.90	0.05	2.68	45.08	462389.37	704587.69	N 32 16 12.28	W 103 48 18.54
	3115.00	0.05	82.08	3114.99	1.93	1.89	1.98	0.01	2.74	46.23	462389.37	704587.77	N 32 16 12.28	W 103 48 18.53
	3203.00	0.15	284.70	3202.99	1.96	1.93	1.90	0.22	2.71	44.63	462389.41	704587.69	N 32 16 12.28	W 103 48 18.54
	3297.00	0.79	163.97	3296.99	1.37	1.34	1.96	0.93	2.38	55.75	462388.82	704587.75	N 32 16 12.28	W 103 48 18.53
	3392.00	2.74	162.90	3391.94	-1.42	-1.46	2.81	2.05	3.17	117.48	462386.02	704588.60	N 32 16 12.25	W 103 48 18.52
	3486.00	4.23	166.78	3485.77	-6.92	-6.99	4.27	1.60	8.19	148.59	462380.49	704590.06	N 32 16 12.20	W 103 48 18.51
	3581.00	4.60	170.60	3580.48	-14.06	-14.15	5.69	0.50	15.26	158.10	462373.33	704591.48	N 32 16 12.12	W 103 48 18.49
	3675.00	1.93	156.84	3674.32	-19.22	-19.33	6.93	2.94	20.53	160.28	462368.15	704592.72	N 32 16 12.07	W 103 48 18.48
	3770.00	0.32	109.10	3769.30	-20.76	-20.89	7.81	1.82	22.30	159.50	462366.59	704593.60	N 32 16 12.06	W 103 48 18.47
	3865.00	0.24	81.26	3864.30	-20.81	-20.94	8.25	0.16	22.51	158.49	462366.54	704594.04	N 32 16 12.06	W 103 48 18.46
	3959.00	0.05	3.82	3958.30	-20.74	-20.87	8.45	0.25	22.52	157.96	462366.61	704594.24	N 32 16 12.06	W 103 48 18.46
	4054.00	0.19	77.28	4053.30	-20.66	-20.80	8.61	0.19	22.51	157.51	462366.68	704594.40	N 32 16 12.06	W 103 48 18.46
	4100.00	0.05	34.37	4099.30	-20.62	-20.76	8.69	0.34	22.51	157.28	462366.72	704594.48	N 32 16 12.06	W 103 48 18.46
	4233.00	0.08	267.96	4232.30	-20.58	-20.72	8.63	0.09	22.45	157.38	462366.76	704594.42	N 32 16 12.06	W 103 48 18.46
	4262.00	0.37	21.74	4261.30	-20.49	-20.63	8.65	1.41	22.37	157.26	462366.85	704594.44	N 32 16 12.06	W 103 48 18.46
	4357.00	1.15	342.25	4356.29	-19.30	-19.43	8.47	0.94	21.21	156.45	462368.04	704594.26	N 32 16 12.07	W 103 48 18.46
	4452.00	2.61	348.19	4451.24	-16.29	-16.41	7.74	1.55	18.15	154.76	462371.07	704593.53	N 32 16 12.10	W 103 48 18.47
	4504.00	2.88	352.72	4503.18	-13.84	-13.96	7.33	0.67	15.77	152.30	462373.52	704593.12	N 32 16 12.13	W 103 48 18.47
	4598.00	2.83	348.55	4597.06	-9.24	-9.34	6.57	0.23	11.42	144.88	462378.14	704592.36	N 32 16 12.17	W 103 48 18.48
	4693.00	2.81	349.01	4691.95	-4.67	-4.76	5.66	0.03	7.40	130.05	462382.72	704591.45	N 32 16 12.22	W 103 48 18.49
	4788.00	3.07	350.86	4786.82	0.12	0.04	4.81	0.29	4.81	89.54	462387.52	704590.60	N 32 16 12.26	W 103 48 18.50
	4882.00	1.59	312.73	4880.75	3.46	3.41	3.46	2.20	4.85	45.38	462390.89	704589.24	N 32 16 12.30	W 103 48 18.52
	4977.00	0.72	277.26	4975.73	4.41	4.38	1.89	1.14	4.77	23.40	462391.86	704587.68	N 32 16 12.31	W 103 48 18.54
	5072.00	1.01	141.51	5070.72	3.83	3.80	1.82	1.69	4.21	25.65	462391.28	704587.61	N 32 16 12.30	W 103 48 18.54
	5167.00	0.60	149.38	5165.71	2.76	2.72	2.60	0.45	3.76	43.74	462390.20	704588.39	N 32 16 12.29	W 103 48 18.53
	5261.00	0.60	153.85	5259.71	1.90	1.85	3.07	0.05	3.58	58.89	462389.33	704588.86	N 32 16 12.28	W 103 48 18.52
	5356.00	0.54	151.60	5354.70	1.07	1.01	3.50	0.07	3.64	73.89	462388.49	704589.29	N 32 16 12.27	W 103 48 18.52
	5451.00	0.54	140.18	5449.70	0.34	0.27	4.00	0.11	4.01	86.10	462387.75	704589.79	N 32 16 12.27	W 103 48 18.51
	5545.00	0.57	140.27	5543.70	-0.35	-0.43	4.58	0.03	4.60	95.33	462387.05	704590.37	N 32 16 12.26	W 103 48 18.50
	5640.00	0.53	145.20	5638.69	-1.07	-1.15	5.13	0.07	5.26	102.64	462386.33	704590.92	N 32 16 12.25	W 103 48 18.50
	5735.00	0.45	151.90	5733.69	-1.75	-1.84	5.56	0.10	5.86	106.33	462385.64	704591.35	N 32 16 12.25	W 103 48 18.49
	5830.00	0.35	172.99	5828.69	-2.37	-2.46	5.77	0.19	6.27	113.08	462385.02	704591.56	N 32 16 12.24	W 103 48 18.49
	5925.00	0.34	168.07	5923.68	-2.93	-3.02	5.86	0.03	6.60	117.27	462384.46	704591.65	N 32 16 12.23	W 103 48 18.49

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (*100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	7955.00	13.02	168.56	7944.05	-146.32	-147.06	44.58	2.43	153.66	163.14	462240.43	704630.36	N 32 16 10.81	W 103 48 18.05
	8050.00	16.30	163.81	8035.95	-169.53	-170.36	50.42	3.67	177.66	163.51	462217.14	704636.20	N 32 16 10.58	W 103 48 17.98
	8145.00	15.71	166.41	8127.27	-194.72	-195.66	57.16	0.98	203.84	163.72	462191.83	704642.94	N 32 16 10.33	W 103 48 17.90
	8239.00	15.94	165.92	8217.70	-219.51	-220.55	63.29	0.28	229.45	163.99	462166.94	704649.07	N 32 16 10.08	W 103 48 17.83
	8334.00	14.90	165.34	8309.28	-243.88	-245.02	69.55	1.11	254.70	164.15	462142.48	704655.34	N 32 16 9.84	W 103 48 17.76
	8429.00	14.85	166.54	8401.10	-267.43	-268.68	75.48	0.33	279.08	164.31	462118.82	704661.26	N 32 16 9.50	W 103 48 17.69
	8523.00	14.79	167.09	8491.97	-290.75	-292.08	80.96	0.16	303.10	164.51	462095.41	704666.75	N 32 16 9.37	W 103 48 17.63
	8618.00	14.77	167.60	8583.83	-314.31	-315.73	86.27	0.14	327.31	164.72	462071.77	704672.06	N 32 16 9.14	W 103 48 17.57
	8713.00	14.80	166.38	8675.68	-337.84	-339.35	91.73	0.33	351.53	164.87	462048.15	704677.51	N 32 16 8.90	W 103 48 17.51
	8807.00	14.64	168.16	8766.60	-361.05	-362.65	96.99	0.51	375.39	165.03	462024.86	704682.78	N 32 16 8.67	W 103 48 17.45
	8902.00	14.82	167.30	8858.48	-384.57	-386.25	102.13	0.30	399.52	165.19	462001.26	704687.91	N 32 16 8.44	W 103 48 17.39
	8996.00	14.69	168.43	8949.38	-407.89	-409.65	107.16	0.34	423.44	165.34	461977.85	704692.94	N 32 16 8.21	W 103 48 17.33
	9091.00	14.84	167.07	9041.24	-431.46	-433.31	112.30	0.40	447.63	165.47	461954.20	704698.08	N 32 16 7.97	W 103 48 17.27
	9186.00	14.61	169.09	9133.12	-455.00	-456.93	117.29	0.59	471.75	165.60	461930.58	704703.07	N 32 16 7.74	W 103 48 17.22
	9281.00	14.60	168.50	9225.05	-478.42	-480.43	121.94	0.16	495.66	165.76	461907.08	704707.73	N 32 16 7.50	W 103 48 17.16
	9375.00	14.65	172.33	9316.01	-501.74	-503.82	125.89	1.03	519.31	165.97	461883.69	704711.67	N 32 16 7.27	W 103 48 17.12
	9470.00	14.16	172.11	9408.02	-525.11	-527.24	129.09	0.52	542.81	166.24	461860.28	704714.87	N 32 16 7.04	W 103 48 17.08
	9564.00	14.72	166.76	9499.05	-548.05	-550.25	133.40	1.54	566.19	166.37	461837.26	704719.19	N 32 16 6.81	W 103 48 17.04
	9659.00	14.79	166.90	9590.92	-571.52	-573.81	138.92	0.08	590.39	166.39	461813.71	704724.70	N 32 16 6.58	W 103 48 16.97
	9754.00	14.86	167.73	9682.76	-595.14	-597.52	144.25	0.24	614.69	166.43	461789.99	704730.03	N 32 16 6.34	W 103 48 16.91
	9849.00	14.90	168.83	9774.57	-618.95	-621.41	149.21	0.30	639.07	166.50	461766.11	704734.99	N 32 16 6.11	W 103 48 16.86
	9943.00	14.90	167.07	9866.41	-642.50	-645.05	154.25	0.48	663.23	166.55	461742.47	704740.03	N 32 16 5.87	W 103 48 16.80
	10038.00	13.82	167.29	9957.44	-665.38	-668.02	159.48	1.14	686.79	166.57	461719.50	704745.26	N 32 16 5.65	W 103 48 16.74
	10133.00	15.21	164.63	10049.41	-688.37	-691.10	165.28	1.62	710.59	166.55	461696.42	704751.06	N 32 16 5.42	W 103 48 16.67
	10228.00	15.33	167.31	10141.06	-712.54	-715.37	171.35	0.75	735.61	166.53	461672.15	704757.12	N 32 16 5.18	W 103 48 16.60
	10323.00	19.05	168.30	10231.80	-739.89	-742.82	177.25	3.93	763.67	166.58	461644.71	704763.03	N 32 16 4.91	W 103 48 16.54
	10418.00	20.33	164.35	10321.25	-770.84	-773.89	184.85	1.94	795.66	166.57	461613.64	704770.62	N 32 16 4.60	W 103 48 16.45
	10512.00	20.90	164.06	10409.23	-802.53	-805.74	193.86	0.62	828.73	166.47	461581.79	704779.63	N 32 16 4.28	W 103 48 16.35
	10607.00	20.51	165.74	10498.09	-834.81	-838.16	202.61	0.75	862.30	166.41	461549.37	704788.39	N 32 16 3.96	W 103 48 16.25
	10693.00	20.67	165.47	10527.11	-845.33	-848.72	205.32	0.60	873.20	166.40	461538.81	704791.10	N 32 16 3.86	W 103 48 16.21
Actual KOP	10678.80	17.71	166.94	10565.64	-858.29	-861.74	208.53	7.35	886.61	166.40	461525.80	704794.31	N 32 16 3.73	W 103 48 16.18
	10734.00	13.73	169.90	10618.77	-872.88	-876.37	211.58	7.35	901.55	166.43	461511.16	704797.35	N 32 16 3.58	W 103 48 16.14
	10828.00	0.15	127.09	10711.86	-883.95	-887.48	213.64	14.49	912.83	166.46	461500.05	704799.42	N 32 16 3.47	W 103 48 16.12
	10923.00	11.66	353.63	10806.21	-874.47	-877.98	212.67	12.38	903.37	166.38	461509.55	704798.45	N 32 16 3.57	W 103 48 16.13
	11018.00	22.64	2.88	10896.87	-846.58	-850.09	212.52	11.87	876.25	165.96	461537.44	704798.30	N 32 16 3.84	W 103 48 16.13
	11113.00	31.23	6.22	10981.49	-803.70	-807.26	216.12	9.18	835.69	165.01	461580.27	704801.89	N 32 16 4.27	W 103 48 16.09
	11208.00	36.85	359.32	11060.21	-750.64	-754.23	218.45	7.17	785.23	163.85	461633.29	704804.23	N 32 16 4.79	W 103 48 16.06
	11302.00	42.23	1.24	11132.67	-690.83	-694.42	218.80	5.87	728.08	162.51	461693.10	704804.58	N 32 16 5.38	W 103 48 16.05
	11397.00	48.51	3.82	11199.38	-623.39	-626.93	221.87	6.89	665.03	160.51	461760.59	704807.64	N 32 16 6.05	W 103 48 16.01
	11447.00	51.51	4.75	11231.82	-568.07	-568.73	224.73	6.16	630.17	159.11	461798.78	704810.59	N 32 16 6.43	W 103 48 15.97
Wolfcamp X Intersection	11492.00	54.21	5.52	11258.68	-549.29	-553.01	227.95	8.16	598.15	157.60	461834.50	704813.72	N 32 16 6.78	W 103 48 15.93
	11539.54	56.22	5.00	11285.80	-510.37	-514.13	231.52	4.33	563.86	155.76	461873.38	704817.30	N 32 16 7.17	W 103 48 15.89
	11680.00	62.19	3.58	11357.68	-389.97	-393.86	240.50	4.33	461.48	148.59	461993.64	704826.27	N 32 16 8.36	W 103 48 15.78
	11775.00	78.65	4.96	11389.41	-300.93	-304.92	247.19	17.38	392.53	140.97	462082.58	704832.97	N 32 16 9.24	W 103 48 15.70
	11869.00	88.91	0.44	11399.58	-207.68	-211.72	251.55	11.91	328.79	130.09	462175.77	704837.32	N 32 16 10.16	W 103 48 15.64
	11964.00	92.55	0.78	11398.37	-112.70	-116.75	252.56	3.85	278.24	114.81	462270.73	704838.34	N 32 16 11.10	W 103 48 15.62
	12049.00	93.20	359.71	11394.11	-27.82	-31.86	252.92	1.47	254.92	97.18	462355.62	704838.70	N 32 16 11.94	W 103 48 15.61
	12144.00	91.48	359.96	11390.23	67.08	63.05	252.65	1.83	260.40	75.99	462450.53	704838.43	N 32 16 12.88	W 103 48 15.61
	12239.00	89.21	359.38	11389.66	162.05	158.04	252.10	2.47	297.55	57.92	462545.51	704837.88	N 32 16 13.82	W 103 48 15.61
	12333.00	89.35	358.96	11390.84	256.00	252.03	250.74	0.47	355.51	44.85	462639.49	704836.52	N 32 16 14.75	W 103 48 15.62
	12428.00	89.44	359.03	11391.84	350.94	347.01	249.08	0.12	427.14	35.67	462734.46	704834.85	N 32 16 15.69	W 103 48 15.64
	12523.00	90.10	359.49	11392.22	445.90	442.00	247.85	0.85	506.75	29.28	462829.45	704833.62	N 32 16 16.63	W 103 48 15.65
	12617.00	89.23	359.74	11392.77	539.88	535.99	247.22	0.96	590.26	24.76	462923.44	704832.99	N 32 16 17.56	W 103 48 15.66
	12712.00	88.86	359.81	11394.36	634.84	630.98	246.85	0.40	677.54	21.37	463018.42	704832.62	N 32 16 18.50	W 103 48 15.65
	12806.00	89.20	0.48	11395.95	728.82	724.96	247.08	0.80	765.91	18.82	463112.40	704832.86	N 32 16 19.43	W 103 48 15.66
	12901.00	89.60	1.55	11396.78	823.82	819.94	246.77	1.29	856.85	16.88	463207.37	704834.54	N 32 16 20.37	W 103 48 15.64
	12995.00	89.45	1.66	113										

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ° °)	Longitude (E/W ° ° °)
	18861.00	89.41	359.81	11426.80	6774.90	6771.85	244.84	1.10	6776.27	2.07	469158.90	704830.62	N 32 17 19.26	W 103 48 15.32
	18955.00	90.12	0.37	11427.18	6868.88	6865.85	244.99	0.96	6870.22	2.04	469252.90	704830.76	N 32 17 20.19	W 103 48 15.31
	19050.00	90.07	1.71	11427.02	6963.88	6960.83	246.71	1.41	6965.20	2.03	469347.87	704832.49	N 32 17 21.13	W 103 48 15.28
	19144.00	90.37	1.90	11426.66	7057.87	7054.78	249.67	0.38	7059.20	2.03	469441.82	704835.45	N 32 17 22.06	W 103 48 15.24
	19239.00	92.42	2.27	11424.35	7152.82	7149.68	253.13	2.19	7154.16	2.03	469536.72	704838.90	N 32 17 23.00	W 103 48 15.20
	19334.00	91.91	1.36	11420.76	7247.71	7244.52	257.29	0.74	7249.09	2.03	469631.55	704843.06	N 32 17 23.94	W 103 48 15.14
	19429.00	89.10	1.36	11419.92	7342.68	7339.45	260.69	3.30	7344.08	2.03	469726.47	704846.47	N 32 17 24.88	W 103 48 15.10
	19523.00	90.09	0.65	11420.59	7436.67	7433.43	262.34	1.30	7438.06	2.02	469820.45	704848.11	N 32 17 25.81	W 103 48 15.08
	19618.00	89.81	1.64	11420.67	7531.67	7528.41	264.24	1.08	7533.04	2.01	469915.42	704850.01	N 32 17 26.74	W 103 48 15.05
	19713.00	91.10	2.01	11419.92	7626.65	7623.36	267.27	1.41	7628.04	2.01	470010.36	704853.04	N 32 17 27.68	W 103 48 15.01
	19807.00	89.52	2.08	11419.41	7720.63	7717.29	270.62	1.68	7722.03	2.01	470104.29	704856.39	N 32 17 28.61	W 103 48 14.96
	19902.00	88.89	359.77	11420.73	7815.62	7812.26	272.15	2.52	7817.00	2.00	470199.26	704857.93	N 32 17 29.55	W 103 48 14.94
	19997.00	89.20	357.17	11422.31	7910.51	7907.21	269.62	2.76	7911.80	1.95	470294.19	704855.39	N 32 17 30.49	W 103 48 14.96
	20091.00	90.47	357.69	11422.58	8004.33	8001.11	265.40	1.46	8005.51	1.90	470388.09	704851.18	N 32 17 31.42	W 103 48 15.01
	20186.00	88.86	358.56	11423.14	8099.21	8096.05	262.29	1.93	8100.30	1.86	470483.03	704848.07	N 32 17 32.36	W 103 48 15.04
	20281.00	93.03	0.66	11421.57	8194.15	8191.01	261.65	4.91	8195.19	1.83	470577.98	704847.42	N 32 17 33.30	W 103 48 15.04
	20376.00	91.11	1.14	11418.14	8289.08	8285.93	263.14	2.08	8290.11	1.82	470672.90	704848.91	N 32 17 34.24	W 103 48 15.02
	20470.00	90.09	1.72	11417.15	8383.07	8379.90	265.48	1.25	8384.10	1.81	470766.86	704851.26	N 32 17 35.17	W 103 48 14.98
	20565.00	88.82	358.69	11418.06	8478.05	8474.88	265.82	3.46	8479.05	1.80	470861.83	704851.60	N 32 17 36.11	W 103 48 14.97
	20659.00	89.91	354.64	11419.10	8571.76	8568.69	260.36	4.46	8572.65	1.74	470955.64	704846.13	N 32 17 37.04	W 103 48 15.03
	20754.00	89.91	350.16	11419.25	8665.69	8662.84	247.80	4.72	8666.38	1.64	471049.77	704833.57	N 32 17 37.97	W 103 48 15.17
	20849.00	90.18	350.85	11419.18	8759.13	8756.53	232.12	0.78	8759.61	1.52	471143.47	704817.90	N 32 17 38.90	W 103 48 15.35
	20943.00	91.02	352.58	11418.19	8851.91	8849.54	218.58	2.05	8852.24	1.41	471236.47	704804.36	N 32 17 39.82	W 103 48 15.50
	21038.00	91.55	354.08	11416.06	8946.05	8943.87	207.55	1.67	8946.28	1.33	471330.79	704793.33	N 32 17 40.75	W 103 48 15.63
	21228.00	91.61	357.14	11410.82	9135.14	9133.22	193.01	1.61	9135.26	1.21	471520.13	704778.79	N 32 17 42.63	W 103 48 15.79
	21323.00	91.25	355.56	11408.45	9229.81	9228.00	186.97	1.71	9229.89	1.16	471614.90	704772.74	N 32 17 43.57	W 103 48 15.85
	21418.00	89.41	355.75	11407.90	9324.40	9322.72	179.77	1.95	9324.45	1.10	471709.62	704765.55	N 32 17 44.50	W 103 48 15.93
	21512.00	90.93	356.05	11407.62	9418.04	9416.47	173.05	1.65	9418.06	1.05	471803.37	704758.83	N 32 17 45.43	W 103 48 16.00
	21607.00	91.02	358.59	11406.01	9512.83	9511.35	168.61	2.67	9512.84	1.02	471898.23	704754.39	N 32 17 46.37	W 103 48 16.05
	21702.00	91.78	0.32	11403.69	9607.76	9606.31	167.70	1.99	9607.77	1.00	471993.19	704753.48	N 32 17 47.31	W 103 48 16.05
	21796.00	89.38	0.56	11402.73	9701.75	9700.30	168.43	2.57	9701.76	0.99	472087.17	704754.21	N 32 17 48.24	W 103 48 16.04
	21891.00	90.62	1.96	11402.73	9796.74	9795.27	170.52	1.97	9796.75	1.00	472182.14	704756.29	N 32 17 49.18	W 103 48 16.01
	21986.00	91.19	4.77	11401.23	9891.63	9890.08	176.09	3.02	9891.65	1.02	472276.95	704761.87	N 32 17 50.12	W 103 48 15.94
	22081.00	89.92	7.73	11400.31	9986.21	9984.50	186.43	3.39	9986.24	1.07	472371.36	704772.21	N 32 17 51.05	W 103 48 15.81
	22179.00	91.26	8.06	11399.30	10083.47	10081.57	199.89	1.41	10083.55	1.14	472468.42	704785.67	N 32 17 52.01	W 103 48 15.65
	22274.00	90.63	7.37	11397.74	10177.79	10175.69	212.64	0.98	10177.91	1.20	472562.54	704798.42	N 32 17 52.94	W 103 48 15.50
	22369.00	90.61	7.86	11396.71	10272.14	10269.85	225.23	0.52	10272.32	1.26	472656.69	704811.01	N 32 17 53.87	W 103 48 15.34
	22463.00	91.27	9.09	11395.17	10365.30	10362.81	239.08	1.48	10365.56	1.32	472749.64	704824.86	N 32 17 54.79	W 103 48 15.18
	22558.00	89.57	7.42	11394.47	10456.81	10456.81	252.72	2.51	10459.87	1.38	472843.64	704838.49	N 32 17 55.72	W 103 48 15.01
	22652.00	89.80	6.45	11394.82	10523.16	10520.34	260.46	1.56	10523.57	1.42	472907.17	704846.22	N 32 17 56.35	W 103 48 14.92
	22747.00	89.91	5.99	11394.90	10553.03	10550.17	263.69	1.56	10553.46	1.43	472936.99	704849.47	N 32 17 56.64	W 103 48 14.88
	22842.00	91.05	5.29	11394.10	10647.71	10644.70	273.03	1.41	10648.20	1.47	473031.52	704858.80	N 32 17 57.58	W 103 48 14.77
	22937.00	89.68	3.23	11393.50	10742.53	10739.43	280.09	2.60	10743.08	1.49	473126.24	704865.86	N 32 17 58.52	W 103 48 14.68
	23032.00	88.16	1.51	11395.29	10837.38	10834.33	284.01	2.42	10838.05	1.50	473221.13	704869.79	N 32 17 59.46	W 103 48 14.63
	23126.00	86.96	359.64	11399.33	10932.39	10929.23	284.97	2.34	10932.94	1.49	473316.03	704870.74	N 32 18 0.39	W 103 48 14.61
	23221.00	86.76	359.74	11404.48	11026.22	11023.09	284.46	0.24	11026.76	1.48	473409.88	704870.23	N 32 18 1.32	W 103 48 14.61
	23321.00	88.42	358.93	11408.47	11121.10	11117.99	283.36	1.94	11121.60	1.46	473504.78	704869.13	N 32 18 2.26	W 103 48 14.62
	23410.00	89.63	358.25	11411.69	11309.91	11306.90	278.71	0.73	11310.34	1.41	473693.68	704864.48	N 32 18 3.13	W 103 48 14.66
	23505.00	90.45	359.07	11411.62	11404.84	11401.87	276.49	1.22	11405.23	1.39	473788.64	704862.26	N 32 18 5.07	W 103 48 14.68
	23599.00	88.61	357.74	11412.40	11498.74	11495.83	273.87	2.42	11499.09	1.36	473882.59	704859.64	N 32 18 6.90	W 103 48 14.71
	23694.00	90.00	355.87	11413.55	11593.48	11590.67	268.58	2.45	11593.78	1.33	473977.42	704854.35	N 32 18 6.94	W 103 48 14.71
	23788.00	91.01	355.81	11412.72	11687.11	11684.41	261.76	1.08	11687.35	1.28	474071.17	704847.53	N 32 18 7.87	W 103 48 14.84
	23883.00	91.38	356.46	11410.74	11781.75	11779.18	255.36	0.79	11781.95	1.24	474165.92	704841.13	N 32 18 8.81	W 103 48 14.91
	23909.00	91.36	356.41	11410.12	11807.67	11805.12	253.74	0.22	11807.85	1.23	474191.86	704839.51	N 32 18 9.06	W 103 48 14.92
	23977.00	91.31	356.27	11408.53	11875.43	11872.96	249.40	0.22	11875.58	1.20	474259.70	704835.17	N 32 18 9.73	W 103 48 14.97
	24072.00	91.02	356.92	11406.60	11970.14	11967.77	243.76	0.75	11970.26	1.17	474354.51	704829.53	N 32 18 10.67	W 103 48 15.03
	24167.00	90.03	356.15	11405.73	12064.86	12062.60	238.01	1.32	12064.94	1.13	474449.32	704823.79	N 32 18 11.61	W 103 48 15.09
	24262.00	88.88	355.19	11406.63	12159.45	12157.32	230.84	1.58	12159.51	1.09	474544.04	704816.62	N 32 18 12.55	W 103 48 15.17
	24356.00	88.80	353.93	11408.54	12252.85	12250.87	221.93	1.34	12252.88	1.04	474637.59	704807.71	N 32 18 13.48	W 103 48 15.27
	24451.00	90.38	351.80	11409.22	12346.91	12345.13	210.13	2.79	12346.91	0.98	474731.84	704795.91	N 32 18 14.41	W 103 48 15.40
	24523.00	90.69	350.94	11408.54	12417.91	12416.31	199.33	1.27	12417.91	0.92	474803.01	704785.11	N 32 18 15.11	W 103 48 15.52
	24546.00	90.79	350.67	11408.25	12490.55	12439.01	195.66	1.27	12440.55	0.90	474825.71	704781.44	N 32 18 15.34	W 103 48 15.56
	24572.00	91.20	351.29	11407.80	12466.15	12464.68	191.58	2.86	12466.16	0.88	474851.39	704777.36	N 32 18 15.59	W 103 48 15.61
	24602.00	91.20	351.29	11407.17	12495.73	12494.33	187.04	0.00	12495.73	0.86	474881.03	704772.82	N 32 18 15.89	W 103 48 15.66

Survey Type: Def Survey

Survey Error Model: ISOWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole /
-------------	------	-----------------	---------------	------------------	-------------------	-------------------------	------------------	------------

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 95397

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 95397
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 95397

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 95397
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	RT expires on 07/22/22	4/22/2022