

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

<sup>1</sup> Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		<sup>2</sup> OGRID Number 371838	
		<sup>3</sup> Reason for Filing Code/ Effective Date NW	
<sup>4</sup> API Number 30-045-35511	<sup>5</sup> Pool Name Bettonnie Tsosie Wash; Mancos (Oil)		<sup>6</sup> Pool Code 98175
<sup>7</sup> Property Code 325179	<sup>8</sup> Property Name Bettonnie Tsosie Wash Unit		<sup>9</sup> Well Number 731H

II. <sup>10</sup> Surface Location

Ul or lot no. I	Section 10	Township 23N	Range 8W	Lot Idn	Feet from the 2490'	North/South Line South	Feet from the 508'	East/West line East	County San Juan
--------------------	---------------	-----------------	-------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

<sup>11</sup> Bottom Hole Location

UL or lot no. J	Section 13	Township 23N	Range 8W	Lot Idn	Feet from the 2058'	North/South line South	Feet from the 2380'	East/West line East	County San Juan
<sup>12</sup> Lse Code F	<sup>13</sup> Producing Method Code F		<sup>14</sup> Gas Connection Date 10/21/21		<sup>15</sup> C-129 Permit Number	<sup>16</sup> C-129 Effective Date		<sup>17</sup> C-129 Expiration Date	

III. Oil and Gas Transporters

<sup>18</sup> Transporter OGRID	<sup>19</sup> Transporter Name and Address	<sup>20</sup> O/G/W
248440	Western Refining Company, LP	O
	6500 Townbridge Drive, El Paso, TX 79905	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4503, Houston, TX 77001	

IV. Well Completion Data

<sup>21</sup> Spud Date 01/13/21	<sup>22</sup> Ready Date 10/01/21	<sup>23</sup> TD 15,587 MD 5,255' TVD	<sup>24</sup> PBTD 15,543' MD 5,255' TVD	<sup>25</sup> Perforations 6,643'-15,493' MD 5,344'-5,257' TVD Frac Sleeve @ 15,521'	<sup>26</sup> DHC, MC
<sup>27</sup> Hole Size		<sup>28</sup> Casing & Tubing Size		<sup>29</sup> Depth Set	<sup>30</sup> Sacks Cement
12.25		9.625" 36# J55		359'	109
8.75		7" 26# J55		5,997'	673
6.125		4.5" 11.6# P110		TOL: 5,611' BOL: 15,557'	842
		2.875" 6.5# L80 Tubing		5938'	

V. Well Test Data

<sup>31</sup> Date New Oil 10/13/21	<sup>32</sup> Gas Delivery Date 10/21/21	<sup>33</sup> Test Date 10/14/21	<sup>34</sup> Test Length 24	<sup>35</sup> Tbg. Pressure 661	<sup>36</sup> Csg. Pressure 910
<sup>37</sup> Choke Size 38/64	<sup>38</sup> Oil 608	<sup>39</sup> Water 142	<sup>40</sup> Gas 2598		<sup>41</sup> Test Method F
<sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION		
Printed name: Shaw-Marie Ford			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: <a href="mailto:sford@djrlle.com">sford@djrlle.com</a>			Approval Date: <i>4/28/2022</i>		
Date: 11/17/21		Phone: 505-716-3297			

<b>Well Name:</b> BETONNIE TSOSIE WASH UNIT	<b>Well Location:</b> T23N / R8W / SEC 10 / NESE / 36.241134 / -107.661722	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 731H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b> EASTERN NAVAJO
<b>Lease Number:</b> NMNM76842	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM135219A
<b>US Well Number:</b> 3004535511	<b>Well Status:</b> Drilling Well	<b>Operator:</b> DJR OPERATING LLC

Subsequent Report

**Sundry ID:** 2640043

<b>Type of Submission:</b> Subsequent Report	<b>Type of Action:</b> Drilling Operations
<b>Date Sundry Submitted:</b> 10/14/2021	<b>Time Sundry Submitted:</b> 02:57
<b>Date Operation Actually Began:</b> 09/10/2021	

**Actual Procedure:** Completion Sundry 9/10/21: Install wellhead. NU 10K lower master. PT void seals 5000 psi. Test good & recorded on chart. 9/12/21: NU BOP. 9/13/21: PT 4.5 inch x 7 inch to 2000 psi & chart for 5 min. PT 4.5 inch to 2800 psi for 5 min. Pressure fell to 1050 psi but was constant. Call in pump down trucks to open Alpha Sleeve. 9/14/21: MIRU Drake pump trucks. PT to 7500 psi & chart for 5 min. Begin pump down at 7200 psi. Pumps over heated. RDMO Drake. 9/15/21: MIRU Tops pump trucks. PT to 9200 psi & chart for 5 min. Pressure up 7 inch to 950 psi. Pump down 4.5 inch at 3300 psi. Step up pressure to 9307 psi. Unable to open Alpha Sleeve. 9/16/21: MIRU Blue Jet wireline. PT to 7200 psi. RIH with 3.70 inch gauge ring. Stacked out at 15330. Work wireline, pump rates & surge well to free. POOH. Alpha Sleeve set at 15521' is closed. 9/24/21: PT zipper manifold & frac stack: low 400 psi for 5 min. high 9400 psi for 15 min. 9/25/21: MIRU frac & N2 fleet. Stage equipment. 9/26/21: PT 4.5 inch x 7 inch iron to 3000 psi for 30 min. PT frac iron & flowback to 9200 psi for 5 min. All tests good & recorded on chart. 9/27/21 to 10/3/21: RIH. 3.125 inch gun string, 180 pbs, 3 spf, .35 diameter. Perf & Frac 30 stages from 15199' to 6379'. (5266' to 5336' TVD). Total of 1050 open holes. Isolation plugs set from 15214' to 6659'. Kill plug at 6274'. 58,147 bbls of fluid, 2,609,774 scf of N2, 10,362,570 lbs of proppant. 10/4/21: MI AWS 812. 10/6/21: PT N2 iron: low 2350 psi, high 3200 psi. All tests good & recorded on chart. 10/9/21: RU AWS 812. PT pipe rams, flowlines, manifold: low 300 psi for 5 min. high 3500 psi for 10 min. PT annular: low 300 psi for 5 min. high 3500 psi for 10 min. All tests good & recorded on chart. 10/10/21: TIH. Mill plugs 1 – 30. TOH. 10/11/21: PT 4.5 inch pipe rams: low 500 psi, high 2000 psi. Good test. Pull & laydown 128 jts 4.5 inch frac string. 10/12/21: PT BOP & 2.875 inch pipe rams: low 500 psi, high 2000 psi. Test good & recorded on chart. TIH with production string. Land 181 jts of 2.875 inch 6.5# L80 tubing. EOT: 5938'. Six GLVs installed & set at 4975', 4220', 3465', 2710', 1955', 1199'. PT 2.875 inch 6.5# L80 tubing hanger/production tree: 4000 psi for 30 min. Test good & recorded on chart. Rig AWS 812 released on 10/12/21.

Received by OCD: 11/17/2021 9:02:43 AM

Page 3 of 13

<b>Well Name:</b> BETONNIE TSOSIE WASH UNIT	<b>Well Location:</b> T23N / R8W / SEC 10 / NESE / 36.241134 / -107.661722	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 731H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b> EASTERN NAVAJO
<b>Lease Number:</b> NMNM76842	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM135219A
<b>US Well Number:</b> 3004535511	<b>Well Status:</b> Drilling Well	<b>Operator:</b> DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> SHAW-MARIE FORD	<b>Signed on:</b> OCT 14, 2021 02:57 PM
<b>Name:</b> DJR OPERATING LLC	
<b>Title:</b> Regulatory Specialist	
<b>Street Address:</b> 1 Road 3263	
<b>City:</b> Aztec	<b>State:</b> NM
<b>Phone:</b> (505) 632-3476	
<b>Email address:</b> sford@djrlc.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> KENNETH G RENNICK	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5055647742	<b>BLM POC Email Address:</b> krennick@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 11/01/2021
<b>Signature:</b> Kenneth Rennick	



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

# Well Completion Print Report

10/19/2021

<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL NESE</b> Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

## Section 1 - General

[Request for OCD extension of time to file BLM approved Form 3160-4](#)**Well Completion Report Id:** 81623**Submission Date:** N/A until DB Work**BLM Office:** Farmington Field Office**User:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Federal/Indian:** INDIAN**Lease Number:** NMNM76842**Lease Acres:****Agreement in place?:** NO**Federal or Indian Agreement:** FEDERAL**Agreement Number:** NMNM135219A**Agreement Name:****Keep this Well Completion Report confidential?:** NO**APD Operator:** DJR OPERATING LLC

## Section 2 - Well Information

**Field/Pool or Exploratory:** Field/Pool**Pool Name:** BETONNIE TSOSIE WASH;**Field Name:** BASIN MANCOS**Well Type:** OIL WELL**Spud Date:** 01-13-2021**Date Total Measured Depth Reached:** 08-25-2021**Drill & Abandon or Ready To Produce:** READY TO PRODUCE**Well Class:** DIRECTIONAL

## Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
OJO ALAMAO	SANDSTONE		-1066	1066	1072	USEABLE WATER	
KIRTLAND	SHALE		-1168	1168	1178	NONE	

<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL</b> NESE Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

### Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
FRUITLAND	COAL		-1339	1339	1357	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1671	1671	1713	USEABLE WATER	
LEWIS	SHALE		-1887	1887	1945	NONE	
CHACRA	SANDSTONE		-2440	2440	2541	NONE	
MENEFEE	COAL, SANDSTONE		-3221	3221	3382	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-4077	4077	4303	NONE	
MANCOS	SHALE		-4263	4263	4503	NONE	
MANCOS	SILTSTONE		-4563	4563	4826	NATURAL GAS, OIL	
GALLUP	SILTSTONE		-5055	5055	5373	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5098	5098	5429	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5190	5190	5565	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5335	5335	6024	NATURAL GAS, OIL	

### Completion and Completed Intervals

<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL</b> NESE Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

### Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM135219A	NMNM118132	NEW		DRG	10-12-2021	10-13-2021	GALLUP	6379	15199	Y	.35	1050	OPEN

### Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	58147	1036257	

### Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1	40.5	0	GAS LIFT		FLARED	

### Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)

<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL NESE</b> Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

### Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	10/14/2021	24	608	2598	142	4273	38/64	661	661	910

### Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum:

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.241134	-107.661722	6933	FEDERAL	NMNM118132				2490	FSL	508	FEL	23N	8W	10	NESE
PPP Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.242795	-107.65518	1708	FEDERAL	NMNM76842				2212	FNL	1420	FWL	23N	8W	11	SENW
EXIT Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.225386	-107.632354	1678	FEDERAL	NMNM136161				2058	FSL	2380	FEL	23N	8W	13	NWSE
BHL Wellbore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.225386	-107.632354	1678	FEDERAL	NMNM136161				2058	FSL	2380	FEL	23N	8W	13	NWSE



<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL</b> NESE Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

### Casing, Liner and Tubing

#### Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	384	9.625	36	J-55		ST&C		0
00	INTERMEDIATE	8.75	0	5997	7.0	26	J-55		LT&C		0
00	LINER	6.125	5611	15557	4.5	11.6	P-110		BUTT		0

#### Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbbls)
00	SURFACE		G	109	1.61	0					31.3
00	INTERMEDIATE		G	441	2.32	0	G	232	1.49	0	243.8
00	LINER		G	842	1.56	5611					233.9



<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL</b> NESE Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

### Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5938		6	L-80		ST&C	

### Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report Completed?	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

<b>Operator Name</b> DJR OPERATING LLC	<b>Well Name</b> BETONNIE TSOSIE WASH UNIT	<b>Well Number</b> 731H	<b>US Well Number</b> 3004535511
<b>SHL</b> NESE Sec 10 23N 8W	<b>County</b> SAN JUAN	<b>State</b> NM	<b>Lease Number(s)</b> NMNM76842, NMNM118132
<b>Well Type</b> OIL WELL	<b>Well Status</b> Drilling Well	<b>Agreement Name</b>	<b>Agreement Number(s)</b> NMNM135219A
<b>Allottee/Tribe Name</b> EASTERN NAVAJO	<b>Well Pad Name</b> null	<b>Well Pad Number</b> null	<b>ID</b> 20MRW0037AFEI

### Operator Certification

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

**Name:** DJR OPERATING LLC

**Signed By:** SHAW-MARIE FORD

**Title:** Regulatory Specialist

**Signed on:** 10/19/2021

**Street Address:** 1 Road 3263

**City:** Aztec

**State:** NM

**Zip:** 87410

**Phone:** (505)632-3476

**Email address:** sford@djrlc.com

### Field Representative

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Extension:**

**Email address:**

### Attachments

Betonnies\_Tsosis\_I10\_2308\_731H\_EOW\_Survey\_Cert\_20211019134002.pdf

BTWU\_731H\_WBD\_20211019134024.pdf

731H\_AS\_DRILLED\_20211019134110.pdf



## Bettonnie Tsosie Wash Unit 731H

API: 30-045-35511

SHL: 2490' FSL x 508' FEL

ULSTR: I-10-23N-8W

Lat: 36.241134 Long: -107.661722

BHL: 2058' FSL x 2380' FEL


ULSTR: J-13-23N-8W

Lat: 36.225386 Long: -107.632354 Elevation: 6933' GL

Spud Date: 1/13/2021

Completed: 10/12/2021

## Current Wellbore



Perf:	30 Stages	Frac:	30 Stages	15,587 MD
3 spf.	.35 diameter	58,147	bbls of fluid	5,255 TVD
Depth:	6379' - 15199' MD	2,609,774	scf. of N2	PBTD 15,543 MD
	5266' - 5336' TVD	10,362,570	lbs. of proppant	FracSleeve 15,521 MD

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 62213

**ACKNOWLEDGMENTS**

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 62213
	Action Type: [C-104] Completion Packet (C-104C)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 62213

CONDITIONS

Operator:  DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID:  371838
	Action Number:  62213
	Action Type:  [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/28/2022