

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-48254	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 329930	⁸ Property Name YADA FED COM		⁹ Well Number 211H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	35	24-S	35-E	-	214'	SOUTH	926'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	26	24-S	35-E	-	22'	NORTH	312'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 8/4/2021	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/21/2021	²² Ready Date 7/22/2021	²³ TD 22450'	²⁴ PBTD 22379'	²⁵ Perforations 12175' - 22303'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5"		13.375"		679'	635 SKS
12.25"		9.625"		5272'	1571 SKS
8.75"		7.625"		11523'	562 SKS
6.75"		5.5"		22430'	941 SKS

V. Well Test Data

³¹ Date New Oil 08/04/2021	³² Gas Delivery Date 08/04/2021	³³ Test Date 08/25/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2000
³⁷ Choke Size 36/64	³⁸ Oil 1730	³⁹ Water 3321	⁴⁰ Gas 1794		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION Approved by: 
Printed name: Bill Ramsey	Title: Petroleum Engineer
Title: Regulatory Analyst	Approval Date: 05/11/22
E-mail Address: bramsey@taprk.com	COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.
Date: 9/28/2021	
Phone: 720-238-2787	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48254	² Pool Code 98098	³ Pool Name WC-025 G-09 S243532M:WOLFBONE
⁴ Property Code 329930	⁵ Property Name YADA FED COM	⁶ Well Number 211H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3256'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	35	24-S	35-E	-	214'	SOUTH	926'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	26	24-S	35-E	-	22'	NORTH	312'	WEST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 35, TOWNSHIP 24-S, RANGE 35-E, N.M.P.M.
LEA COUNTY, NEW MEXICO



LEASE NAME & WELL NO.: YADA FED COM 211H U.S. GEO. SUR.
SECTION 35 TWP. 24-S RGE 35-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3256'
DESCRIPTION 214' FSL & 926' FWL



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

YADA FED COM 211H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 06/04/21		
FILE:C_YADA_FED_COM_211H		
DRAWN BY: EAH		
SHEET : 1 OF 1		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Yada Fed Com #211H
County: Lea
State: New Mexico
Rig Name: H&P 376
Job Number: 30-025-48254

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 200' MD – 22,379' MD
Projection to Bit: 22,450' MD
Dates Performed: 03/20/2021 – 04/09/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "THenk", on a light gray rectangular background.

Travis Henk
MWD Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid Directional Drilling Specialists

Location: Sec-35_T-24-S_R-35-E

Well: Yada Fed Com #211H

Rig: H&P 376

API or UWI: 30-025-48254

Job Number: ID2842

State: New Mexico

Operating Company: Tap Rock Resources, LLC.

County: Lea

Magnetic Declination: 5.90

Country: United States

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.1667

Longitude: -103.33395

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
200.00	0.84	110.58	199.99	-0.52	1.37	110.58	1.47	-0.53	0.42
236.00	0.70	127.89	235.99	-0.74	1.79	112.51	1.94	-0.76	0.75
428.00	0.35	191.26	427.98	-2.04	2.60	128.05	3.31	-2.06	0.33
523.00	0.62	289.00	522.98	-2.16	2.06	136.28	2.98	-2.18	0.79
618.00	0.66	319.32	617.97	-1.57	1.22	142.24	1.99	-1.59	0.35
781.00	0.84	311.85	780.96	-0.06	-0.28	257.17	0.29	-0.06	0.13
873.00	1.19	280.65	872.95	0.56	-1.72	288.05	1.81	0.58	0.70
967.00	1.41	284.43	966.92	1.03	-3.80	285.16	3.94	1.07	0.25
1062.00	1.67	304.73	1061.89	2.11	-6.07	289.16	6.43	2.17	0.63
1157.00	1.93	296.11	1156.84	3.60	-8.65	292.62	9.37	3.69	0.39
1251.00	0.88	43.61	1250.82	4.82	-9.57	296.74	10.72	4.91	2.50
1346.00	1.05	114.71	1345.81	4.99	-8.28	301.07	9.66	5.07	1.19
1441.00	0.48	87.29	1440.80	4.64	-7.09	303.22	8.47	4.71	0.70
1535.00	0.40	125.17	1534.80	4.47	-6.43	304.83	7.83	4.53	0.31
1630.00	0.70	221.76	1629.80	3.85	-6.54	300.46	7.59	3.91	0.89
1725.00	2.02	242.24	1724.77	2.63	-8.41	287.39	8.81	2.72	1.46

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1819.00	3.74	245.31	1818.65	0.58	-12.66	272.63	12.68	0.70	1.84
1914.00	6.07	250.85	1913.29	-2.36	-20.22	263.34	20.36	-2.17	2.50
2009.00	6.95	252.87	2007.68	-5.70	-30.46	259.40	30.99	-5.41	0.96
2103.00	6.15	257.00	2101.07	-8.51	-40.80	258.22	41.68	-8.12	0.99
2198.00	5.54	254.63	2195.57	-10.87	-50.18	257.78	51.35	-10.39	0.69
2293.00	5.23	250.50	2290.15	-13.53	-58.69	257.02	60.23	-12.97	0.52
2387.00	4.84	244.87	2383.79	-16.64	-66.31	255.91	68.37	-16.01	0.67
2482.00	4.22	246.46	2478.49	-19.74	-73.15	254.90	75.76	-19.04	0.67
2577.00	4.92	239.51	2573.19	-23.20	-79.86	253.80	83.17	-22.44	0.94
2671.00	5.05	236.96	2666.84	-27.51	-86.80	252.42	91.06	-26.67	0.27
2766.00	4.92	248.92	2761.48	-31.25	-94.11	251.63	99.16	-30.35	1.10
2861.00	5.14	258.15	2856.12	-33.59	-102.08	251.79	107.46	-32.61	0.88
2955.00	4.70	272.82	2949.77	-34.26	-110.04	252.70	115.26	-33.21	1.41
3050.00	4.62	276.95	3044.46	-33.61	-117.73	254.07	122.43	-32.48	0.36
3145.00	6.59	263.60	3139.00	-33.76	-126.95	255.11	131.36	-32.54	2.47
3239.00	7.91	268.52	3232.25	-34.52	-138.77	256.03	143.00	-33.19	1.55
3334.00	6.90	273.18	3326.46	-34.38	-151.01	257.18	154.87	-32.92	1.24
3429.00	5.54	278.54	3420.90	-33.38	-161.24	258.30	164.66	-31.83	1.56
3524.00	4.79	264.47	3515.52	-33.08	-169.72	258.97	172.92	-31.45	1.54
3619.00	5.41	253.05	3610.14	-34.77	-177.95	258.95	181.32	-33.06	1.25
3713.00	5.80	241.89	3703.69	-38.30	-186.38	258.39	190.28	-36.51	1.23
3808.00	6.20	237.84	3798.17	-43.29	-194.96	257.48	199.71	-41.42	0.61
3903.00	6.15	234.68	3892.62	-48.96	-203.46	256.47	209.26	-47.01	0.36
3997.00	5.98	242.50	3986.10	-54.13	-211.91	255.67	218.71	-52.10	0.90
4092.00	6.86	245.14	4080.50	-58.80	-221.44	255.13	229.12	-56.68	0.98
4187.00	7.38	244.52	4174.77	-63.81	-232.10	254.63	240.71	-61.58	0.55
4281.00	6.37	250.76	4268.09	-68.13	-242.47	254.31	251.86	-65.80	1.33
4376.00	5.85	250.50	4362.55	-71.48	-252.01	254.16	261.96	-69.06	0.55
4471.00	6.15	257.36	4457.03	-74.21	-261.54	254.16	271.87	-71.70	0.82
4566.00	6.07	261.57	4551.50	-76.06	-271.48	254.35	281.93	-73.45	0.48
4660.00	5.32	273.44	4645.03	-76.53	-280.74	254.75	290.99	-73.83	1.48
4755.00	6.15	268.34	4739.56	-76.41	-290.23	255.25	300.12	-73.62	1.02
4849.00	6.81	273.88	4832.96	-76.18	-300.82	255.79	310.32	-73.29	0.97
4944.00	6.77	278.54	4927.29	-74.97	-311.98	256.49	320.86	-71.97	0.58
5039.00	7.16	269.31	5021.59	-74.21	-323.43	257.08	331.84	-71.10	1.25
5134.00	7.43	261.49	5115.83	-75.19	-335.43	257.37	343.75	-71.97	1.08
5226.00	7.12	251.11	5207.09	-77.92	-346.71	257.33	355.36	-74.58	1.47

DigiDrill DataLogger

2/7

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5304.00	6.99	254.89	5284.50	-80.72	-355.86	257.22	364.90	-77.30	0.62
5398.00	7.38	247.69	5377.76	-84.50	-366.97	257.03	376.57	-80.97	1.04
5493.00	7.21	246.98	5472.00	-89.15	-378.10	256.73	388.47	-85.51	0.20
5587.00	7.34	244.70	5565.24	-94.02	-388.96	256.41	400.16	-90.28	0.34
5681.00	6.73	241.71	5658.53	-99.20	-399.24	256.05	411.38	-95.36	0.76
5776.00	6.29	237.49	5752.92	-104.63	-408.53	255.63	421.72	-100.71	0.68
5870.00	6.02	238.90	5846.38	-109.95	-417.09	255.23	431.34	-105.94	0.33
5964.00	5.49	246.54	5939.90	-114.28	-425.44	254.96	440.52	-110.19	0.99
6058.00	3.82	240.39	6033.59	-117.62	-432.29	254.78	448.00	-113.46	1.85
6151.00	5.36	244.79	6126.29	-121.00	-438.91	254.59	455.28	-116.78	1.70
6245.00	5.98	243.82	6219.83	-125.03	-447.28	254.38	464.42	-120.73	0.67
6340.00	5.85	240.66	6314.32	-129.59	-455.94	254.13	474.00	-125.20	0.37
6434.00	5.71	241.27	6407.85	-134.18	-464.21	253.88	483.22	-129.72	0.16
6530.00	5.63	239.43	6503.38	-138.87	-472.46	253.62	492.44	-134.33	0.21
6624.00	6.99	248.13	6596.81	-143.35	-481.74	253.43	502.61	-138.72	1.76
6719.00	7.47	249.80	6691.05	-147.63	-492.90	253.33	514.53	-142.90	0.55
6813.00	7.38	247.42	6784.26	-152.06	-504.20	253.22	526.64	-147.22	0.34
6907.00	7.12	247.60	6877.51	-156.60	-515.16	253.09	538.44	-151.65	0.28
7002.00	6.55	246.46	6971.84	-161.01	-525.58	252.97	549.68	-155.96	0.62
7096.00	6.02	241.80	7065.27	-165.48	-534.83	252.81	559.85	-160.34	0.78
7191.00	5.45	236.96	7159.80	-170.29	-543.01	252.59	569.08	-165.07	0.79
7285.00	4.88	234.06	7253.41	-175.07	-549.99	252.34	577.18	-169.79	0.67
7380.00	4.92	243.47	7348.07	-179.26	-556.90	252.16	585.04	-173.91	0.85
7475.00	4.75	260.87	7442.74	-181.71	-564.43	252.16	592.96	-176.28	1.55
7570.00	4.35	273.09	7537.44	-182.14	-571.91	252.33	600.22	-176.64	1.10
7663.00	2.73	295.85	7630.26	-180.98	-577.43	252.60	605.13	-175.43	2.27
7757.00	2.59	304.90	7724.16	-178.79	-581.19	252.90	608.06	-173.20	0.47
7852.00	1.27	295.41	7819.11	-177.11	-583.90	253.13	610.17	-171.50	1.42
7947.00	0.70	197.85	7914.10	-177.21	-585.03	253.15	611.28	-171.59	1.61
8040.00	0.97	155.93	8007.09	-178.47	-584.88	253.03	611.50	-172.85	0.70
8133.00	1.63	144.24	8100.06	-180.26	-583.78	252.84	610.98	-174.65	0.76
8227.00	0.40	126.13	8194.05	-181.54	-582.74	252.70	610.36	-175.94	1.34
8320.00	0.40	79.73	8287.04	-181.68	-582.16	252.67	609.85	-176.08	0.34
8415.00	0.35	80.34	8382.04	-181.57	-581.54	252.66	609.23	-175.98	0.05
8509.00	0.66	123.32	8476.04	-181.82	-580.81	252.62	608.60	-176.23	0.50
8603.00	0.70	138.18	8570.03	-182.54	-579.97	252.53	608.02	-176.97	0.19
8698.00	1.01	105.13	8665.02	-183.19	-578.78	252.44	607.08	-177.63	0.60

DigiDrill DataLogger

3/7

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8793.00	1.14	95.72	8760.01	-183.51	-577.03	252.36	605.51	-177.96	0.23
8888.00	0.84	114.88	8854.99	-183.89	-575.46	252.28	604.13	-178.36	0.47
8983.00	0.62	168.06	8949.98	-184.69	-574.72	252.18	603.67	-179.16	0.72
9076.00	0.79	193.02	9042.98	-185.81	-574.76	252.09	604.05	-180.28	0.37
9170.00	1.19	292.16	9136.97	-186.07	-575.81	252.09	605.13	-180.53	1.63
9263.00	1.98	253.22	9229.94	-186.17	-578.24	252.15	607.47	-180.61	1.39
9356.00	2.64	271.51	9322.86	-186.58	-581.92	252.22	611.10	-180.98	1.06
9450.00	2.20	282.93	9416.78	-186.11	-585.84	252.38	614.70	-180.48	0.69
9546.00	1.71	290.84	9512.72	-185.19	-588.98	252.55	617.41	-179.53	0.58
9641.00	1.93	295.59	9607.67	-184.00	-591.75	252.73	619.69	-178.31	0.28
9736.00	1.85	278.54	9702.62	-183.08	-594.71	252.89	622.25	-177.36	0.60
9831.00	2.46	276.69	9797.55	-182.61	-598.25	253.03	625.50	-176.86	0.65
9926.00	1.19	329.07	9892.51	-181.53	-600.78	253.19	627.61	-175.75	2.08
10022.00	2.24	32.97	9988.47	-179.10	-600.27	253.39	626.42	-173.33	2.11
10117.00	1.89	269.40	10083.44	-177.56	-600.83	253.54	626.51	-171.78	3.83
10212.00	2.99	251.99	10178.36	-178.34	-604.75	253.57	630.50	-172.53	1.38
10307.00	0.31	221.76	10273.31	-179.30	-607.28	253.55	633.19	-173.46	2.87
10402.00	0.84	78.15	10368.31	-179.35	-606.77	253.53	632.72	-173.52	1.16
10496.00	1.27	108.29	10462.29	-179.53	-605.10	253.47	631.18	-173.72	0.73
10591.00	2.29	110.93	10557.24	-180.54	-602.33	253.31	628.81	-174.75	1.08
10686.00	0.79	71.82	10652.21	-181.02	-599.94	253.21	626.65	-175.25	1.84
10781.00	1.32	205.68	10747.20	-181.80	-599.79	253.14	626.74	-176.03	2.06
10875.00	3.30	201.72	10841.12	-185.29	-601.26	252.87	629.16	-179.51	2.11
10970.00	1.76	233.89	10936.03	-188.69	-603.45	252.64	632.26	-182.89	2.15
11065.00	3.03	261.75	11030.95	-189.91	-607.11	252.63	636.12	-184.07	1.78
11159.00	2.24	244.70	11124.85	-191.05	-611.23	252.64	640.40	-185.17	1.18
11254.00	1.41	187.66	11219.81	-193.00	-613.07	252.53	642.73	-187.11	1.99
11346.00	1.58	171.84	11311.77	-195.38	-613.04	252.32	643.42	-189.48	0.48
11441.00	1.93	157.25	11406.73	-198.15	-612.23	252.07	643.50	-192.26	0.59
11535.00	2.20	142.39	11500.67	-201.04	-610.52	251.77	642.77	-195.17	0.64
11661.00	4.79	358.78	11626.55	-197.69	-609.16	252.02	640.43	-191.84	5.31
11755.00	21.10	339.18	11717.88	-177.81	-615.30	253.88	640.47	-171.90	17.73
11849.00	30.90	340.32	11802.26	-139.18	-629.47	257.53	644.68	-133.13	10.44
11944.00	38.86	345.16	11880.15	-87.31	-645.35	262.30	651.23	-81.11	8.87
12039.00	48.35	352.45	11948.90	-23.13	-657.68	267.99	658.09	-16.81	11.29
12134.00	55.47	5.81	12007.63	51.29	-658.39	274.45	660.38	57.61	13.34
12227.00	62.11	13.46	12055.85	129.55	-644.91	281.36	657.80	135.73	10.02

DigiDrill DataLogger

4/7

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12321.00	67.30	9.24	12096.01	212.83	-628.26	288.71	663.33	218.85	6.85
12416.00	71.47	3.79	12129.48	301.12	-618.24	295.97	687.67	307.04	6.93
12510.00	76.70	0.63	12155.25	391.41	-614.79	302.48	728.81	397.29	6.43
12603.00	88.22	0.10	12167.43	483.45	-614.21	308.21	781.65	489.32	12.40
12699.00	91.21	359.31	12167.91	579.43	-614.70	313.31	844.75	585.31	3.22
12792.00	90.07	358.96	12166.87	672.41	-616.11	317.50	911.99	678.30	1.28
12886.00	89.14	358.78	12167.52	766.39	-617.96	321.12	984.49	772.29	1.01
12979.00	89.05	358.25	12168.99	859.35	-620.37	324.17	1059.88	865.26	0.58
13074.00	89.10	357.81	12170.52	954.28	-623.63	326.83	1139.99	960.22	0.47
13168.00	90.33	358.08	12170.99	1048.22	-627.00	329.11	1221.43	1054.19	1.34
13261.00	89.98	357.73	12170.74	1141.15	-630.40	331.08	1303.70	1147.15	0.53
13355.00	91.60	357.11	12169.44	1235.05	-634.64	332.80	1388.56	1241.08	1.85
13450.00	92.79	357.64	12165.80	1329.87	-638.98	334.34	1475.42	1335.95	1.37
13545.00	93.49	359.31	12160.60	1424.69	-641.51	335.76	1562.46	1430.79	1.90
13640.00	93.23	359.92	12155.03	1519.53	-642.15	337.09	1649.64	1525.62	0.70
13735.00	90.37	359.13	12152.05	1614.47	-642.93	338.29	1737.78	1620.56	3.12
13830.00	87.16	0.54	12154.10	1709.43	-643.21	339.38	1826.44	1715.53	3.69
13925.00	91.91	1.15	12154.87	1804.39	-641.81	340.42	1915.13	1810.47	5.04
14020.00	88.62	0.98	12154.43	1899.36	-640.04	341.38	2004.30	1905.41	3.47
14136.00	84.92	0.80	12160.96	2015.14	-638.24	342.43	2113.80	2021.17	3.19
14231.00	87.08	1.07	12167.59	2109.89	-636.70	343.21	2203.86	2115.90	2.29
14326.00	88.18	1.07	12171.52	2204.79	-634.92	343.93	2294.39	2210.78	1.16
14421.00	89.19	1.24	12173.70	2299.75	-633.01	344.61	2385.27	2305.72	1.08
14515.00	91.12	1.77	12173.44	2393.71	-630.54	345.24	2475.36	2399.65	2.13
14609.00	86.55	1.42	12175.35	2487.63	-627.92	345.83	2565.65	2493.54	4.88
14700.00	86.90	0.19	12180.55	2578.47	-626.65	346.34	2653.52	2584.36	1.40
14795.00	89.41	359.31	12183.61	2673.41	-627.06	346.80	2745.96	2679.31	2.80
14890.00	86.46	358.61	12187.03	2768.32	-628.79	347.20	2838.83	2774.23	3.19
14984.00	86.86	358.17	12192.51	2862.12	-631.42	347.56	2930.95	2868.05	0.63
15077.00	88.70	357.02	12196.11	2954.97	-635.32	347.87	3022.49	2960.93	2.33
15171.00	90.59	357.29	12196.69	3048.84	-639.99	348.15	3115.29	3054.85	2.03
15266.00	90.81	356.94	12195.53	3143.72	-644.77	348.41	3209.16	3149.76	0.44
15359.00	90.46	357.37	12194.50	3236.60	-649.38	348.65	3301.10	3242.68	0.60
15453.00	89.85	358.17	12194.25	3330.52	-653.04	348.91	3393.94	3336.64	1.07
15548.00	90.11	358.52	12194.28	3425.48	-655.78	349.16	3487.69	3431.62	0.46
15642.00	90.51	358.52	12193.77	3519.45	-658.21	349.41	3580.47	3525.61	0.43
15737.00	90.46	358.34	12192.97	3614.41	-660.82	349.64	3674.32	3620.59	0.20

DigiDrill DataLogger

5/7

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15831.00	88.09	359.48	12194.16	3708.38	-662.60	349.87	3767.11	3714.57	2.80
15925.00	89.45	359.48	12196.18	3802.35	-663.46	350.10	3859.80	3808.54	1.45
16020.00	90.73	359.04	12196.03	3897.34	-664.68	350.32	3953.61	3903.54	1.42
16112.00	91.03	358.96	12194.61	3989.32	-666.29	350.52	4044.57	3995.53	0.34
16207.00	90.59	358.87	12193.27	4084.29	-668.09	350.71	4138.57	4090.51	0.47
16299.00	94.24	358.34	12189.40	4176.16	-670.32	350.88	4229.62	4182.41	4.01
16393.00	91.69	357.99	12184.53	4269.98	-673.33	351.04	4322.74	4276.25	2.74
16488.00	94.37	358.69	12179.51	4364.80	-676.08	351.20	4416.85	4371.09	2.92
16583.00	94.37	0.19	12172.27	4459.52	-677.00	351.37	4510.61	4465.81	1.57
16677.00	93.71	0.36	12165.65	4553.28	-676.55	351.55	4603.27	4559.57	0.72
16772.00	91.16	1.15	12161.61	4648.18	-675.30	351.73	4696.98	4654.45	2.81
16867.00	91.78	1.15	12159.18	4743.13	-673.40	351.92	4790.69	4749.37	0.65
16961.00	90.51	3.44	12157.30	4837.03	-669.63	352.12	4883.16	4843.23	2.79
17056.00	90.37	4.58	12156.57	4931.79	-662.99	352.34	4976.15	4937.93	1.21
17149.00	87.08	3.79	12158.64	5024.50	-656.21	352.56	5067.17	5030.57	3.64
17244.00	90.11	3.97	12160.97	5119.25	-649.78	352.77	5160.32	5125.25	3.20
17339.00	90.07	3.35	12160.82	5214.05	-643.72	352.96	5253.64	5219.99	0.65
17434.00	89.98	3.18	12160.78	5308.90	-638.31	353.14	5347.13	5314.78	0.20
17528.00	87.56	2.38	12162.79	5402.76	-633.75	353.31	5439.80	5408.59	2.71
17621.00	89.76	1.86	12164.97	5495.66	-630.31	353.46	5531.69	5501.46	2.43
17716.00	89.10	1.42	12165.91	5590.62	-627.59	353.59	5625.73	5596.39	0.83
17810.00	89.36	0.45	12167.18	5684.60	-626.06	353.72	5718.97	5690.34	1.07
17905.00	91.25	0.89	12166.67	5779.58	-624.95	353.83	5813.27	5785.32	2.04
17999.00	93.27	0.80	12162.97	5873.50	-623.56	353.94	5906.50	5879.21	2.15
18094.00	93.49	0.45	12157.36	5968.32	-622.53	354.05	6000.70	5974.03	0.43
18189.00	88.84	359.92	12155.43	6063.28	-622.22	354.14	6095.12	6068.97	4.93
18283.00	87.43	359.31	12158.49	6157.22	-622.85	354.22	6188.65	6162.92	1.63
18378.00	90.11	359.57	12160.53	6252.19	-623.78	354.30	6283.23	6257.89	2.83
18474.00	93.27	0.89	12157.70	6348.13	-623.39	354.39	6378.67	6353.82	3.57
18568.00	89.36	0.80	12155.54	6442.08	-622.01	354.48	6472.04	6447.75	4.16
18661.00	90.42	0.45	12155.72	6535.07	-620.99	354.57	6564.51	6540.73	1.20
18756.00	87.12	358.43	12157.76	6630.03	-621.92	354.64	6659.13	6635.69	4.07
18851.00	85.58	357.11	12163.81	6724.76	-625.61	354.69	6753.80	6730.45	2.13
18944.00	87.38	357.11	12169.52	6817.46	-630.29	354.72	6846.53	6823.20	1.94
19039.00	92.44	356.58	12169.67	6912.28	-635.52	354.75	6941.44	6918.07	5.36
19134.00	91.21	356.14	12166.64	7007.04	-641.54	354.77	7036.35	7012.88	1.38
19228.00	94.24	357.29	12162.17	7100.77	-646.93	354.79	7130.18	7106.65	3.45

DigiDrill DataLogger

6/7

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
19324.00	86.37	358.43	12161.66	7196.62	-650.51	354.84	7225.96	7202.54	8.28
19418.00	86.02	358.52	12167.90	7290.38	-653.00	354.88	7319.57	7296.32	0.38
19511.00	86.11	358.34	12174.28	7383.13	-655.54	354.93	7412.18	7389.08	0.22
19606.00	88.00	358.17	12179.16	7477.96	-658.43	354.97	7506.89	7483.93	2.00
19701.00	92.35	358.69	12178.87	7572.90	-661.04	355.01	7601.69	7578.89	4.61
19796.00	89.98	357.46	12176.94	7667.81	-664.23	355.05	7696.53	7673.84	2.81
19890.00	87.60	356.23	12178.93	7761.64	-669.40	355.07	7790.46	7767.71	2.85
19985.00	89.58	357.55	12181.27	7856.47	-674.55	355.09	7885.37	7862.58	2.50
20080.00	90.11	358.96	12181.52	7951.42	-677.44	355.13	7980.23	7957.56	1.59
20175.00	91.03	358.17	12180.58	8046.38	-679.82	355.17	8075.05	8052.54	1.28
20270.00	91.38	357.99	12178.58	8141.31	-683.00	355.20	8169.91	8147.49	0.41
20365.00	89.27	358.08	12178.04	8236.25	-686.26	355.24	8264.79	8242.45	2.22
20461.00	90.02	359.48	12178.64	8332.22	-688.30	355.28	8360.60	8338.44	1.65
20556.00	90.37	359.92	12178.31	8427.22	-688.80	355.33	8455.32	8433.44	0.59
20651.00	89.93	359.66	12178.06	8522.22	-689.15	355.38	8550.04	8528.44	0.54
20746.00	90.86	0.01	12177.41	8617.21	-689.42	355.43	8644.75	8623.43	1.05
20840.00	89.89	358.08	12176.79	8711.19	-690.99	355.46	8738.55	8717.42	2.30
20934.00	91.78	358.34	12175.42	8805.13	-693.93	355.49	8832.43	8811.39	2.03
21027.00	91.52	358.17	12172.75	8898.05	-696.76	355.52	8925.29	8904.33	0.33
21122.00	90.77	358.43	12170.85	8992.99	-699.57	355.55	9020.16	8999.29	0.84
21217.00	90.95	358.25	12169.42	9087.94	-702.33	355.58	9115.04	9094.26	0.27
21311.00	90.15	358.61	12168.52	9181.90	-704.90	355.61	9208.92	9188.24	0.93
21405.00	90.20	359.13	12168.23	9275.88	-706.76	355.64	9302.76	9282.24	0.56
21500.00	89.01	359.84	12168.89	9370.87	-707.61	355.68	9397.55	9377.23	1.46
21594.00	89.45	0.80	12170.15	9464.86	-707.08	355.73	9491.23	9471.21	1.12
21689.00	88.79	1.07	12171.61	9559.83	-705.53	355.78	9585.83	9566.17	0.75
21784.00	89.32	1.07	12173.18	9654.80	-703.76	355.83	9680.42	9661.12	0.56
21877.00	86.37	359.92	12176.67	9747.72	-702.96	355.88	9773.04	9754.02	3.40
21971.00	86.07	359.48	12182.87	9841.52	-703.45	355.91	9866.63	9847.82	0.57
22065.00	86.81	359.40	12188.71	9935.33	-704.36	355.94	9960.27	9941.63	0.79
22161.00	85.93	359.75	12194.78	10031.13	-705.08	355.98	10055.88	10037.44	0.99
22254.00	84.97	358.43	12202.16	10123.83	-706.55	356.01	10148.45	10130.14	1.75
22379.00	83.56	358.34	12214.65	10248.15	-710.05	356.04	10272.72	10254.49	1.13

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22450.00	83.56	358.34	12222.62	10318.67	-712.10	356.05	10343.21	10325.03	0.00

Well Name: YADA FED COM	Well Location: T24S / R35E / SEC 35 / SWSW / 32.167313 / -103.3438532	County or Parish/State: LEA / NM
Well Number: 211H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138891, NMNM138896	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548254	Well Status: Approved Application for Permit to Drill	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 08/02/2021	Time Sundry Submitted: 01:19
Date Operation Actually Began: 06/22/2021	

Actual Procedure: 4/9/2021: TD Reached at 22450 ft MD, 12223 ft TVD. Plug Back Measured depth at 22379 ft MD, 12215 ft TVD. Rig Release on 4/12/2021 at 4:00. 6/22/2021: Pressure test casing to 5020 psi for 30 minutes, good test. 6/24/2021 to 7/14/2021: Perforate from 12175 ft to 22303 ft, 1 SPF, .6 inch holes with 624 total shots. 48 stage frac with 23,712,040 lbs of 100 mesh sand. 7/18/2021 to 7/21/2021: Drill out plugs 7/22/2021: Ready to produce Formation Tops (True Vertical Depth): Formation MD Rustler 3,940 Top of Salt 4,430 Base of Salt 8,045 Delaware 8,282 Lamar 8,290 Bell 8,320 Ramsey 8,339 Cherry 9,073 Brushy 7,605 Bone Spring 8,876 Upper Avalon 8,906 Middle Avalon 9,109 Lower Avalon 9,695 1st Bone Spring Sand 10,101 2nd Bone Spring Sand 10,691 3rd Bone Spring Sand 11,738 Bone Spring W 12,001 Wolf Camp A X 12,024 Wolf Camp A Y 12,072 Wolfcamp A Lower 12,125 Request for OCD extension of time to file BLM approved Form 3160-4.

Received by OCD: 5/9/2022 1:46:02 PM

Page 13 of 17

Well Name: YADA FED COM	Well Location: T24S / R35E / SEC 35 / SWSW / 32.167313 / -103.3438532	County or Parish/State: LEA / NM
Well Number: 211H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138891, NMNM138896	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548254	Well Status: Approved Application for Permit to Drill	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: AUG 02, 2021 01:19 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48254										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Yada Fed Com		
								6. Well Number: 211H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	35	24S	35E	-	214	SOUTH	926	WEST	LEA
BH:	D	26	24S	35E	-	22	NORTH	312	WEST	LEA
13. Date Spudded 3/21/2021	14. Date T.D. Reached 4/9/2021		15. Date Rig Released 4/12/2021			16. Date Completed (Ready to Produce) 7/22/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3256 GR		
18. Total Measured Depth of Well 22450			19. Plug Back Measured Depth 22379			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12175' - 22303'								WOLFBONE		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		679'		17.5"		635 SKS		
9.625"		40		5272'		12.25"		1571 SKS		
7.625"		29.7		11523'		8.75"		562 SKS		
5.5"		23		22430'		6.75"		941 SKS		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12175 ft to 22303 ft, 1 SPF, .6 inch holes with 624 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12175' - 22303'		48 stage frac with 23,712,040 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 08/04/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 08/25/2021	Hours Tested 24 HRS	Choke Size 36/64	Prod'n For Test Period	Oil - Bbl 1730	Gas - MCF 1794	Water - Bbl. 3321	Gas - Oil Ratio 1036			
Flow Tubing Press. 0	Casing Pressure 2000	Calculated 24-Hour Rate	Oil - Bbl. 1730	Gas - MCF 1794	Water - Bbl. 3321	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments DIRECTIONAL SURVEY, AS DRILLED C-102										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey			Title Regulatory Analyst			Date 9/28/2021	
E-mail Address bramsey@t+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	957		QUATERNARY					
957	1447		RUSTLER ANHYDRITE					
1447	5062		TOP OF SALT					
5062	5299		BASE OF SALT					
5299	5338		DELAWARE					
5338	6098		BELL CANYON					
6098	7638		CHERRY CANYON					
7638	8909		BRUSHY CANYON					
8909	9142		BONE SPRING					
9142	10135		AVALON					
10135	10724		BONE SPRING 1ST					
10724	11777		BONE SPRING 2ND					
11777	12124		BONE SPRING 3RD					
12124	12165		WOLFBONE					
12165			WOLFCAMP					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 105329

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 105329
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 105329

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 105329
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	5/11/2022