

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30-045-38240	⁵ Pool Name Bettonnie Tsosie Wash; Mancos (Oil)		⁶ Pool Code 98175
⁷ Property Code 325179	⁸ Property Name Bettonnie Tsosie Wash Unit		⁹ Well Number 504H

II. ¹⁰ Surface Location

Ul or lot no. E	Section 35	Township 23N	Range 08W	Lot Idn	Feet from the 1411'	North/South Line North	Feet from the 808'	East/West line West	County San Juan
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. P	Section 35	Township 23N	Range 08W	Lot Idn	Feet from the 404'	North/South line South	Feet from the 1259'	East/West line East	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date TBD		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP	O
	6500 Townbridge Drive, El Paso, TX 79905	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4503, Houston, TX 77001	
	~Gas will be flared during flowback & until N2 & O2 is cleaned from the wellbore~	

IV. Well Completion Data

²¹ Spud Date 07/08/21	²² Ready Date 05/29/22	²³ TD 10,232' MD 4,949' TVD	²⁴ PBTD 10,214' MD 4,949' TVD	²⁵ Perforations 5,476'- 10,159' MD 5,006'- 4,948' TVD Frac Sleeve @ 10,187'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12.25		9.625" 36# J55		382'	109
8.75		7" 26# J55		5272'	620
6.125		4.5" 11.6# P110		TOL: 5,104' BOL: 10,228'	433

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION		
Printed name: Shaw-Marie Ford			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: sford@djrlle.com			Approval Date: <i>5/11/2022</i>		
Date: 03/24/22		Phone: 505-716-3297	<i>RT EXPIRES 8/11/2022</i>		

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 748-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38240	² Pool Code 98175	³ Pool Name BETONNIE TSOSIE WASH UNIT MANCOS OIL POOL
⁴ Property Code 325179	⁵ Property Name BETONNIE TSOSIE WASH UNIT	⁶ Well Number 504H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6920'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	35	23N	8W		1411'	NORTH	808'	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	35	23N	8W		404'	SOUTH	1259'	EAST	SAN JUAN


¹² Dedicated Acres PENETRATED SPACING UNIT;
SEC. 35: SW/NW, SE/NW, NE/SW, NW/SE,
SW/SE & SE/SE = 240 ACRES TOTAL

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13930 R-13930A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 03/21/22
Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MARCH 1, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☐ AMENDED REPORT
☒ AS-DRILLED

BETONNIE TSOSIE WASH UNIT #504H

PPP-1 (FIRST TAKE POINT) NMNM 076842
1387' FNL, 613' FWL

LOCATED IN THE SW/NW OF SECTION 35,
T23N, R8W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO
LATITUDE: 36.186811°N LONGITUDE: 107.657839°W (NAD83)

PPP-2 (LAST TAKE POINT) NMNM 076842
440' FSL, 1294' FEL

LOCATED IN THE SE/SE OF SECTION 35,
T23N, R8W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO
LATITUDE: 36.177341°N LONGITUDE: 107.646505°W (NAD83)

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Energy
Well Name & No.	Betonnies Tsosie E35 2308 504H
County & State	San Juan, NM
SDI Job No.	OP.030588
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 5,374 feet to a measured depth of 10,232 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

4-Oct-21

Date

Janie Collins

Contract Well Planner
Scientific Drilling International



DJR

Betonne Tsoie Unit

E35 2308 Pad

#504H

End of Well Report



www.scientificdrilling.com



Company Name: DJR Operating
Project: Bettonnie Tsosie Unit
Site: E35 2308 Pad
Well: # 504H
Wellbore: Original Drilling



WELL DETAILS: # 504H

GL 6920 & RKB 26' @ 6946ft (H&P 443) 6920			Longitude
+N/-S	+E/-W	Northing	
0	0	1887319.55	-107.65718000
			2



First Surface MWD Survey

2000

4000

6000

8000

10000

12000

14000

16000

18000

20000

22000

24000

26000

28000

30000

32000

34000

36000

38000

40000

42000

44000

46000

48000

50000

52000

54000

56000

58000

60000

62000

64000

66000

68000

70000

72000

74000

76000

78000

80000

82000

84000

86000

88000

90000

92000

94000

96000

98000

100000

102000

104000

106000

108000

110000

112000

114000

116000

118000

120000

122000

124000

126000

128000

130000

132000

134000

136000

138000

140000

142000

144000

146000

148000

150000

152000

154000

156000

158000

160000

162000

164000

166000

168000

170000

172000

174000

176000

178000

180000

182000

184000

186000

188000

190000

192000

194000

196000

198000

200000

202000

204000

206000

208000

210000

212000

214000

216000

218000

220000

222000

224000

226000

228000

230000

232000

234000

236000

238000

240000

242000

244000

246000

248000

250000

252000

254000

256000

258000

260000

262000

264000

266000

268000

270000

272000

274000

276000

278000

280000

282000

284000

286000

288000

290000

292000

294000

296000

298000

300000

302000

304000

306000

308000

310000

312000

314000

316000

318000

320000

322000

324000

326000

328000

330000

332000

334000

336000

338000

340000

342000

344000

346000

348000

350000

352000

354000

356000

358000

360000

362000

364000

366000

368000

370000

372000

374000

376000

378000

380000

382000

384000

386000

388000

390000

392000

394000

396000

398000

400000

402000

404000

406000

408000

410000

412000

414000

416000

418000

420000

422000

424000

426000

428000

430000

432000

434000

436000

438000

440000

442000

444000

446000

448000

450000

452000

454000

456000

458000

460000

462000

464000

466000

468000

470000

472000

474000

476000

478000

480000

482000

484000

486000

488000

490000

492000

494000

496000

498000

500000

502000

504000

506000

508000

510000

512000

514000

516000

518000

520000

522000

524000

526000

528000

530000

532000

534000

536000

538000

540000

542000

544000

546000

548000

550000

552000

554000

556000

558000

560000

562000

564000

566000

568000

570000

572000

574000



DJR Operating

Betonne Tsoie Unit

E35 2308 Pad

504H - Slot 2

Original Drilling

Design: Original Drilling

Standard Survey Report

04 October, 2021



www.scientificdrilling.com





Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 504H - Slot 2
Project:	Betonnies Tsoie Unit	TVD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Site:	E35 2308 Pad	MD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Well:	# 504H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Betonnies Tsoie Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	E35 2308 Pad		
Site Position:		Northing:	1,887,359.24 usft
From:	Lat/Long	Easting:	2,775,078.04 usft
Position Uncertainty:	0 ft	Slot Radius:	13.20 in
		Latitude:	36.18685400
		Longitude:	-107.65716100
		Grid Convergence:	0.10 °

Well	# 504H - Slot 2		
Well Position	+N/-S	0 ft	Northing:
	+E/-W	0 ft	Easting:
Position Uncertainty	0 ft	Wellhead Elevation:	ft
		Latitude:	36.18674500
		Longitude:	-107.65718000
		Ground Level:	6920 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021_FILE	9/10/2021	8.57	62.68	49,146.00000000
	HDGM2021_FILE	9/29/2021	8.55	62.68	49,140.80000000

Design	Original Drilling			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth:
Vertical Section:	Depth From (TVD)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0	0	0	137.30

Survey Program	Date	10/4/2021		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
433	4457	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM
4552	5216	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM
5374	10,232	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
433	1.49	43.94	433	4	4	0	0.34	0.34	0.00	
523	1.85	26.45	523	6	5	-1	0.69	0.40	-19.43	
615	2.37	356.40	615	9	6	-3	1.31	0.57	-32.66	
707	3.08	331.79	707	14	5	-7	1.47	0.77	-26.75	
800	4.70	321.06	800	19	1	-13	1.90	1.74	-11.54	
893	6.42	309.11	892	25	-5	-22	2.22	1.85	-12.85	
985	8.13	305.60	983	32	-15	-33	1.92	1.86	-3.82	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 504H - Slot 2
Project:	Betonne Tsoie Unit	TVD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Site:	E35 2308 Pad	MD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Well:	# 504H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1078	10.15	304.10	1075	40	-27	-48	2.19	2.17	-1.61
1170	11.69	302.96	1166	50	-41	-65	1.69	1.67	-1.24
1262	12.66	302.78	1255	61	-58	-84	1.06	1.05	-0.20
1354	12.57	300.76	1345	71	-75	-103	0.49	-0.10	-2.20
1446	12.48	303.75	1435	82	-92	-122	0.71	-0.10	3.25
1539	12.00	303.13	1526	93	-108	-141	0.54	-0.52	-0.67
1629	10.81	298.48	1614	102	-123	-158	1.67	-1.32	-5.17
1722	10.06	302.61	1706	110	-138	-174	1.14	-0.81	4.44
1812	10.99	305.33	1794	119	-151	-190	1.17	1.03	3.02
1905	10.50	304.98	1885	129	-166	-207	0.53	-0.53	-0.38
2000	10.90	308.10	1979	140	-180	-225	0.74	0.42	3.28
2094	12.13	305.64	2071	151	-195	-243	1.41	1.31	-2.62
2189	13.37	305.29	2164	163	-212	-264	1.31	1.31	-0.37
2284	14.25	303.71	2256	176	-231	-286	1.01	0.93	-1.66
2379	16.09	303.18	2347	190	-251	-310	1.94	1.94	-0.56
2474	15.04	306.17	2439	204	-272	-335	1.39	-1.11	3.15
2569	13.80	308.23	2531	219	-291	-358	1.41	-1.31	2.17
2664	11.29	310.96	2624	232	-307	-379	2.71	-2.64	2.87
2759	9.01	312.19	2717	243	-320	-395	2.41	-2.40	1.29
2854	7.95	303.05	2811	251	-331	-409	1.80	-1.12	-9.62
2949	6.94	300.32	2905	258	-341	-421	1.13	-1.06	-2.87
3044	7.08	297.07	3000	263	-351	-432	0.44	0.15	-3.42
3139	7.25	302.17	3094	269	-362	-443	0.69	0.18	5.37
3234	8.00	301.46	3188	276	-372	-455	0.80	0.79	-0.75
3329	10.50	306.56	3282	285	-385	-470	2.77	2.63	5.37
3424	10.59	303.93	3375	295	-399	-487	0.52	0.09	-2.77
3519	10.81	308.06	3469	305	-413	-504	0.84	0.23	4.35
3614	12.22	306.91	3562	317	-428	-523	1.50	1.48	-1.21
3709	12.22	307.35	3655	329	-444	-543	0.10	0.00	0.46
3804	11.56	306.83	3748	340	-460	-562	0.70	-0.69	-0.55
3899	13.14	307.62	3840	353	-476	-582	1.67	1.66	0.83
3994	13.71	306.83	3933	366	-494	-604	0.63	0.60	-0.83
4089	11.25	301.82	4025	378	-511	-624	2.83	-2.59	-5.27
4169	8.79	298.48	4104	385	-523	-637	3.16	-3.08	-4.18
4264	8.39	307.18	4198	392	-534	-651	1.43	-0.42	9.16
4362	12.79	20.92	4295	407	-536	-663	13.41	4.49	75.25
4457	2.24	287.58	4389	417	-534	-669	13.80	-11.11	-98.25
4552	7.87	169.63	4484	412	-535	-665	9.62	5.93	-124.16
4647	14.85	155.74	4577	394	-529	-648	7.84	7.35	-14.62
4742	21.67	153.90	4667	367	-516	-620	7.20	7.18	-1.94
4837	27.11	148.45	4754	333	-497	-582	6.19	5.73	-5.74
4932	34.32	145.81	4835	292	-471	-534	7.72	7.59	-2.78
5027	47.99	139.48	4907	243	-432	-472	15.03	14.39	-6.66



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 504H - Slot 2
Project:	Betonnie Tsosie Unit	TVD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Site:	E35 2308 Pad	MD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Well:	# 504H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5122	62.67	130.78	4961	188	-377	-394	17.17	15.45	-9.16
5216	79.10	131.84	4991	130	-311	-306	17.51	17.48	1.13
5374	89.80	132.64	5006	24	-194	-150	6.79	6.77	0.51
5467	90.44	131.99	5006	-38	-126	-57	0.98	0.69	-0.70
5559	92.08	131.75	5004	-100	-57	35	1.80	1.78	-0.26
5651	92.32	135.52	5001	-163	9	126	4.10	0.26	4.10
5744	92.45	134.79	4997	-229	75	219	0.80	0.14	-0.78
5836	93.29	137.20	4992	-295	139	311	2.77	0.91	2.62
5928	91.85	137.49	4988	-363	201	403	1.60	-1.57	0.32
6020	89.53	135.65	4987	-430	264	495	3.22	-2.52	-2.00
6112	91.19	135.99	4986	-496	328	587	1.84	1.80	0.37
6204	90.77	134.05	4985	-561	393	679	2.16	-0.46	-2.11
6297	91.41	137.31	4983	-627	458	772	3.57	0.69	3.51
6389	90.37	136.14	4982	-694	521	864	1.70	-1.13	-1.27
6481	89.97	136.47	4981	-761	585	956	0.56	-0.43	0.36
6572	91.88	136.68	4980	-827	647	1047	2.11	2.10	0.23
6663	91.81	135.59	4977	-892	711	1138	1.20	-0.08	-1.20
6755	92.48	137.32	4974	-959	774	1230	2.02	0.73	1.88
6847	90.87	139.82	4971	-1028	835	1321	3.23	-1.75	2.72
6940	90.87	138.55	4969	-1098	895	1414	1.37	0.00	-1.37
7033	91.07	138.18	4968	-1168	957	1507	0.45	0.22	-0.40
7124	91.01	138.16	4966	-1236	1018	1598	0.07	-0.07	-0.02
7216	89.77	138.80	4966	-1304	1079	1690	1.52	-1.35	0.70
7308	89.83	138.52	4966	-1373	1140	1782	0.31	0.07	-0.30
7401	89.53	137.04	4966	-1442	1202	1875	1.62	-0.32	-1.59
7492	90.47	136.29	4966	-1509	1265	1966	1.32	1.03	-0.82
7585	90.54	135.86	4966	-1576	1329	2059	0.47	0.08	-0.46
7677	88.62	132.80	4966	-1640	1395	2151	3.93	-2.09	-3.33
7768	92.42	135.44	4965	-1703	1460	2242	5.08	4.18	2.90
7860	93.42	136.68	4961	-1769	1524	2334	1.73	1.09	1.35
7952	92.62	137.40	4956	-1837	1587	2426	1.17	-0.87	0.78
8045	90.64	139.56	4953	-1906	1648	2519	3.15	-2.13	2.32
8138	91.14	137.37	4952	-1976	1710	2612	2.42	0.54	-2.35
8231	90.17	138.24	4951	-2045	1772	2705	1.40	-1.04	0.94
8323	90.94	138.97	4950	-2114	1833	2796	1.15	0.84	0.79
8414	88.19	139.08	4951	-2182	1893	2887	3.02	-3.02	0.12
8507	87.22	137.08	4954	-2251	1955	2980	2.39	-1.04	-2.15
8598	89.40	135.58	4957	-2317	2018	3071	2.91	2.40	-1.65
8690	90.27	134.31	4957	-2382	2083	3163	1.67	0.95	-1.38
8782	90.94	133.48	4956	-2446	2149	3255	1.16	0.73	-0.90
8874	91.07	135.44	4955	-2510	2215	3347	2.13	0.14	2.13
8966	90.30	133.96	4954	-2575	2280	3439	1.81	-0.84	-1.61
9058	89.77	131.61	4953	-2638	2348	3531	2.62	-0.58	-2.55
9149	91.51	133.18	4952	-2699	2415	3621	2.58	1.91	1.73



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 504H - Slot 2
Project:	Betonnies Tsosie Unit	TVD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Site:	E35 2308 Pad	MD Reference:	GL 6920' & RKB 26' @ 6946ft (H&P 443)
Well:	# 504H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9241	92.38	132.63	4949	-2762	2482	3713	1.12	0.95	-0.60
9334	91.91	133.99	4946	-2825	2550	3806	1.55	-0.51	1.46
9426	91.01	133.43	4944	-2889	2616	3897	1.15	-0.98	-0.61
9518	89.83	133.92	4943	-2952	2683	3989	1.39	-1.28	0.53
9610	90.10	132.46	4943	-3015	2750	4081	1.61	0.29	-1.59
9703	90.07	134.08	4943	-3079	2818	4174	1.74	-0.03	1.74
9795	89.06	132.77	4943	-3142	2884	4265	1.80	-1.10	-1.42
9888	90.44	135.91	4944	-3207	2951	4358	3.69	1.48	3.38
9983	89.08	137.75	4944	-3277	3016	4453	2.41	-1.43	1.94
10,078	88.36	137.70	4946	-3347	3080	4548	0.76	-0.76	-0.05
10,173	88.82	136.81	4949	-3417	3144	4643	1.05	0.48	-0.94
10,182	89.16	135.73	4949	-3423	3151	4652	12.58	3.78	-12.00
10,232	89.16	135.73	4950	-3459	3185	4702	0.00	0.00	0.00

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
504H Toe	0.00	0.00	4961	-3509	3239	1,883,815.95	2,778,317.55	36.17710360	-107.64620610
- hit/miss target									
- Shape									
- actual wellpath misses target center by 74ft at 10232ft MD (4950 TVD, -3459 N, 3185 E)									
- Circle (radius 100)									
504H 85° Casing	0.00	0.00	4973	-17	-170	1,887,302.61	2,774,902.58	36.18669931	-107.65775596
- actual wellpath misses target center by 36ft at 5420ft MD (5006 TVD, -7 N, -161 E)									
- Point									
504H Heel	0.00	0.00	4988	-197	4	1,887,122.15	2,775,077.17	36.18620270	-107.65716540
- actual wellpath misses target center by 30ft at 5672ft MD (5000 TVD, -178 N, 24 E)									
- Circle (radius 50)									

Design Annotations				
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
433	433	4	4	First Surface MWD Survey
4457	4389	417	-534	Last Surface MWD Survey
4552	4484	412	-535	First Curve MWD Survey
5216	4991	130	-311	Last Curve MWD Survey
5374	5006	24	-194	First Lateral MWD Survey
10,182	4949	-3423	3151	Last Lateral MWD Survey
10,232	4950	-3459	3185	Projection to TD

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 92954

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 92954
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 92954

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 92954
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 8/11/2022	5/11/2022