

<b>Well Name:</b> EAGLE 26 P FEDERAL	<b>Well Location:</b> T17S / R27E / SEC 26 / LOT P / SESE /	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 3	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM0557370	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300153408200X1	<b>Well Status:</b> Abandoned	<b>Operator:</b> REDWOOD OPERATING LLC

Accepted for record – NMOCD gc5/2/2022

Subsequent Report

OPERATOR'S COPY

Sundry ID: 2666887

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/13/2022

Time Sundry Submitted: 02:17

Date Operation Actually Began: 03/25/2022

**Actual Procedure:** 03/25/22 MIRU plugging equipment. 03/28/22 POH w/ rods, pump, & anchor. ND well head, NU BOP. 03/28/22 POH w/ 96 jts of tbg. RIH w/ guage ring to 3200'. POH. Set 5 1/2 CIBP @ 3000'. Dump bailed with 2 runs. WOC. 03/30/22 Tagged plug @ 2969'. Dropped ball, gravity in 11 bbls, & pressured up to 1800 PSI. Set 5 1/2 CIBP @ 2195'. Circ'd hole w/ 45 bbls MLF. Pressure tested csg, established holes @ surface. Spotted 25 sx class C cmt @ 2195-1942'. ND BOP. Spotted 40 sx class C cmt @ 352' & circ'd to surface. 03/31/22 Rigged down & moved off. 04/07/22 Moved in backhoe and welder. Cut off well head & anchors. Roberta Thompson w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

Actual Procedure

Eagle\_26\_P\_Federal\_3\_\_BLM\_20220413141641.pdf

Eagle\_26\_P\_Federal\_3\_\_Plugged\_WBD\_20220413141641.pdf

Eagle\_26\_P\_Federal\_3\_\_Current\_WBD\_20220413141641.pdf

Reclamation Due 10.7.22

RECEIVED  
APR 21 2022  
MAILROOM

Well Number: 3

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM0557370

Unit or CA Name:

Unit or CA Number:

US Well Number: 300153408200X1

Well Status: Abandoned

Operator: REDWOOD  
OPERATING LLC**Operator Certification**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.*

Operator Electronic Signature: DELILAH FLORES

Signed on: APR 13, 2022 02:17 PM

Name: REDWOOD OPERATING LLC

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA

State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

**Field Representative**

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

**BLM Point of Contact**

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 04/14/2022

Signature: James A. Amos

**Plug Abandonment  
Subsequent Report**


<b>OPERATOR NAME:</b>	Redwood Operating, LLC
<b>LEASE NO.:</b>	NMNM0557370
<b>WELL NAME &amp; NO.:</b>	Eagle 26 P Federal #3
<b>US WELL NUMBER:</b>	30-015-34082-00-S1
<b>LOCATION:</b>	Sec 26, T17S, R27E
<b>COUNTY:</b>	Eddy County, NM

03/25/22 MIRU plugging equipment. 03/28/22 POH w/ rods, pump, & anchor. ND well head, NU BOP. 03/28/22 POH w/ 96 jts of tbgs. RIH w/ gauge ring to 3200'. POH. Set 5 1/2 CIBP @ 3000'. Dump bailed with 2 runs. WOC. 03/30/22 Tagged plug @ 2969'. Dropped ball, gravity in 11 bbls, & pressured up to 1800 PSI. Set 5 1/2 CIBP @ 2195'. Circ'd hole w/ 45 bbls MLF. Pressure tested csg, established holes @ surface. Spotted 25 sx class C cmt @ 2195-1942'. ND BOP. Spotted 40 sx class C cmt @ 352' & circ'd to surface. 03/31/22 Rigged down & moved off. 04/07/22 Moved in backhoe and welder. Cut off well head & anchors. Roberta Thompson w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

<b>Redwood</b>		<b>CURRENT</b>	
Author:	<u>Abby @ BCM</u>	Well No.	<u>#3</u>
Well Name	<u>Eagle 26 P Fed</u>	API #:	<u>30-015-34082</u>
Field/Pool	<u>Red Lake;Qn-GRBG-SA</u>	Location:	<u>Sec 26, T17S, R27E</u>
County	<u>Eddy</u>		<u>755 FSL &amp; 890 FEL</u>
State	<u>New Mexico</u>	GL:	<u>3554</u>
Spud Date	<u>7/5/2005</u>		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	302	12 1/4	220	0
Prod Csg	5 1/2	J55	17#	3,510	7 7/8	720	0

Formation	Top
7 Rivers	384
Bowers	705
Queen	895
Grbg	1325
San Andres	1670
Glorieta	3015
Yeso	3103



8 5/8 24# CSG @ 302  
Hole Size: 12 1/4

Perfs @ 2244-2824

RBP set @ 3000'  
Perfs @ 3103-3357


5 1/2 17# CSG @ 3,510  
Hole Size: 7 7/8



Redwood		PROPOSED	
Author:	Abby @ BCM	Well No.	#3
Well Name	Eagle 26 P Fed	API #:	30-015-34082
Field/Pool	Red Lake;Qn-GRBG-SA	Location:	Sec 26, T17S, R27E
County	Eddy		755 FSL & 890 FEL
State	New Mexico	GL:	3554
Spud Date	7/5/2005		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	302	12 1/4	220	0
Prod Csg	5 1/2	J55	17#	3,510	7 7/8	720	0

Formation	Top
7 Rivers	384
Bowers	705
Queen	895
Grbg	1325
San Andres	1670
Glorieta	3015
Yeso	3103



8 5/8 24# CSG @ 302  
Hole Size: 12 1/4

4. Spotted 40 sx class C cmt @ 352' & circ'd to surface.

3. Spotted 25 sx class C cmt @ 2195-1942'.

2. Dropped ball, gravity in 11 bbls, & pressured up to 1800 PSI. Set 5 1/2 CIBP @ 2195'. Circ'd hole w/ 45 bbls MLF. Pressure tested csg, established holes @ surface.

Perfs @ 2244-2824

1. Set 5 1/2 CIBP @ 3000'. Dump bailed with 2 runs. WOC. Tagged plug @ 2969'.

Perfs @ 3103-3357

5 1/2 17# CSG @ 3,510  
Hole Size: 7 7/8

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 102766

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 88210	OGRID: 330211
	Action Number: 102766
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/2/2022