

Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-27685
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VB-1454
7. Lease Name or Unit Agreement Name Buckskin State
8. Well Number #1
9. OGRID Number 013837
10. Pool name or Wildcat Vacu; GRBG- SA

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Mack Energy Corporation	
3. Address of Operator P.O. Box 960 Artesia, NM 88210	
4. Well Location Unit Letter L : 2310 feet from the S line and 660 feet from the W line Section 31 Township 17S Range 36E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3883' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
CASING/CEMENT JOB ☐ PNR ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/15/21 MIRU Plugging equipment. POH w/ rods & pump. **10/18/21** POH w/ rods & pump. Dug out cellar, ND well head, NU BOP. POH w/ 158 jts of tbg. RIH w/ perf sub & tagged out @ 5034'. **10/19/21** POH. Set 5 1/2" CIBP @ 4863' per company man's request. Circ'd hole w/ 112 bbls MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 4863-4616'. **10/20/21** Perf'd csg @ 4540'. Pressured up on perfs to 1000 PSI. Spotted 30 sx class C cmt @ 4590-4287'. WOC. Tagged plug @ 4255'. Perf'd 5 1/2" csg @ 3340'. Pressured up to 600 PSI. Spotted 30 sx class C cmt @ 3390-3087'. WOC. **10/21/21** Tagged plug @ 3131'. Perf'd 5 1/2" csg @ 2215'. Sqz'd 50 sx class C cmt @ 2215-2015'. WOC. **10/22/21** Tagged plug @ 2008'. Perf'd @ 450'. ND BOP, NU well head. Sqz'd 150 sx class C cmt @ 450' & circulated to surface. Rigged down & moved off. **10/30/21** Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 11/3/2021

Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288
For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 5/20/22
Conditions of Approval (if any):

Mack Energy Corporation		PLUGGED	
Author:	Abby BCM	Well No.	#1
Well Name	Buckskin State	API #:	30-025-27685
Field/Pool	Vacuum; GRBG-SA	Location:	Sec 31, T17S, R36E
County	Lea		2310 FSL & 660' FWL
State	New Mexico	GL:	3883'
Spud Date	1/30/1982		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	400	17 1/2	450	0
Inter Csg	9 5/8	N80	40#	4,490	12 1/4	3,450	400'
Prod Csg	5 1/2	N80	20# & 17#	12,275	8 1/2	1,500	5335' Calc



TDPB @ 5645'
TD @ 12,275'

13 3/8 48# CSG @ 400

6. Perf'd @ 450'. ND BOP, NU well head. Sqz'd 150 sx class C cmt @ 450' & circulated to surface.

5. Perf'd 5 1/2" csg @ 2215'. Sqz'd 50 sx class C cmt @ 2215-2015'. WOC & tagged plug @ 2008'.

4. Perf'd 5 1/2" csg @ 3340'. Pressured up to 600 PSI. Spotted 30 sx class C cmt @ 3390-3087' WOC & Tagged plug @ 3131'.

9 5/8 40# CSG @ 4,490

3. Perf'd csg @ 4540'. Pressured up on perfs to 1000 PSI. Spotted 30 sx class C cmt @ 4590-4287'. WOC. Tagged plug @ 4255'.

2. Set 5 1/2" CIBP @ 4863' per company man's request. Circ'd hole w/ 112 bbls MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 4863-4616'.

Perfs @ 4914-5002'

Perfs @ 5096-5148.5'

Perfs @ 5152-5186'

1. RIH w/ perf sub & tagged out @ 5034'.

CIBP @ 7400' w/ 35' cmt cap

Perf'd @ 7546-7552'

CIBP @ 9425' w/ 35' cmt cap

Perf'd @ 9484-9506'

CIBP @ 9900' w/ 35' cmt cap

Perf'd @ 9964-9986'. Sqz'd w/ 300 sx cmt

Perf'd @ 10,058-10,122

CIBP @ 11,450' w/ 35' cmt cap

Perf'd @ 11,518-11,530'

Perfs @ 10,871-10,898

CIBP @ 11,725' w/ 35' cmt cap

Perfs @ 11,774-11,778


Perfs @ 11,835-11,848

5 1/2 20# & 17# CSG @ 12,275

Formation	Top
T/Salt	2164
B/Salt	3287
Glorieta	6238
Bone Springs	6966
Abo	8622
Wolfcamp	9860
Cisco	11126
Strawn	11450
Atoka	11580
Morrow LS	11773
Mid Morrow	11972
Barnett	12172

Mack Energy Corporation		PLUGGED	
Author:	Abby BCM	Well No.	#1
Well Name	Buckskin State	API #:	30-025-27685
Field/Pool	Vacuum; GRBG-SA	Location:	Sec 31, T17S, R36E
County	Lea		2310 FSL & 660' FWL
State	New Mexico	GL:	3883'
Spud Date	1/30/1982		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	400	17 1/2	450	0
Inter Csg	9 5/8	N80	40#	4,490	12 1/4	3,450	400'
Prod Csg	5 1/2	N80	20# & 17#	12,275	8 1/2	1,500	5335' Calc



13 3/8 48# CSG @ 400

6. Perf'd @ 450'. ND BOP, NU well head. Sqz'd 150 sx class C cmt @ 450' & circulated to surface.

5. Perf'd 5 1/2" csg @ 2215'. Sqz'd 50 sx class C cmt @ 2215-2015'. WOC & tagged plug @ 2008'.

4. Perf'd 5 1/2" csg @ 3340'. Pressured up to 600 PSI. Spotted 30 sx class C cmt @ 3390-3087' WOC & Tagged plug @ 3131'.

9 5/8 40# CSG @ 4,490

3. Perf'd csg @ 4540'. Pressured up on perfs to 1000 PSI. Spotted 30 sx class C cmt @ 4590-4287'. WOC. Tagged plug @ 4255'.

2. Set 5 1/2" CIBP @ 4863' per company man's request. Circ'd hole w/ 112 bbls MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 4863-4616'.

Perfs @ 4914-5002'

Perfs @ 5096-5148.5'

Perfs @ 5152-5186'

1. RIH w/ perf sub & tagged out @ 5034'.

CIBP @ 7400' w/ 35' cmt cap
Perf'd @ 7546-7552'

CIBP @ 9425' w/ 35' cmt cap
Perf'd @ 9484-9506'

CIBP @ 9900' w/ 35' cmt cap
Perf'd @ 9964-9986'. Sqz'd w/ 300 sx cmt
Perf'd @ 10,058-10,122

CIBP @ 11,450' w/ 35' cmt cap
Perf'd @ 11,518-11,530'
Perfs @ 10,871-10,898

CIBP @ 11,725' w/ 35' cmt cap
Perfs @ 11,774-11,778
Perfs @ 11,835-11,848

5 1/2 20# & 17# CSG @ 12,275

TDPB @ 5645'
TD @ 12,275'

Formation	Top
T/Salt	2164
B/Salt	3287
Glorieta	6238
Bone Springs	6966
Abo	8622
Wolfcamp	9860
Cisco	11126
Strawn	11450
Atoka	11580
Morrow LS	11773
Mid Morrow	11972
Barnett	12172

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 59763

COMMENTS

Operator: MACK ENERGY CORP P.O. Box 960 Artesia, NM 882110960	OGRID: 13837
	Action Number: 59763
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	5/20/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 59763

CONDITIONS

Operator: MACK ENERGY CORP P.O. Box 960 Artesia, NM 882110960	OGRID: 13837
	Action Number: 59763
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q with marker pics to release	5/20/2022