

Well Name: PURE GOLD MDP1 29-17 FED COM	Well Location: T23S / R31E / SEC 29 / SESW / 32.2701494 / -103.8039245	County or Parish/State: EDDY / NM
Well Number: 8H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0545035	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001545754	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2664277

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 03/29/2022

Time Sundry Submitted: 09:32

Date Operation Actually Began: 12/20/2021

Actual Procedure: 12/20/21 RU BOP, test @ 250# low 3000# high, test 13-3/8" casing to 1500# for 30 min, good test. RIH & drill new formation to 498', perform FIT test to EMW=19.5ppg, good test. 12/21/21 drill 12-1/4" hole to 4241', 12/23/21. RIH & set 9-5/8" 40# L-80 HC BTC csg @ 4221', pump 80bbl spacer then lead cmt w/ 1025sx (365bbl) Class C w/ additives 12.9ppg 2.00 yield, followed by tail cmt w/ 174sx (42bbl) Class C w/ additives 14.8ppg 1.36 yield, full returns throughout job, circ 562sx (200bbl) cmt to surf, WOC. 12/23/21 RD & prep rig for skid. 12/31/21 RU BOP, test @ 250# low 5000# high, test 9-5/8" casing to 1782# for 30 min, good test. RIH & drill new formation to 4251', perform FIT test to EMW=15ppg, 1381psi, good test. 01/01/22-01/04/22 drill 8-3/4" hole to 10277'. 01/05/22-01/06/22: 7-5/8" casing was dropped in hole when running casing. Was able to successfully fish out the casing, however ~60 centralizers were left in hole. 01/06/22-01/08/22 Attempted 4 mill runs without any success, fish left in hole (TOF @ ~7600'). Plan forward is to set cement plug & sidetrack. 01/09/22 RIH w/ TAM packer & set @ 6670'. 1/10/22 RIH w/ 2-7/8" cement stinger & pump cement plug w/ 251sx (45bbl) class C w/ additives 17ppg 1 yield, WOC, tag cmt @ 5455'. 01/11/22 RIH w/ 8-3/4" KO motor assembly & drill 8-3/4" sidetrack hole from 6170' to 6412', POOH w/ KO assembly. 01/12/22-01/13/22 continue drilling 8-3/4" vertical hole from 6412' to 10281'. RIH & set 7-5/8" 26.4# L-80 HC UP SF/UP FJ csg @ 10221', pump 80bbl mudpush spacer then tail cmt w/ 227sx (71bbl) Class H w/ additives 13.2ppg 1.76 yield. Bradenhead squeeze 2nd stage tail cmt w/ 269sx (80bbl) Class C w/ additives @ 13.3ppg 1.67 yield, followed by lead cmt w/ 337sx (110bbl) Class C w/ additives @ 13.3ppg 1.84 yield, TOC @ surface, WOC. 01/15/22 RD & release rig. 02/19/22 RU BOP, test @ 250# low 10000# high, test 7-5/8" casing to 3586# for 30 min, good test. RIH & drill new formation to 10291', perform FIT test to EMW=14.5ppg, good test. 02/20/22 Drill 6-3/4" hole to 24238'M 11000'V 02/27/22. RIH & set 5-1/2" 20# P110 ICY Wedge 461 csg @ 24218'. Pump 160bbl mudpush express then tail cmt w/ 1140sx (272bbl) Class H w/ additives @ 13.2ppg 1.34 yield, est. TOC @ 9721', WOC. ND BOP, RD Rel Rig 03/04/22.

Well Name: PURE GOLD MDP1 29-17
FED COM

Well Location: T23S / R31E / SEC 29 /
SESW / 32.2701494 / -103.8039245

County or Parish/State: EDDY /
NM

Well Number: 8H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM0545035

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001545754

Well Status: Drilling Well

Operator: OXY USA
INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JANA MENDIOLA

Signed on: MAR 29, 2022 09:06 AM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: PO BOX 50250

City: Midland

State: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 04/17/2022

Signature: Jonathon Shepard

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 99826

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 99826
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/24/2022