

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 01/22/2022
⁴ API Number 30 - 025-46936	⁵ Pool Name RED TANK; BONE SPRING	⁶ Pool Code 51683
⁷ Property Code: 321612	⁸ Property Name: TACO CAT 27-34 FEDERAL COM	⁹ Well Number: 34H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	27	22S	32E		325	NORTH	1315	EAST	LEA

¹¹ Bottom Hole Location

FTP- 109' FNL 1189' FEL LTP- 174' FSL 1247' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	34	22S	32E		52	SOUTH	1247	EAST	LEA

¹² Lse Code F	¹³ Producing Method Code : P	¹⁴ Gas Connection Date: 1/24/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	--	--	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

IV. Well Completion Data

²¹ Spud Date 09/02/21	²² Ready Date 01/22/2022	²³ TD 22295'M 11868'V	²⁴ PBTD 22256'M 11867'V	²⁵ Perforations 11873-22173'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	968'	1180		
9-7/8"	7-5/8"	11014'	3189		
6-3/4"	5-1/2"	22267'	926		
	1-2/3" tbg	11733'	na		

V. Well Test Data

³¹ Date New Oil 01/24/2022	³² Gas Delivery Date 01/24/2022	³³ Test Date 02/8/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1165
³⁷ Choke Size 75/128	³⁸ Oil 3533	³⁹ Water 8550	⁴⁰ Gas 5748		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

06/21/2022

Phone:

432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:

PETROLEUM SPECIALIST

Approval Date: 6/28/2022

Well Name: TACO CAT 27-34 FEDERAL COM	Well Location: T22S / R32E / SEC 27 / NENE / 32.3690709 / -103.6582588	County or Parish/State: LEA / NM
Well Number: 34H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081272, NMNM81272	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546936	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2678106

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 06/21/2022	Time Sundry Submitted: 03:49
Date Operation Actually Began: 12/24/2021	

Actual Procedure: RUPU 12/24/21, RIH & clean out to PBTD @ 22256', pressure test casing to 9800# for 30 min, good test. RIH & perf @ 22173-11873' Total 1462 holes. Frac in 43 stages w/ 267618BBL Produced Water + 279600BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 30936562# sand, RD NexTier 01/16/22. Well ready to produce 01/22/22. 03/30/22 RIH with 1-2/3" L80 tbg & gas lift set @ 11733', RD 04/01/22. Formation Tops for this completion are as follows: Rustler 852'M 852'V Salado 1333'M 1333'V Castile 3320'M 3320'V Lamar/Delaware 4713'M 4713'V Bell Canyon 4757'M 4757'V Cherry Canyon 5610'M 5610'V Brushy Canyon 6805'M 6805'V Bone Spring 8663'M 8656'V 1st Bone Springs 9747'M 9714'V 2nd Bone Springs 10353'M 10307'V 3rd Bone Springs 11603'M 11496'V

Received by OCD: 6/27/2022 1:47:42 PM

Page 3 of 8

Well Name: TACO CAT 27-34 FEDERAL COM	Well Location: T22S / R32E / SEC 27 / NENE / 32.3690709 / -103.6582588	County or Parish/State: LEA / NM
Well Number: 34H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081272, NMNM81272	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546936	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA

Signed on: JUN 21, 2022 03:48 PM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: PO BOX 50250

City: MidlandState: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer


BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 06/23/2022

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-025-46936			
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER							5. Lease Name or Unit Agreement Name TACO CAT 27-34 FEDERAL COM			
8. Name of Operator: OXY USA INC.							6. Well Number: 34H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat RED TANK; BONE SPRING			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	27	22S	32E		325	NORTH	1315	EAST	LEA
BH:	P	34	22S	32E		52	SOUTH	1247	EAST	LEA
13. Date Spudded 09/02/21	14. Date T.D. Reached 12/14/2021	15. Date Rig Released 12/17/2021			16. Date Completed (Ready to Produce) 01/22/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3657' GL		
18. Total Measured Depth of Well 22295'M 11868'V			19. Plug Back Measured Depth 22256'M 11867'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11873-22173' 3 RD Bone Springs										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		968'		17.5"		1180sx-surf circ		
7.625" HCL80		26.4		11014'		9.875"		3189sx-surf circ		
5.5" P110		20		22267'		6.75"		926sx-TOC@10514'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT		SCREEN		25. TUBING RECORD		
								SIZE		
								DEPTH SET		
								PACKER SET		
26. Perforation record (interval, size, and number) 11873-22173' Total 1462 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11873-22173'		267618BBL Produced Water + 279600BBL Brackish Water w/ 30936562# sand		
28. PRODUCTION										
Date First Production 1/24/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 2/8/2022	Hours Tested 24 hrs.	Choke Size 75/128	Prod'n For Test Period	Oil - Bbl 3533	Gas - MCF 5748	Water - Bbl. 8550	Gas - Oil Ratio 1627			
Flow Tubing Press.	Casing Pressure 1165	Calculated 24- Hour Rate	Oil - Bbl. 3533	Gas - MCF 5748	Water - Bbl. 8550	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature: 										
Name: Jana Mendiola				Title: Sr. Regulatory Analyst				Date: 06/21/2022		
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 852'	T. Bell Canyon 4757'	T. Ojo Alamo	T. Penn A "
T. Salado 1333'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3320'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4713'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5610'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6805'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8663'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9747'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10353'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11603'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Taco Cat 27-34 Federal Com 34H
API No. 30-025-46936



1-2/3" tbg & gas lift @ 11733'

Perfs @ 11873-22173' TD- 22295'M 11868'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 120795

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 120795
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 120795

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 120795
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/28/2022