

Submit a Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-39429
5. Indicate Type of Lease
STATE [] FEE [x]
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [] Gas Well [x] Other []
2. Name of Operator: Redwood Operating, LLC
3. Address of Operator: PO Box 1370, Artesia, NM 88211370
4. Well Location: Unit Letter P : 990 feet from the S line and 330 feet from the E line. Section 13 Township 18S Range 26E NMPM County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.): 3291' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [x]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

06/30/22 MIRU plugging equipment. ND well head, NU BOP. POH w/ tbg. 07/05/22 Finished POH w/ tbg. Tagged RBP @ 2914'. Set 5 1/2 CIBP @ 2910'. Circ hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 30 sx class C cmt @ 2910-2607'. WOC. 07/05/22 Tagged plug @ 2618'. Perf'd 1615'. Pressured up on perfs to 500 PSI. Spotted 55 sx class C cmt w/ 2% CACL @ 1665-1108'. WOC. Tagged plug @ 1207'. Spotted 15 sx class C cmt @ 1207-1055'. WOC. 07/06/22 Tagged plug @ 1033'. Spotted 25 sx class C cmt @ 935-682'. Perf'd & Sqz'd 50 sx class C cmt @ 355' & circulated to surface. Topped off cellar & 8 5/8" annulus. 07/07/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 8 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date: []

Rig Release Date: []

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/11/2022

Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288


For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 7/11/22
Conditions of Approval (if any):

Redwood Operating, LLC		PLUGGED	
Author:	Abby BCM	Well No.:	#1
Well Name:	Waldrop 13 P Fee	API #:	30-015-39429
Field/Pool:	Red Lake; GL-Yeso	Location:	Sec 13, T18S, R26E
County:	Eddy	GL:	3291
State:	New Mexico		
Spud Date:	1/25/2012		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	255	17 1/2	400	0
Inter Csg	8 5/8	J55	24#	1,565	12 1/4	800	0
Prod Csg	5 1/2	J55	17#	4,272	7 7/8	910	0

Formation	Top
Queen	461
GRBG	884
San Andres	1175
Glorieta	2690
Yeso	2823



13 3/8 48# CSG @ 255

4. Perf'd & Sqz'd 50 sx class C cmt @ 355' & circulated to surface. Topped off cellar & 8 5/8" annulus.

3. Spotted 25 sx class C cmt @ 935-682'

8 5/8 24# CSG @ 1,565

2. Perf'd 1615'. Pressured up on perfs to 500 PSI. Spotted 55 sx class C cmt w/ 2% CACL @ 1665-1108'. WOC. Tagged plug @ 1207'. Spotted 15 sx class C cmt @ 1207-1055'. WOC & Tagged plug @ 1033'

1. Tagged RBP @ 2914'. Set 5 1/2 CIBP @ 2910'. Circ hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 30 sx class C cmt @ 2910-2607'. WOC & Tagged plug @ 2618'.

Perfs @ 3050-3383
 Perfs @ 3453-3650
 Perfs @ 3700-3869

CIBP @ 4256'

5 1/2 17# CSG @ 4,272

TDPB @ 4256
 TD @ 4288

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 124014

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 88210	OGRID: 330211
	Action Number: 124014
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	7/11/2022