

Well Name: JICARILLA 430	Well Location: T23N / R5W / SEC 36 / NENW /	County or Parish/State: SANDOVAL / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC430	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320757	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2674398

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/01/2022

Date Operation Actually Began: 05/23/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:26

Actual Procedure: The subject well was Plugged & Abandoned on 05/23/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_Submittal_20220601122558.pdf

Well Name: JICARILLA 430	Well Location: T23N / R5W / SEC 36 / NENW /	County or Parish/State: SANDOVAL / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC430	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320757	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: JUN 01, 2022 12:26 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 06/02/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Jicarilla 430 # 6
API # 30-043-20757
NE/NW, Unit C, Sec 36, T23N, R5W
Sandoval County, NM

Spud Date: 5-1-1985

Plug Date: 5-23-2022

3-23 & 24-2021:

MIRU rig and equipment. SITP = 0, SICP = 30, BH = 0. NDWH, NU BOP. Pull rods and pump. Pull tubing.

Release rig.

5-13-2022:

Move in and rig up rig and equipment. SITP N/A, SICP = 60, BH = 0.

5-14-2022:

TIH with bit and string mill, tagged at 6057'. TOOH.

5-16-2022:

Gallup formation top: 5321'.

P&A Plug 1: Lower Mancos: TIH to 6035', mix and blind plug of 20 sx, WOC ON.

5-17-2022:

TIH, tag Plug 1 at 5919'. TOOH.

P&A Plug 2 & 3: Gallup top and perfs. TIH set CR at 5124'. Mix and pump 36 sx cement under CR into Gallup perfs. Sting out and place 12 sx above CR. WOC. Tagged Plug 3 at 4846'.

Mancos formation top: 4495'.

P&A Plug 4: Pull up to 4625'. Mix and spot plug of 20 sx over upper Mancos perfs from 4625'. WOC ON.

5-18-2022:

Tagged Plug 4 at 4422'.

Load and roll hole. PT casing, did not test.

Run CBL from 4422' to surface.

Mesa Verde formation top 3622'.

P&A Plug 5: Mesa Verde formation top: Pull up to 3681', mix and pump balanced plug of 16 sx from 3681'. WOC.

5-19-2022:

TIH, tagged Plug 5 at 3463'.

Chacra formation top: 2516'.

P&A Plug 6: Chacra formation top: Pull up to 2571', mix and pump balanced plug of 16 sx from 2571'. WOC. Tagged Plug 6 at 2423'.

Formation tops: Pictured Cliffs: 2104', Fruitland: 1960', Kirtland: 1860', Ojo Alamo: 1645'.

P&A Plug 7: Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo formation tops. Pull up to 2163', mix and pump balanced plug of 52 sx from 2163'. Pull up, reverse out. WOC ON.

5-20-2022:

TIH, tagged Plug 7 at 1516'.

Nacimiento formation top: 1253'.

P&A Plug 8 & 9: Nacimiento formation top. Perforate holes at 1303'. TIH, set CR at 1250'. Mix and pump 22 sx through CR and outside casing. Sting out and place 12 sx above CR to cover Nacimiento formation top. TOOH, WOC. TIH, tagged Plug 9 at 1129'.

P&A Plug 10: Surface casing shoe to surface. Perforate holes at 273'. Mix and pump 80 sx via casing, good circulation and cement returns at surface. WOC ON.

5-23-2022:

Cut off WH. TOCs, 60' in 4 ½" casing and 90' in annulus. Install P&A marker. Top off casings and cellar with 50 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15 ft³

Regulatory Representative: Jimmie Dobson, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.1847576 N, Long; 107.3167903 W

**DJR Operating, LLC
P&A Marker
Jicarilla 430 # 6
API # 30-043-20757
NE/NW, Unit C, Sec 36, T23N, R5W
Sandoval County, NM**





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

**End of Well Report
DJR Operating, LLC
Jicarilla 430 6**

API # 30-043-20757
NE/NW, Unit C, Sec 36, T23N, R5W
Sandoval County, NM

GL 6810'
KB 6823'
Spud Date 5/1/1985

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 20#
Grade: J-55
ID: 8.191"
Depth 223'
Csg cap ft3: 0.3659
TOC: Surf

FORMATION TOPS

Nacimiento	1253'
Ojo Alamo	1645'
Kirtland	1860'
Fruitland	1960'
Pictured Cliffs	2104'
Lewis	2212'
Chacra	2516'
Mesa Verde	3622'
Mancos	4495'
Gallup	5321'

PROD CSG

Hole size 6.25"
Csg Size: 4.5"
Wt: 10.5#
Grade: J-55
ID: 4.052"
Depth 6188'
Csg cap ft3: 0.0895
Csg/Csg Ann ft3: 0.2555
Csg/OH cap ft3: 0.1026

TOC: Stg 1 5098' (CBL)

TOC: Stg 2 3950' (TS)


Plus squeeze volume.

DV Tool at +/-4684'

Perfs 5170-5591'

Perfs 6064-6074'

PBTD 6146'
TD 6189'



5-23-2022: Cut off WH, install P&A marker, TOCs in 4 1/2" csg = 60', in 8 5/8" = 90'. Top off csqs and cellar with 50 sx.

5-20-2022: Plug 10: Surface casing shoe and surface plug. Perf holes at 273'. Mix and pump 80 sx down casing, good returns at surface, cement to surface. WOC.

5-20-2022: Plugs 8 & 9: Nacimiento: Perf holes at 1303'. Set CR at 1250'. Mix and pump 22 sx under CR and outside csg. Sting out and place 12 sx above CR. TOC, tagged at 1129'.

5-19-2022: Plug 7: Pictured Cliffs, Fruitland, Kirtland, and Ojo Alamo: Spot balanced plug of 52 sx from 2163'. Reverse out, WOC. 5-20-2022, tagged at 1516'.

5-19-2022: Plug 6: Chacra: Spot balanced plug of 16 sx from 2571'. WOC. Tagged at 2423'.

5-18-2022: Plug 5: Mesaverde: Spot balanced plug 16 sx from 3681'. WOC. 5-19-2022, tagged at 3463'.

5-18-2022: Ran CBL from 4422' to surface

5-18-2022: PT casing, did not test

5-17-2022: Plug 4: Mancos: Spot balanced plug from 4625', WOC. 5-18-2022: Tagged at 4422'.

5-17-2022: Plugs 2 & 3: Gallup top and perfs: Set CR at 5124'. Mix and pump 36 sx through CR. Sting out and place 12 sx above CR. WOC. Tagged at 4846'.

5-16-2022: Plug 1: Lower Mancos perfs: Mix and spot blind plug of 20 sx from 6035'. WOC. 5-17-2022, tagged Plug 1 at 5919'.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 ft³

Regulatory Representative: Jimmie Dobson, BLM, Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.1847576, Long; 107.3167903

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 113451

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 113451
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	6/16/2022