

|                            |                                                                      |                                       |
|----------------------------|----------------------------------------------------------------------|---------------------------------------|
| Well Name: FEDERAL GAS COM | Well Location: T28N / R10W / SEC 28 / NENE / 36.637146 / -107.895432 | County or Parish/State: SAN JUAN / NM |
| Well Number: 1             | Type of Well: CONVENTIONAL GAS WELL                                  | Allottee or Tribe Name:               |
| Lease Number: NMSF077383   | Unit or CA Name: FEDERAL GAS COM                                     | Unit or CA Number: NMNM73955          |
| US Well Number: 3004507196 | Well Status: Abandoned                                               | Operator: HILCORP ENERGY COMPANY      |

Subsequent Report

Sundry ID: 2677087

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/15/2022

Date Operation Actually Began: 06/03/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 01:32

Actual Procedure: Subject well was plugged and abandoned on 6/9/22. Please see attached operational reports.

SR Attachments

- Actual Procedure
- Current\_Schematic\_20220615133207.pdf

Federal\_Gas\_Com\_1\_P\_A\_SR\_20220615133206.pdf

Received by OCD: 6/16/2022 5:36:15 AM

Page 2 of 5

|                            |                                                                      |                                       |
|----------------------------|----------------------------------------------------------------------|---------------------------------------|
| Well Name: FEDERAL GAS COM | Well Location: T28N / R10W / SEC 28 / NENE / 36.637146 / -107.895432 | County or Parish/State: SAN JUAN / NM |
| Well Number: 1             | Type of Well: CONVENTIONAL GAS WELL                                  | Allottee or Tribe Name:               |
| Lease Number: NMSF077383   | Unit or CA Name: FEDERAL GAS COM                                     | Unit or CA Number: NMNM73955          |
| US Well Number: 3004507196 | Well Status: Abandoned                                               | Operator: HILCORP ENERGY COMPANY      |

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

|                                              |                                  |
|----------------------------------------------|----------------------------------|
| Operator Electronic Signature: KANDIS ROLAND | Signed on: JUN 15, 2022 01:32 PM |
| Name: HILCORP ENERGY COMPANY                 |                                  |
| Title: Operation Regulatory Tech             |                                  |
| Street Address: 382 Road 3100                |                                  |
| City: Farmington                             | State: NM                        |
| Phone: (505) 599-3400                        |                                  |
| Email address: kroland@hilcorp.com           |                                  |

Field

|                      |        |      |
|----------------------|--------|------|
| Representative Name: |        |      |
| Street Address:      |        |      |
| City:                | State: | Zip: |
| Phone:               |        |      |
| Email address:       |        |      |

BLM Point of Contact

|                                 |                                         |
|---------------------------------|-----------------------------------------|
| BLM POC Name: KENNETH G RENNICK | BLM POC Title: Petroleum Engineer       |
| BLM POC Phone: 5055647742       | BLM POC Email Address: krennick@blm.gov |
| Disposition: Accepted           | Disposition Date: 06/15/2022            |
| Signature: Kenneth Rennick      |                                         |

Federal Gas Com 1  
30-045-07196  
P&A SR

**6/3/22** –MIRU. SIBHP – 0 PSI, SICP – 0 PSI, SITP – N/A. ND WH, NU BOP. PT BOP, Good test. RIH w/ 5.5" setting tool and tbg. SIW. SDFN.

**Verbal approval for final top and cmt plugs as listed below by Monica Kuehling, NMOCD & Clay Yazzie, BLM.**

**6/6/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. Sting into retainer set @ 6000' could not establish rate. PU out of retainer. **Verbal approval by Monica Kuehling, NMOCD & Clay Yazzie, BLM to spot 150' plug on top of retainer.**

**Plug 1 (Dakota 6445' – 6672') Mix and pump: 18 sx Class G Neat, 15.8 PPG, 1.15 Yield.** LD tbg. WOC. TIH. Tag TOC @ 5873'. LD tbg. TOOH. MIRU wireline. RIH perf @ 5635-5639'. POOH, RD wireline. RIH w/ CICR set @ 5587'

**Plug 2 (Gallup 5489' – 5639' Inside/Outside) Mix and pump: 56 sx Class G Neat, 15.8 PPG, 1.15 Yield.** LD tbg. SIW. SDFN.

**6/7/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. TIH tag TOC @ 5418'. LD tbg. RU wireline. RIH perf @ 4584-4588'. POOH, RD wireline. RIH w/ CICR set @ 4535'. Could not pump into perf's. **Verbal approval by Monica Kuehling, NMOCD & Clay Yazzie, BLM to pump 150' plug inside csg.**

**Plug 3 (Mancos 4438' – 4588') Mix and pump: 24 sx Class G Neat, 15.8 PPG, 1.15 Yield.** LD tbg. WOC. TOOH. TIH tag TOC @ 4332'. LD tbg. **(NMOD does not want to run a CICR in MV section of well due to holes in csg. Will spot cmt, pull out and sqz).** RU wireline. RIH perf @ 3676-3680'. POOH, RD wireline. RIH to 3728'.

**Plug 4 (Mesaverde 3528' – 3678') Mix and pump: 55 sx Class G Neat, 15.8 PPG, 1.15 Yield.** TOOH w/ tbg. SIW. SDFN.

**6/8/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – N/A. RIH tag TOC @ 3530'. PT csg 610 psi, good test. **Monica Kuehling, NMOCD & Clay Yazzie, BLM waived WOC.** TOOH w/ tbg. RU wireline. RIH perf @ 2684'-2688'. POOH, RD wireline. RIH w/ CICR & set @ 2638'.

**Plug 5 (Chacra 2538' – 2688' Inside/Outside) Mix and pump: 51 sx Class G Neat, 15.8 PPG, 1.15 Yield.** LD tbg. LD setting tool. RU wireline. RIH & perf @ 2258'-2262'. RD wireline. RIH w/ CICR & set @ 2208'.

**Plug 6 (Pictured Cliffs 1973' – 2262' Inside/Outside) Mix and pump: 108 sx Class G Neat, 15.8 PPG, 1.15 Yield.** LD tbg/setting tool. RU wireline. RIH & perf @ 1816'-1820'). POOH. RD wireline. RIH w/ CICR & set @ 1775'

**Plug 7 (Fruitland 1670' – 1820' Inside/Outside) Mix and pump: 52 sx Class G Neat, 15.8 PPG, 1.15 Yield.** LD tbg & setting tool. RU wireline. RIH & perf @ 1266'-1270'). POOH. RD wireline. SIW. SDFN.

**6/9/22** - SIBHP – 0 PSI, SICP – 0 PSI, SITP – N/A. **Verbal approval to combine Ojo/Kirtland if no BH pressure per Monica Kuehling, NMOCD.** RIH w/ CICR & set @ 1225'

**Plug 8 (Ojo/Kirtland 961' – 1270' Inside/Outside) Mix and pump: 124 sx Class G Neat, 15.8 PPG, 1.15 Yield.** POOH w/ setting tool. RU wireline. RIH & perf @ 186'-190'. POOH. RD wireline. RIH w/ CICR & set @ 141'.

**Surface Plug (190' – Surface Inside/Outside) Mix and pump: 72 sxs Class G Neat, 15.8 PPG, 1.15 Yield.** Circ to surface. TOOH. LD tbg. ND BOP. Cut off WH. Install dry hole marker. Top of cellar w/ cmt. RDMO.


**The subject well was plugged and abandoned on 6/9/2022**



## Current Schematic

Well Name: FEDERAL GAS COM #1

|                                   |                                           |                                  |                                |                                |                                     |
|-----------------------------------|-------------------------------------------|----------------------------------|--------------------------------|--------------------------------|-------------------------------------|
| API / UWI<br>3004507196           | Surface Legal Location<br>T28N-R10W-S28   | Field Name<br>Basin Dakota       | Route<br>0708                  | State/Province<br>New Mexico   | Well Configuration Type<br>Vertical |
| Ground Elevation (ft)<br>6,061.00 | Original KB/RT Elevation (ft)<br>6,073.00 | KB-Ground Distance (ft)<br>12.00 | KB-Casing Flange Distance (ft) | KB-Tubing Hanger Distance (ft) |                                     |



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 117766

CONDITIONS

|                                                                                |                                                |
|--------------------------------------------------------------------------------|------------------------------------------------|
| Operator:<br>HILCORP ENERGY COMPANY<br>1111 Travis Street<br>Houston, TX 77002 | OGRID:<br>372171                               |
|                                                                                | Action Number:<br>117766                       |
|                                                                                | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| mkuehling  | None      | 6/23/2022      |