

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-21953
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Tom Brown GO Com
8. Well Number 1
9. OGRID Number 7377
10. Pool name or Wildcat Kennedy Farms; Morrow

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>C</u> : <u>835</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>22</u> Township <u>17S</u> Range <u>26E</u> NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3339'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/2/22 – MIRU and NU BOP. Set a CIBP at 8348', tagged.

6/3/22 – Spotted 30 sx Class "H" cement on top of CIBP to 8110', tagged. Set a CIBP at 8014', tagged.

6/6/22 – Pressured up to 500 psi, held good. Spotted 35 sx Class "H" cement on top of CIBP to 7750', tagged. Perforated at 7474'. Pressured up to 700 psi, held good.

6/7/22 – Spotted a 30 sx Class "C" cement plug from 7546'-7230', tagged. Perforated at 6715'. Established circulation up 8-5/8" casing.

6/8/22 – Squeezed with 40 sx Class "C" cement from 6715'-6560', tagged. Perforated at 4443'. Established circulation up 8-5/8" casing. Squeezed with 35 sx Class "C" cement from 4443'-4300', tagged. Perforated at 2373'. Established circulation up 8-5/8" casing.

6/9/22 – Squeezed with 30 sx Class "C" cement from 2373'-2225', tagged. Perforated at 1452'. Established circulation up 8-5/8" casing. Squeezed with 128 sx Class "C" cement from 1452'-935', tagged. Perforated at 452'. Established circulation up 8-5/8" casing.

6/10/22 – Squeezed with 110 sx Class "C" cement at 452' and circulated up to surface.

6/20/22 – Cut off wellhead and installed below ground dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE June 27, 2022

Type or print name Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 6/28/2022

Conditions of Approval (if any):

Tom Brown GO Com 1

Sec-TWN-RNG: 22-17S-26E
FOOTAGES: 835 FNL & 1980 FWL

API: 30-015-21953
GR: 3339

Plug 8

Plug 7

Plug 6

Plug 5

Plug 4

Plug 3


TOC @ 7700 CBL

Plug 2

Strawn Perfs 8064-8070

Plug 1

Morrow Perfs 8398-8512



PBTD: MD
TD: 8,725 MD

CASING DETAIL

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	17 1/2	13 3/8	61	J-55	0	402	300	Circ	
B	12 1/4	8 5/8	24	K-55	0	1,402	600	Ready-mix to surf	
C	7 7/8	5 1/2	15.5 & 17	K-55	0	8,609	200	7700	CBL

FORMATION TOPS

Formation	Top (MD)	Formation	Top (MD)
San Andres	975	Canyon	7424
Glorieta	2323	Strawn	7861
Abo	4393	Atoka	8226
Cisco	6665	Morrow	8418

TUBING DETAIL

2 3/8 tbg landing in on/off tool @ 8442. Baker lok-set pkr @ 8442 w/standing vlv. Sliding sleeve @ 8411

PLUGS

#	SX	Class	Top	Bottom	Tag	Notes
1	30	H	8110	8348	Y	CIBP
2	35	H	7750	8014	Y	CIBP
3	30	C	7230	7546	Y	Perforate
4	40	C	6560	6715	Y	Perforate
5	35	C	4300	4443	Y	Perforate
6	30	C	2225	2373	Y	Perforate
7	128	C	935	1452	Y	Perforate
8	110	C	0	452	N	Perforate

Formation	Top	Bottom	Treatment
Strawn	8,064	8,070	acidized w/3000 gals 15% MSA, reacidized w/8000 gals 15% DS-30 and 4764 gallons CO2
Morrow	8,398	8,512	A/C w/1000g 7 1/2% MS acid & nitrogen

ADDITIONAL DETAIL

2/23/79- Well was evaluation on upper Morrow perfs and an on/off tool and closed sliding sleeve tool was latched into production pkr @8442.

6/27/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 120949

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 120949
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/28/2022