

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-059-20236
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No. -
7. Lease Name or Unit Agreement Name Bravo Dome Carbon Dioxide Gas Unit (27111)
8. Well Number 281
9. OGRID Number 16696
10. Pool name or Wildcat Bravo Dome Carbon Dioxide Gas 640 (96010)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other CO₂ Producer	
2. Name of Operator OXY USA INC.	
3. Address of Operator PO BOX 4294, HOUSTON, TX 77210	
4. Well Location Unit Letter <u>G</u> : <u>1650</u> feet from the <u>NORTH</u> line and <u>1650</u> feet from the <u>EAST</u> line Section <u>28</u> Township <u>18N</u> Range <u>34E</u> NMPM County <u>UNION</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4715' (GL)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

OXY USA INC. respectfully requests approval to plug and abandon the subject well. The proposed plan is as follows:

TD-2840' Perfs @ 2486' – 2540'
 9-5/8" 32.3# csg @ 756', 12-1/4" hole, w/ 390 sx TOC-Surf-Circ
 7" 20# csg @ 2840', 8-3/4" hole, w/ 750 sx TOC-Surf-Circ

1. Tag existing plug estimated at ~2,370'
2. Spot 25 sx class c cmt from 2,370' to 2,270'. WOC. Tag and leak test.
3. Spot 25 sx class c cmt from 1756' – 1656'.
4. Spot 25 sx class c cmt from 806' – 706'.
5. Spot 25 sx class c cmt from 100' – surf.

See COAs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephen Janacek TITLE REGULATORY ENGINEER DATE 7/21/22

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 7/27/2022

Conditions of Approval (if any):

Colton Bell

Current Wellbore

7/20/2022

Bravo Dome 1834-281

30-059-20236-0000


Union County

String 1
OD 9.625 in
TD 756 ft
TOC 0 ft

Glorieta 1,756'

Prod Zone
2486 ft
2540 ft

String 2
OD 7 in
TD 2840 ft
TOC 0 ft



CIBP @ 2,390' w/ 5 sxs
Failed MIT

CIBP @ 2,420' w/ 10' cmt (tagged at 2,402')
Failed MIT

Colton Bell

Proposed Wellbore

7/20/2022

Bravo Dome 1834-281

30-059-20236-0000


Union County

String 1
OD 9.625 in
TD 756 ft
TOC 0 ft

Glorieta 1,756'

Prod Zone
2486 ft
2540 ft

String 2
OD 7 in
TD 2840 ft
TOC 0 ft



Spot 25 sxs cmt from 100' - surf

Spot 25 sxs cmt from 806' - 706'

Spot 25 sxs cmt from 1,756' - 1,656'

Spot 25 sxs cmt from 2,370' - 2,270'. WOC, Tag, Leak Test.
Tag plug estimated at 2,370'

CIBP @ 2,390' w/ 5 sxs
Failed MIT

CIBP @ 2,420' w/ 10' cmt (tagged at 2,402')
Failed MIT

Geo Tops

T. Queen	T. Devonian	T. Menefee
T. Grayburg	T. Silurian	T. Point Lookout
T. San Andres 1526'	T. Montoya	T. Mancos
T. Glorieta 1756'	T. Simpson	T. Gallup
T. Paddock	T. McKee	Base Greenhorn
T. Blinberry	T. Ellenburger	T. Dakota
T. Tubb 2464'	T. Gr. Wash	T. Morrison
T. Drinkard	T. Granite	T. Todilto
T. Abo	T. Delaware Sand	T. Entrada
T. Wolfcamp	T. Bone Springs	T. Wingate
T. Penn.	T. Santa Rosa 1150'	T. Chude
T. Cisco (Bough C)	T. Cimarron 2448'	T. Permian
		T. Penn. "A"
OIL OR GAS SANDS OR ZONES		
No. 1, from 2486' to 2540'	No. 4, from	
No. 2, from to	No. 5, from	
No. 3, from to	No. 6, from	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 127851

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 127851
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	7/27/2022
kpickford	Adjust Plug #2 1806' - 1706' to cover the Glorieta top @ 1756'.	7/27/2022
kpickford	Add a plug 1576'-1476' to cover the San Andres top @ 1526'.	7/27/2022